



SMITH & ELLIS

LTD

MODERN GARDEN NEEDS

193-194 Aldersgate Street
LONDON, E.C.1.
Tel: National 8994.

CATALOGUE No. 43, 1937.

INDEX

| | PAGE | | PAGE | | PAGE |
|-------------------------------|----------------|-----------------------------|----------------------|------------------------------|------------------------------|
| Adco ... | Back of Cover | Croquet Bordering ... | 23 | Garden Sticks ... | 19, 24 |
| Apollo Chair ... | 135 | Cultivators ... | 48 to 55 | Garden Tubs ... | 73 to 76 |
| Arbour ... | 93 | | | Garden Umbrellas ... | 118 to 120 |
| Arches ... | 4, 5, 7, 22 | Dahlia Stakes ... | 18, 19 | Gate Fittings ... | 45 |
| Aviaries ... | 83 | Daisy Grubbers ... | 52 | Gate Posts ... | 18, 19, 38, 42, 45 |
| Awnings ... | 114 to 126 | Deck Chairs ... | 127 to 135 | Gates ... | 15 to 21, 38, 42, 44, 45, 46 |
| Axes ... | 55 | Deck Chair Canvases ... | 126 | Glass Substitute ... | 90, 91 |
| | | Dibbers ... | 53 | Gloves ... | 25 |
| Badminton ... | 149 | Dog Kennels ... | 82 | Golf Practice Net ... | 150 |
| Bagging Hooks ... | 59 | Door Blinds ... | 126 | Grafting Tool ... | 50 |
| Bamboo Canes ... | 24 | Door Springs ... | 27 | Grass Hooks ... | 59 |
| Barbed Wire ... | 43 | Dovecotes ... | 77, 80 | Greenhouse Heaters ... | 86, 87 |
| Basic Slag ... | Back of Cover | Drain Cleaning Machines ... | 95 | Greenhouse Shading ... | 125 |
| Baskets ... | 25, 28 | Draining Board ... | 110 | Greenhouses ... | 38 |
| Bathing Tents ... | 119, 123 | Driving Eyes ... | 27 | Green Twist ... | 24 |
| Bathroom Stools ... | 110 | Dust Bins ... | 109 | Ground Pegs ... | 30 |
| Besoms ... | 25 | | | | |
| Bill Hooks ... | 59 | Earth Auger ... | 25, 43 | Hammocks ... | 114 to 121 |
| Bird Baths ... | 78 to 81 | Earth Rammers ... | 65 | Hanging Baskets ... | 28 |
| Bird Tables ... | 77 | Edge Trimmers ... | 56, 59, 60 | Hard Court Rollers ... | 64, 65 |
| Bone Meal ... | Back of Cover | Entrance Gates ... | 38, 44, 45, 46 | Hard Court Tape Lines ... | 160 |
| Boot Scrapers ... | 26 | Espaliers ... | 32 | Hinges ... | 27 |
| Bordering ... | 18, 19, 23, 47 | Extending Trellis ... | 23 | Hoes ... | 52 to 54 |
| Boundary Netting ... | 155 | | | Holdfasts ... | 27 |
| Bowls ... | 149 | Felt ... | 85 | Hole Borer ... | 25, 43 |
| Bridge (Trellis) ... | 14 | Fencing ... | 2 to 23, 32 to 47 | Hop Manure ... | Back of Cover |
| Bridge Tables ... | 146 | Fencing Stakes ... | 18, 19, 20, 35, 38 | Hose Fittings ... | 97 |
| Budding Knives ... | 57 | Fencing Wire ... | 43 | Hose Pipe ... | 96 |
| Built Planter or Borer ... | 25 | Fertilisers ... | Back of Cover | Hose Reels and Holders ... | 98 |
| | | Field Gates ... | 38, 42, 46 | Humuli ... | Back of Cover |
| Card Tables ... | 144 to 146 | Flower Scissors ... | 57 | Hurdles ... | 42 |
| Cattle Fencing ... | 33 to 43 | Folding Chairs ... | 127 to 135, 142, 147 | | |
| Chain Link Fencing ... | 36, 37, 38 | Folding Tables ... | 144 to 146 | Incinerators ... | 68, 69 |
| Chestnut Pale Fencing ... | 40, 41, 42 | Force Pumps ... | 94 | Interwoven Fencing ... | 16, 17 |
| Chicken Coops ... | 83, 84 | Forks ... | 50, 51 | Iron Barrel ... | 95 |
| Chicken Runs ... | 84 | Frames ... | 89 to 91 | Iron Fencing and Railing ... | 47 |
| Chimney Sweeping Machines ... | 95 | Frost Mats ... | 24 | Ironing Board ... | 111 |
| Cinder Sifter ... | 109 | Fruit Enclosure ... | 29, 30 | Ironcrete Rollers ... | 65 |
| Cisterns ... | 105 to 108 | Fruit Trays and Racks ... | 28 | Ironcrete Wheelbarrows ... | 71 |
| Cloches ... | 90, 91 | Flower Boxes ... | Back of Cover | | |
| Clock Golf ... | 150 | | | Knives ... | 57 |
| Close Fencing ... | 16, 17, 41, 42 | Garden Bordering ... | 18, 19, 23, 47 | | |
| Clothes Airer and Line ... | 111 | Garden Labels ... | 24 | Labels and Pencils ... | 24 |
| Coal Bunkers ... | 110 | Garden Ornaments ... | 78 to 81 | Ladders and Steps ... | 66, 67 |
| Coppers ... | 109 | Garden Reels and Lines ... | 53 | Larch Posts ... | 19, 20 |
| Couch Hammocks ... | 114 to 117 | Garden Seats ... | 75, 114 to 147 | Lawn Dressing ... | Back of Cover |
| Creosote ... | 85 | | | Lawn Mowers ... | 60 to 63 |
| Croquet ... | 148 | | | | |

(Index continued inside back Cover.)

We have pleasure in handing you copy of our latest Catalogue, which we trust will be useful and interesting.

Prices Fluctuating. Owing to the uncertain state of the Costs of all raw materials, we regret the quoted Prices cannot always be relied upon, but any variation upwards or downwards will always be advised.

Our new premises are larger and more conveniently situated and the new arrangements will enable us to give to our many valued clients even **BETTER SERVICE.**

As in the past we shall aim primarily to see that our goods give satisfaction, and that prices are as low as it is possible to make them consistent with the quality offered. The prices are based on conditions existing at time of printing and are consequently **liable to alteration.**

It is impossible to catalogue everything one needs or can use in the Garden, on the allotment, on the Poultry Farm or Sports Ground, but we can always quote you by return for your actual requirements if you will send us your enquiries.

To all our old patrons and friends we extend our best thanks for their support in the past. New customers will find us courteous, fair and anxious to give that satisfaction which breeds the goodwill so necessary to any business.

Terms.—Our payment terms are **Cash with order**, excepting in the case of clients having a **Ledger Account**. New Ledger Accounts may be opened on receipt of customary references.

Carriage.—Where goods are **Carriage Paid** same is plainly stated against such goods and where no mention of Carriage is made, goods are F.O.R. (Carriage Forward).

Where "**Carriage extra**" is mentioned it is for the single article sent separately, but a number of such articles can be sent together F.O.R. at Catalogue Prices.

If Customer desires goods sent by passenger train the cost of carriage must be remitted, as passenger carriage is always prepaid.

NOTE.—When ordering, please send full particulars and description of goods required with each order. Please quote references if any have been given with previous correspondence. Please give full name and address and nearest STATION. Addresses for goods should be written in **BLOCK LETTERS** for preference. **TREASURY NOTES** and Postal Orders should be sent in P.O. Registered Envelopes.

SMITH & ELLIS, LTD.,

193-194, ALDERSGATE STREET,


Directors:


A. J. ELLIOTT.
G. McQUIRE.
R. G. McQUIRE.

LONDON, E.C.1.

Telephone:

National 8994.





The figures in the Circles denote the patterns shown in the following pages.

SQUARE MESH TRELLIS.

Undoubtedly Square Mesh Trellis owes its great popularity to its ability to be adapted to so many artistic designs.

Makes your garden look **larger** by judicious placing.


Delightful **vista** views. Useful **screening**.

In the following pages, many designs will be found and all are priced for supplying in **English Oak** throughout and also for supplying the same designs in woods of **Lesser Cost**. The lasting qualities of **Oak** are too well known to need great emphasis and this is supplied left plain or treated **Brown Solignum**.

In order to meet the demand for our **Square Mesh Trellis** designs lower priced we are making to order any of our patterns using 1-in. by $\frac{3}{8}$ -in. **Fir** for the filling and sawn **English Larch**, for the supporting posts.

Soft Wood for posts going in ground is **useless** and the next best to **Oak** is **English Larch** which is well known as a durable and reliable wood for posts.

The combination of the **Fir** laths and **Larch** posts reduces the cost considerably and in addition the prices set forth below include **Creosoting** which stains a pleasing colour as well as **preserving** the wood.



Artistic Arches. Figs. 7 and 07.

Size 6-ft. 6-in. out of ground, and 1-ft. 6-in. back to front. Substantial posts as shown below.

(See Note *re* **Earth Plates** on page 33.)

Any size Arch can be supplied at short notice.

Fig. 7. Made from **Oak** throughout.

Fig. 07. Made from **Fir**, with **Larch Posts** all **Creosoted**.

Fig 7 Prices.

| Width | 7½-ft. by 2-in. by 1½-in. Posts. | 8-ft. by 2-in. by 2-in. Posts. |
|-----------------|--|--------------------------------------|
| | | |
| 3-ft. 0-in. ... | 15/9 | 18/3 |
| 3-ft. 6-in. ... | 16/9 | 19/3 |
| 4-ft. 0-in. ... | 17/9 | 20/3 |
| 4-ft. 6-in. ... | 18/9 | 21/3 |
| 5-ft. 0-in. ... | 19/9 | 22/3 |
| 5-ft. 6-in. ... | 20/9 | 23/3 |
| 6-ft. 0-in. ... | 21/9 | 24/3 |

Fig. 07 Prices.

| Width | 7½-ft. by 2-in. by 1½-in. Posts. | 8-ft. by 2-in. by 2-in. Posts. |
|-----------------|--|--------------------------------------|
| | | |
| 3-ft. 0-in. ... | 11/- | 13/- |
| 3-ft. 6-in. ... | 11/9 | 13/9 |
| 4-ft. 0-in. ... | 12/6 | 14/6 |
| 4-ft. 6-in. ... | 13/3 | 15/3 |
| 5-ft. 0-in. ... | 14/- | 16/- |
| 5-ft. 6-in. ... | 14/9 | 16/9 |
| 6-ft. 0-in. ... | 15/3 | 17/3 |

If Trellis is **framed at sides** for central fixing (see description, Fig. 18 on page 10), please add 3/- to the Fig. 7 prices or 2/3 to the Fig. 07 prices. This can only be used on the 2-in. by 2-in. posts.

Above Oak Treated Brown Solignum (before being put together) **15 per cent. extra.** **Fig. 07** is priced inclusive of **Creosoting**.

All above Carriage Paid Station, England & Wales on orders of 40/- and over.


Complete Pergolas. Figs. 8 and 08.

FIG. 8

By erecting the above Arches 6-ft. apart and adding our Connecting Top Runners (1½-in. by ½-in.), complete Pergolas can be made and added to at any time. Wider Pathways can be quoted for.

Fig. 8 Made from Oak throughout.

Prices with 7-ft. 6-in. by 2-in. by 1½-in.

| | Posts. | Width. | 3-ft. | 3½-ft. | 4-ft. | 4½-ft. Path. |
|------------------|------------------------------|--------|-------|--------|-------|--------------|
| Pergola complete | 9-ft. long (2 arches) | ... | 37/6 | 39/6 | 41/6 | 43/6 |
| " | 16-ft. 6-in. long (3 arches) | ... | 59/3 | 62/3 | 65/3 | 68/3 |
| " | 24-ft. long (4 arches) | ... | 81/- | 85/- | 89/- | 93/- |

Prices with 8-ft. by 2-in. by 2-in. Posts. Width. 3-ft. 3½-ft. 4-ft. 4½-ft. Path.

| | | | | | | |
|------------------|------------------------------|-----|------|------|------|-------|
| Pergola complete | 9-ft. long (2 arches) | ... | 42/6 | 44/6 | 46/6 | 48/6 |
| " | 16-ft. 6-in. long (3 arches) | ... | 66/9 | 69/9 | 72/9 | 75/9 |
| " | 24-ft. long (4 arches) | ... | 91/- | 95/- | 99/- | 103/- |

Above **Treated Brown Solignum** before being put together 15 per cent. extra.

Fig. 08 Made from Fir, with Larch Posts all Creosoted.

Prices with 7-ft. 6-in. by 2-in. by 1½-in.

| | Posts. | Width. | 3-ft. | 3½-ft. | 4-ft. | 4½-ft. Path. |
|------------------|------------------------------|--------|-------|--------|-------|--------------|
| Pergola complete | 9-ft. long (2 arches) | ... | 26/- | 27/6 | 29/- | 30/6 |
| " | 16-ft. 6-in. long (3 arches) | ... | 41/- | 43/3 | 45/6 | 47/9 |
| " | 24-ft. long (4 arches) | ... | 56/- | 59/- | 62/- | 65/- |

Prices with 8-ft. by 2-in. by 2-in. Posts. Width. 3-ft. 3½-ft. 4-ft. 4½-ft. Path.

| | | | | | | |
|------------------|------------------------------|-----|------|------|------|------|
| Pergola complete | 9-ft. long (2 arches) | ... | 30/- | 31/6 | 33/- | 34/6 |
| " | 16-ft. 6-in. long (3 arches) | ... | 47/- | 49/3 | 51/6 | 53/9 |
| " | 24-ft. long (4 arches) | ... | 64/- | 67/- | 70/- | 73/- |

Fig. 08, Prices include Creosoting.

All above Carriage Paid Stations, England & Wales on orders of 40/- and over.

SQUARE MESH TRELLIS PANELS.

For Wall Covering, and adding to height of existing fence our Panels as shown below are ideal.

Any Size and Mesh can be quickly made to order, and prices can be quoted immediately on receipt of particulars.




FIG. 1.

Our stock size is 6-ft. by 2-ft. 6-in., and is made in 3 meshes.

Fig. 1. Made from **Oak** Slats, 1-in. by $\frac{3}{4}$ -in.
 „ 1H. „ „ „ 1-in. by $\frac{3}{4}$ -in.
 „ 01. „ „ **Fir** Slats, 1-in. by $\frac{3}{4}$ -in., **Creosoted**.
 „ 01H. „ „ „ 1-in. by $\frac{3}{4}$ -in., „

| | | | | |
|---------|--------------------------|-------|----------|--|
| | Mesh $4\frac{3}{4}$ -in. | 4-in. | 3-in. | |
| Fig. 1. | 4/- | 5/1 | 6/3 each | Additional framing of 1-in. by $\frac{3}{4}$ -in. all round, 1/6 extra. Ditto, 1/2 extra. |
| „ 1H. | 7/- | 9/- | 10/9 „ | |
| „ 01. | 2/9 | 3/6 | 4/3 „ | |
| „ 01H. | 4/8 | 6/- | 7/2 „ | |

TRELLIS PANELS, FRAMED TOP & SIDES. Figs. 17 & 017.

These panels are framed at top and both sides with our grooved framing $1\frac{1}{2}$ -in. \times $1\frac{1}{2}$ -in. (see page 18), and are thus enormously strengthened. In addition they are readily bolted together to form a continuous fence.

Can be supplied in **any size to order** and stocked in sizes as under. Suitable for tops of walls and fences, also useful as low fencing screens. Posts for use with same, see pages 18 and 19.




Fig. 17. Made from **Oak** throughout. Fig. 017. Made from **Creosoted Fir**.

| Size. | 4 $\frac{3}{4}$ -in. mesh. | | 4-in. mesh. | | 3-in. mesh. | |
|--------------------------|----------------------------|----------|-------------|----------|-------------|----------|
| | Fig. 17 | Fig. 017 | Fig. 17 | Fig. 017 | Fig. 17 | Fig. 017 |
| 8-ft. by 1-ft. ... | 6/6 | 4/9 | — | — | 8/3 | 5/9 |
| 8-ft. by 1-ft. 6-in. ... | 7/6 | 5/6 | 8/6 | 6/- | 9/6 | 6/9 |
| 8-ft. by 2-ft. ... | 9/- | 6/6 | 10/- | 7/3 | 11/6 | 8/- |
| 8-ft. by 2-ft. 6-in. ... | 10/6 | 7/6 | 12/- | 8/6 | 13/6 | 9/3 |

Above **Oak** can be **Treated Brown Solignum** before putting together at an extra of 15 per cent.

The **Fir** is **Creosoted** at prices quoted.

All above Carriage Paid Station, England and Wales on orders of 40/- & over.

WONDERFUL VALUES

SQUARE MESH TRELLIS AND ARCHES

Fig. 001. Standard $4\frac{1}{2}$ -in. mesh. Made in convenient panels for easy erection.

Well Creosoted before being put together.

Substantial **English Larch** posts, 2-in. by $1\frac{1}{2}$ -in. at 6-ft. intervals are **Included** in the prices. Slats are 1-in. \times $\frac{3}{8}$ -in.

Your **Exact** measurements only need be ordered but odd inches count as one foot.

DIVISION TRELLIS.

| | | | |
|-------------------------|--------------------|------------------|--|
| 3-ft. high Trellis with | 4-ft. 6-in. posts, | 9d. per foot run | } including a post and cap every 6-ft. |
| 4-ft. " " " | 5-ft. 6-in. " " | 11d. " " | |
| 5-ft. " " " | 6-ft. 6-in. " " | 1/2 " " | |
| 6-ft. " " " | 7-ft. 6-in. " " | 1/6 " " | |

The 5-ft. and 6-ft. high Trellis is made in **two sections** of equal height which should be placed one above the other to obtain the required 5-ft. or 6-ft.


ARCHES. Fig. 001.

Made in three sections for simple erection.

English Larch $1\frac{1}{2}$ -in. by $1\frac{1}{2}$ -in. for the uprights and all well **Creosoted** before being put together.

Height out of ground, 6-ft. 6-in. and 1-ft. 6-in. back to front.

For 3-ft. path, 6/-. 3-ft. 6-in. path, 6/6, 4-ft. path, 7/6.




For ADDING to HEIGHT of EXISTING FENCES.

| | | | |
|-------------------------------|-------------------------|-----------------------|--|
| 1-ft. 6-in. high Trellis with | 7-ft. Posts, | 6d. per foot run | } including a post and cap every 8-ft. |
| 2-ft. " " " | $7\frac{1}{2}$ -ft. " " | 7d. " " | |
| 2-ft. 6-in. " " " | 8-ft. " " | $8\frac{1}{2}$ d. " " | |

All above Carriage Paid Station, England and Wales, on orders of 60/- and over.

Screen with Archway.



Posts are 2-in. by 2-in., 8 ft. long overall. Centre connecting upright of 1-in. by $\frac{3}{4}$ -in. to go 6-in. in ground. Forwarded in sections for simple erection. 1-in. by $\frac{3}{8}$ -in. Slats, $4\frac{3}{4}$ -in. Mesh.

Fig. 2. Made from **Oak** throughout. Complete 15-ft. Screen **25/-**.

Fig. 02. Made from **Fir** with **Larch Posts** all Creosoted. Complete 15-ft. Screen **17/6**.


Above provides for fastening Trellis sections to **Face** of posts. If preferred to mount centrally between posts, Trellis sections can be supplied framed on edges with 1-in. by $\frac{3}{4}$ -in. at an extra cost of 3/- for Fig. 2, or 2/3 for Fig. 02.

(See description given page 10, Fig. 18.)

(See Note re **EARTH PLATES** on page 33.)

The above design can be supplied in **any length** required.

CONTINUOUS SCREENING. Fig. 11.



Archways as above can be formed by using additional posts. The mesh is $4\frac{3}{4}$ -in. and a Centre Connecting Upright of 1-in. by $\frac{3}{4}$ -in. to go 6-in. in ground is included. **Prices also include** 8-ft. Posts at 6-ft. intervals.

EXACT LENGTHS can be supplied, but odd inches are reckoned as 1 ft.

Per foot run.

| | | |
|-----------------|---|-----|
| Fig. 11. | Made from Oak throughout, 1-in. by $\frac{3}{8}$ -in. Slats, 2-in. by 2-in. Posts | 2/1 |
| „ 11H. | Made from Oak throughout, 1-in. by $\frac{3}{4}$ -in. Slats, 3-in. by 2-in. Posts | 3/2 |
| „ 011. | Made from Fir Slats, 1-in. by $\frac{3}{8}$ -in., Larch Posts, 2-in. by 2-in., all Creosoted | 1/5 |
| „ 011H. | Made from Fir Slats, 1-in. by $\frac{3}{4}$ -in., Larch Posts, 3-in. by 2-in., all Creosoted | 2/1 |

Above **Oak Treated Brown Solignum** (before being put together), **15 per cent. extra.**

Figs. 11H and 011H should be fixed centrally between the Posts, which should have the 2-in. facing, being nailed or screwed through the side fillets to the Posts, which are 3-in. by 2-in.

All above Carriage Paid Station, England and Wales, on orders of 40/- and over.

Continuous Screening.

(See Note re **EARTH PLATES** on page 33.)




FIG. 9

Archways as in Fig. 2 can be formed by using additional Posts. The mesh is $4\frac{3}{4}$ -in., and a centre connecting upright of 1-in. by $\frac{3}{4}$ -in. to go 6-in. in ground is included. **Prices also include** Posts, which are 2-ft. longer than depth of trellis, at 6-ft. intervals.

EXACT LENGTH can be supplied, but odd inches are reckoned as 1 ft.

- Fig. 9.** Made from **Oak** throughout, 1-in. by $\frac{3}{8}$ -in. Slats, 2-in. by 2-in. Posts.
9H. Made from **Oak** throughout, 1-in. by $\frac{3}{4}$ -in. Slats, 3-in. by 2-in. Posts.
09. Made from **Fir** Slats, 1-in. by $\frac{3}{8}$ -in., **Larch** Posts, 2-in. by 2-in.
09H. Made from **Fir** Slats, 1-in. by $\frac{3}{4}$ -in., **Larch** Posts, 3-in. by 2-in.

Figs. 09 and 09H all Creosoted.

| | Figs. 9. | 9H. | 09. | 09H. |
|--|---------------------------------|------------|------------|-------------|
| | Per foot run (including posts). | | | |
| 3-ft. Trellis, 3-ft. 6-in. out of ground | 1/4 | 2/1 | -/11 | 1/5 |
| 4-ft. „ 4-ft. 6-in. „ „ | 1/9 | 2/8 | 1/2 | 1/9 |
| 5-ft. „ 5-ft. 6-in. „ „ | 2/1 | 3/2 | 1/5 | 2/1 |
| 6-ft. „ 6-ft. 6-in. „ „ | 2/6 | 3/9 | 1/9 | 2/5 |

In between heights at *pro rata* prices.

Archways as in Fig. 2 can be formed by using additional longer posts. Mesh is $4\frac{3}{4}$ -in., and a centre connecting upright of 1-in. by $\frac{3}{4}$ -in. to go 6-in. in ground is included. **Prices also include** 7-ft. posts at 6-ft. intervals.

EXACT LENGTH can be supplied, but odd inches are reckoned as 1 ft.




FIG. 10

Per ft. run.

| | | |
|-----------------|--|------|
| Fig. 10. | Made from Oak throughout, 1-in. by $\frac{3}{8}$ -in. Slats, | |
| | 2-in. by 2-in. Posts | 1/10 |
| 10H. | Made from Oak throughout, 1-in. by $\frac{3}{4}$ -in. Slats, | |
| | 3-in. by 2-in. Posts | 2/8 |
| 010. | Made from Fir Slats, 1-in. by $\frac{3}{8}$ -in., Larch Posts, | |
| | 2-in. by 2-in., all Creosoted | 1/3 |
| 010H. | Made from Fir Slats, 1-in. by $\frac{3}{4}$ -in., Larch Posts, | |
| | 3-in. by 2-in., all Creosoted | 1/9 |


Above **Oak Treated Brown Solignum** before being put together, **15 per cent. extra.**

Figs. 9H, 09H, 10H and 010H should be fitted centrally between the posts, which should have the 2-in. facing, being nailed or screwed through the side fillets to the posts, which are 3-in. by 2-in.

All above Carriage Paid Station, England and Wales, on orders of 40/- and over.

Extra Strong Continuous Screening & Fencing.

Figs. 18 & 018. $4\frac{3}{4}$ -in. mesh.



Each panel framed both sides on the upright edges by 1-in. \times 2-in. Fillets are framed at top and bottom by a heavy 2-in. Groove Capping. The panels can be mounted centrally between the uprights, making

exceptionally Strong but Artistic Fence or Screen. This method is ideal for division Fences. Fixing is a simple task. You merely nail or screw through the side fillets to the posts which are 2-in. by 2-in. No other nailing is required.

All prices are **inclusive** of posts and caps at 6-ft. intervals.

Fig. 18. Made from **Oak** throughout. 1-in. by $\frac{3}{4}$ -in. Slats.

„ 018. Made from **Fir** with **Larch** Posts, all **Creosoted**. 1-in. by $\frac{3}{4}$ -in. Slats.


Figs. 18. 018.

| | | | Per foot run. | | Including |
|---|-----|-----|---------------|-----|-------------|
| 2½-ft. Trellis, 3-ft. 0-in. out of ground | ... | ... | 1/10 | 1/3 | 4½-ft. Post |
| 3-ft. „ 3-ft. 6-in. „ „ | ... | ... | 2/1 | 1/5 | 5-ft. „ |
| 4-ft. „ 4-ft. 6-in. „ „ | ... | ... | 2/7 | 1/9 | 6-ft. „ |
| 5-ft. „ 5-ft. 6-in. „ „ | ... | ... | 3/1 | 2/1 | 7-ft. „ |
| 6-ft. „ 6-ft. 6-in. „ „ | ... | ... | 3/7 | 2/5 | 8-ft. „ |

In between heights at pro rata prices.

EXACT LENGTHS can be supplied, but odd inches should be reckoned as 1 ft.

Continuous Screening. Figs. 20 & 020.



An effective design adding to the appearance of any garden.

Substantial posts 8-ft. by 2-in. by 2-in. Top section surmounted by **Heavy** 2-in. Grooved Capping, and both sections framed at sides with 1-in. by $\frac{3}{4}$ -in. to enable trellis to be mounted centrally between uprights. Centre connecting upright of 1-in. by $\frac{3}{4}$ -in. to go 6-in. in ground. Slats are 1-in. by $\frac{3}{4}$ -in.

Prices include Posts at 6-ft. intervals.

Fig. 20. Made from **Oak** throughout at 3/- per foot run.

„ 020. Made from **Fir** with **Larch** Posts, all **Creosoted**, at 2/- per foot run.


When ordering either of above patterns, please state the total over-all length of space to be occupied.

Above **Oak Treated Brown Solignum** before being put together, **15 per cent extra**.

All above Carriage Paid Station, England and Wales, on orders of 40/- and over

Extra Strong Continuous SCREENING & FENCING

Figs. 23 and 023.



This pattern is similar to Fig. 18, but the **Slats** are 1-in. by $\frac{3}{4}$ -in. throughout, with two slats on the edges to enable the trellis panel to be fixed centrally between the posts as in Fig. 18, and a 2 $\frac{1}{2}$ -in. Capping is included. **Posts** are 3-in. by 2-in. and should be used with the 2-in. facing. All prices are inclusive of uprights and caps at 6-ft. intervals.

Fig. 23. Made from **Oak** throughout.

„ **023.** Made from **Fir** with **Larch** Posts, all **Creosoted**.


Figs. 23 023

per ft. run.

| 2 $\frac{1}{2}$ -ft. trellis giving 3-ft. | out of ground | 2/1 1/5 | including 4 $\frac{1}{2}$ -ft. Posts |
|---|---------------|-----------|--------------------------------------|
| 3-ft. „ „ 3-ft. 6-in. „ „ | | 2/4 1/7 | „ 5-ft. „ |
| 4-ft. „ „ 4-ft. 6-in. „ „ | | 2/10 1/11 | „ 6-ft. „ |
| 5-ft. „ „ 5-ft. 6-in. „ „ | | 3/7 2/5 | „ 7 $\frac{1}{2}$ -ft. „ |
| 6-ft. „ „ 6-ft. 6-in. „ „ | | 4/1 2/9 | „ 8 $\frac{1}{2}$ -ft. „ |

In between heights at *pro rata* prices.

EXACT LENGTHS can be supplied, but odd inches should be reckoned as 1 ft.

**Continuous Screening**

Figs. 25 and 025.

Our Fig. 20 Artistic Screening carried out in 1-in. by $\frac{3}{4}$ -in. **Slats** throughout, with 3-in. by 2-in. Posts and Capping as above. Arranged for central fixing between the Posts, which are 8 $\frac{1}{2}$ -ft. by 3-in. by 2-in.

Prices include Posts at 6-ft. intervals.

Fig. 25. Made from **Oak** throughout at 3/4 per foot run.

„ **025.** Made from **Fir** with **Larch** Posts, all **Creosoted**, at 2/3 per foot run.


When ordering either of above patterns. please state the total over-all length of space to be occupied.

Above **Oak Treated Brown Solignum** before being put together, **15 per cent. extra.**

All above Carriage Paid Station, England and Wales on orders of 40/- and over.

Artistic Roserys or Lawn Surrounds.

Figs. 4 & 04.




Posts are 2-in. by 1½-in. 8-ft. long overall and Trellis is 1-ft. 6-in. deep. **Top Capping** gives an artistic finish as well as added strength. Posts at 5-ft. intervals are included in the prices.

EXACT LENGTH can be supplied, but odd inches are reckoned as one foot.

Fig. 4. Made from **Oak** throughout at 1/3 per foot run.

Fig. 04. Made from **Fir** with **Larch Posts** all **Creosoted** at 11d. per foot run.

Figs. 15 & 015.



Posts are 2-in. × 1½-in. 8-ft. overall. Trellis Sections Strengthened by grooved Top Capping 1½-in. × 1½-in. Screen is shown 15-ft. long, but can be made to any desired length. Posts at 5-ft. intervals are included in the prices.

In both of above patterns, Trellis Sections fasten to face of uprights.

Fig. 15. Made from **Oak** throughout at 1/4 per foot run.

Fig. 015. **Fir Laths** and **Larch Posts** all **Creosoted** at 1/- per foot run.

EXACT LENGTH can be supplied, but odd inches are reckoned as one foot.

For all designs see Note *re* **Earth Plates** on page 33.

Above **Oak Treated Brown Solignum** before being put together 15 per cent. extra. Figs. 04 and 015 are **Creosoted** at quoted prices.

All above Carriage Paid Station, England and Wales on orders of 40/- & over.

TRELLIS ROSERYS, Etc.

Figs. 19 & 019.

Substantial 8-ft. \times 2-in. \times 2-in. Uprights with Caps, heavy 2-in. Capping. Framed at sides with 1-in. \times $\frac{3}{4}$ -in. fillets to enable Trellis to be mounted centrally between Posts. See description of Fig. 18 on page 10.

Prices include Uprights at 5-ft. intervals.





Fig. 19. Made from **Oak** throughout at 2/- per foot run.

Fig. 019. Made from **Fir** with **Larch Posts** all **Creosoted** at 1/5 per foot run.

EXACT LENGTH can be supplied, but odd inches count as one foot.

TRELLIS SCREEN WITH PERGOLA CHAIN.

Figs. 16 & 016.



Posts are 2-in. \times 2-in., 8-ft. overall with usual filling. Cross bars on top of tall screens are 2-in. \times 1 $\frac{1}{2}$ -in. with bevelled ends. Screen as shown is 21-ft. overall but can be varied to your own requirements.

Price complete with 6 uprights, cross bars and green-painted pergola chain.

Fig. 16. Made from **Oak** throughout. Price complete as above 46/-.

Fig. 016. Made from **Fir** with **Larch Posts** all **Creosoted**. Price complete as above 34/-.

Above provides for fastening trellis sections to **face** of posts. If preferred to mount centrally between posts sections can be supplied framed on edges with 1-in. \times $\frac{3}{4}$ -in. at an extra cost of 8/- for Fig. 16 or 6/- for Fig. 016. (See description given on page 10, Fig. 18.)

Above **Oak Treated Brown Solignum** before being put together 15 per cent. extra. Figs. 019 and 016 are **Creosoted** at quoted prices.

All above Carriage Paid Station, England and Wales, on orders of 40/- and over.

PERGOLA CHAIN. Green Enamelled. As used in above design 7d. per yard.

PERGOLA ROPE. Coconut Fibre Rose Training Rope, always warm.

2-in. circumference 4d., 2 $\frac{1}{2}$ -in. ditto 7d., 3-in. ditto 10d. per yard.

ROSE CLIMBING and PERGOLA Pillars.

Suitable for use as **SINGLE PILLARS** or can be connected to make **ARTISTIC PERGOLAS**. Made up by **FOUR TRELLIS** sections, each 6-ft. by 1-ft., and with **FOUR POSTS** 7-ft. 6-in. long by 1½-in. by 1½-in., giving 6 ft. 6-in. out of ground and 1-ft. square.




Fig. 24. Made from **OAK** throughout, 12/- each complete **Pillar**.

Fig. 024. Made from **FIR** slats, **LARCH** posts, all **Creosoted**, 8/6 each.

If 1-ft. 6-in. square with same posts, 3/- and 2/- extra respectively.

Above **Oak** can be **Treated Brown Solignum** before putting together at an extra of 15 per cent. The **Fir** is **Creosoted** at prices quoted.


PERGOLA CHAIN. Green Enamelled. As used in above design 7d. per yard.

PERGOLA ROPE. Coconut Fibre Rose Training Rope, always warm.

2-in. circumference 4d., 2½-in. ditto 7d., 3-in. ditto 10d. per yard.

All above Carriage Paid Station, England and Wales on orders of 40/- & over.

LILY POND BRIDGE IN ENGLISH OAK.



Bridge is constructed throughout from **OAK** of suitable substance to give safety and long life. Three **BOTTOM BEARERS** of 4-in. by 2-in. curved to give 9-in. rise in centre. **Footway** consists of fourteen boards 2-ft. 6-in. by 4-in. by 1-in. The **Side** which is sent complete with Trellis fixed, consists of two **Posts** 4-ft. 6-in. by 4-in. by 4-in., mortised top and bottom. **Hand Rail** is tenoned and pegged, and bottom bearer is securely bolted to the Posts.

NO EXCAVATION required for posts. The **Bridge** rests securely on the ground by its own weight and construction. **Easily and quickly** erected. The 9-in. rise in the span provides for spanning varying spaces. Span 5-ft. Width of Footway 2-ft. 6-in. Price complete: In plain Oak, 70/-. If treated Brown Solignum, 80/-. Carriage Paid Station, England and Wales.


Light Trellis Gates. $4\frac{3}{4}$ -in. Mesh.

Suitable for ARCHWAY of Fig. 2 or with Fig. 7 ARCHES. Can also be used with all kinds of screening. Framed both sides and bottom with $1\frac{1}{2}$ -in. by $1\frac{1}{4}$ -in. Grooving and finished with Grooved Top Capping. Corners strengthened with Iron Joints. Hook and Eye Fittings for Hanging included. Posts extra.

Other sizes made to order.

Figs. 6 and 5. Made from **Oak** throughout. **Figs. 06 and 05.** Made from **Creosoted Fir**.

Figs. 6 & 06.




| Sizes. | 1½-in. Grooved Framing. | | 2-in. Grooved Framing. | |
|------------------------------|-------------------------|----------|------------------------|----------|
| | Fig. 6. | Fig. 06. | Fig. 6. | Fig. 06. |
| 3-ft. wide by 3-ft. high ... | 9/6 | 7/6 | 11/6 | 9/- |
| 3-ft. „ by 4-ft. „ ... | 11/- | 8/6 | 13/4 | 10/3 |
| 3-ft. „ by 5-ft. „ ... | 12/9 | 10/- | 15/6 | 12/- |
| 3-ft. „ by 6-ft. „ ... | 15/- | 12/- | 18/- | 14/3 |

Joiner-made Trellis Gates.

4-in. by 1-in. framing, morticed and braced as illustrated on page 16 with all Trellis filling. Complete with strong hinges. Posts and latches extra as required.

| Sizes. | Fig. 5. | Fig. 05. |
|------------------------------|---------|----------|
| 3 ft. wide by 3-ft. high ... | 16/6 | 12/6 |
| 3-ft. „ by 4-ft. „ ... | 21/- | 16/- |
| 3-ft. „ by 5 ft. „ ... | 22/6 | 17/6 |
| 3-ft. „ by 6 ft. „ ... | 26/6 | 21/- |

Above **Oak** can be **Treated Brown Solignum** before being put together at an extra of 15 per cent. The **Fir** is **Creosoted** at quoted prices.



Light Gates, part boarded.

These Gates can be supplied in exact sizes to order. They are stronger than the Trellis Gate, Fig. 6 above, and are very suitable for Side Gates, etc. Selected Deal T. & G. boards with our Oak Trellis work at top. Prices include hinges and Suffolk latch, but not the Posts.

Posts suitable for above gates see pages 18 & 19.


| | |
|--|------|
| 5-ft. high (4-ft. boarded) by 2-ft. 6-in. wide ... | 17/6 |
| 6-ft. „ (4-ft. 6-in. boarded) by 2-ft. 6-in. wide | 19/6 |

Treated Brown Solignum (before being put together)
15 per cent. extra.

All above Carriage Paid Station, England and Wales on orders of 40/- & over.

INTERWOVEN FENCING.

Fig. 21.



Made of Spruce, 4-in. by $\frac{3}{8}$ -in., closely woven, framed at ends with 1-in. by $\frac{3}{4}$ -in. fillets and stayed in centre by 2-in. by $\frac{3}{4}$ -in. The Weaving gives strength and makes the fencing attractive in appearance. Each section is complete and ready for erection—a simple matter—merely nailing or screwing through the side fillets to

the uprights. Sections are 6-ft. in length and a bevelled Top Rail is provided. All the material is **treated Brown Wood Preservative** before being put together.

EXACT LENGTH can be supplied, but odd inches should be reckoned as 1 ft.


Prices inclusive of 2-in. by 2-in. **Oak Posts** or 3-in. by 2-in. **Larch Posts** as preferred at 6-ft. intervals.

| | | | | | | | |
|--------------------|-----|-----|--------|--------|-------|-------|--------|
| Height of fencing | ... | ... | 2-ft. | 3-ft. | 4-ft. | 5-ft. | 6-ft. |
| Length of posts | ... | ... | 3½-ft. | 4½-ft. | 6-ft. | 7-ft. | 8½-ft. |
| Price per foot run | ... | ... | 1/4 | 1/7 | 1/10 | 2/3 | 2/9 |

Where the **Interwoven** fencing is required for adding to height of existing fence, longer Posts can be provided at slight extra cost, and height of the **Interwoven** can also be varied as required.

(See Note re **EARTH PLATES** on page 33.)

GATES TO MATCH ABOVE.



The Gates are **Joiner** made with substantial 4-in. by 1½-in. framing, mortised and braced. Complete with strong hinges and Suffolk latch. Posts extra.

| Height. | 2-ft. 6-in. wide. | 3-ft. wide. |
|---------|-------------------|-------------|
| 3-ft. | 12/6 | 14/6 each |
| 4-ft. | 15/3 | 18/- " |
| 5-ft. | 18/6 | 21/- " |
| 6-ft. | 22/- | 24/6 " |

All above Carriage Paid Station, England and Wales on orders of 60/- and over


INTERWOVEN FENCING with Square Trellis above.

A practical Fencing with Square Trellis for training purposes, etc.

The Trellis is framed at sides similarly to the **INTERWOVEN** Fencing, so that it may be fixed centrally between up-rights above the close fencing.

A flat top rail divides the two sections which are sent separately. All the material is **treated Wood Preservative** before being put together.

Fig. 22.



EXACT LENGTH can be supplied but odd inches should be reckoned as one foot


Prices include 2-in. by 2-in. **Oak Posts** or 3-in. by 2-in. **Larch Posts** as may be preferred at 6-ft. intervals.

| | | | | Posts | Per foot run |
|----------------|-------------|------------------------------------|-------------|-------|--------------|
| Overall height | 4-ft. 6-in. | (3-ft. Woven, 1-ft. 6-in. Trellis) | 7-ft. | | 2/2 |
| " | 5-ft. 6-in. | (4-ft. " 1-ft. 6-in. ") | 8-ft. | | 2/6 |
| " | 6-ft. | (4-ft. " 2-ft. ") | 8-ft. 6-in. | | 2/9 |
| " | 6-ft. 6-in. | (5-ft. " 1-ft. 6-in. ") | 9-ft. | | 3/- |

Where above is required for adding to height of existing fence, longer Posts can be provided and height of **Interwoven** can be varied as required.

(See Note re **EARTH PLATES** on page 33).

GATES TO MATCH ABOVE.



Joiner made with substantial 4-in. by 1½-in. framing, mortised and braced. Trellis and **Interwoven** all centrally fixed and height to match fencing. Complete with strong hinges and Suffolk latch. **Posts extra.**

| Height. | 2-ft. 6-in. wide. | 3-ft. wide. |
|-------------|-------------------|-------------|
| 4-ft. 6-in. | 17/- | 19/6 |
| 5-ft. 6-in. | 19/6 | 22/- |
| 6-ft. | 22/- | 24/6 |
| 6-ft. 6-in. | 24/6 | 27/- |

All above Carriage Paid Station, England and Wales on orders of 60/- and over.

Sawn Oak Stakes.

| | 4-ft. | 5-ft. | 6-ft. | 7-ft. | 7½-ft. | 8-ft. | 8½-ft. | 9-ft. | 10-ft. | |
|---------------------|-------|-------|-------|-------|--------|-------|--------|-------|--------|------|
| 2-in. by 1½-in. ... | -/10 | 1/- | 1/2 | 1/5 | 1/6 | 1/9 | 1/10 | 2/- | 2/4 | each |
| 2-in. by 2-in. ... | 1/1 | 1/4 | 1/7 | 1/11 | 2/1 | 2/3 | 2/5 | 2/8 | 3/- | " |
| 3-in. by 2-in. ... | 1/7 | 1/11 | 2/4 | 2/11 | 3/2 | 3/6 | 3/8 | 3/11 | 4/6 | " |
| 3-in. by 3-in. ... | 2/4 | 2/11 | 3/5 | 4/3 | 4/6 | 5/- | 5/6 | 5/11 | 6/3 | " |
| 4-in. by 3-in. ... | 2/11 | 3/6 | 4/1 | 5/- | 5/6 | 6/- | 6/6 | 7/- | 8/- | " |
| 4-in. by 4-in. ... | 3/9 | 4/6 | 5/6 | 6/9 | 7/6 | 8/- | 9/- | 9/6 | 11/- | " |

Special Hardwood Driving Mallets 1/9 each.



Oak Slats for Square Mesh Trellis or Filling.

Sawn 1-in. by ¾-in. in bundles of 100-ft., 3-ft., 4/-; 4-ft. 4/-; 5-ft. 4/3; 6-ft. 4/6; 7-ft. 4/9; 8-ft. 5/- per bundle.

Fine Gauge 1-in. Galvanized Nails.

Specially for use with Trellis Work. -/10 per lb.; 7 lbs., 5/3

Grooved Oak, Suitable for Square Mesh Trellis.

Artistic Top and Bottom Rails.



| | 4-ft. | 5-ft. | 6-ft. | 7-ft. | 8-ft. | |
|--------------------------------|-------|-------|-------|-------|-------|------|
| 1½-in. wide } 1½-in. deep } | 1/3 | 1/9 | 1/10 | 2/2 | 2/6 | each |
| 2-in. wide } 1½-in. deep } | 1/9 | 2/3 | 2/8 | 3/1 | 3/6 | " |

Oak Rose and Dahlia Stakes, Creosoted Ends.

(See next page also).



| | 4-ft. | 5-ft. | 6-ft. | |
|-----------------|-------|-------|-------|------|
| 1-in. x 1-in. | 4/- | 5/- | 6/- | doz. |
| 1½-in. x 1½-in. | 8/- | 10/- | 12/- | " |

English Oak Garden Bordering. 5/8-in. thick.



This is a new feature. The weather resisting properties of Oak are too well known to need comment. The bordering will last for years. Easy to fix and always neat.

Oak stakes for same, 12-in. by 2 in. by ½-in. (pointed), 2/- per doz.

| | 3-ft. | 4½-ft. | 6-ft. | lengths |
|----------------|-------|--------|-------|---------|
| 5-in. wide ... | 1/- | 1/6 | 2/- | each |
| 4-in. " ... | 10d. | 1/3 | 1/8 | " |
| 3-in. " ... | 8d. | 1/- | 1/4 | " |

Any above Treated Brown Solignum 20 per cent. extra.

All above F.O.R. London.

Sawn English Larch Stakes, Creosoted.

| | 4-ft. | 5-ft. | 6-ft. | 7-ft. | 7½-ft. | 8-ft. | 8½-ft. | 9-ft. | 10-ft. | |
|---------------------|-------|-------|-------|-------|--------|-------|--------|-------|--------|------|
| 2-in. by 1½-in. ... | -/8 | -/9 | -/11 | 1/1 | 1/2 | 1/3 | 1/4 | 1/6 | 1/9 | each |
| 2-in. by 2-in. ... | -/10 | 1/- | 1/3 | 1/5 | 1/7 | 1/8 | 1/9 | 1/11 | 2/3 | " |
| 3-in. by 2-in. ... | 1/3 | 1/6 | 1/10 | 2/1 | 2/4 | 2/6 | 2/7 | 3/- | 3/4 | " |
| 3-in. by 3-in. ... | 1/11 | 2/3 | 2/8 | 3/- | 3/6 | 3/9 | 3/11 | 4/6 | 5/- | " |
| 4-in. by 3-in. ... | 2/7 | 2/11 | 3/6 | 4/- | 4/8 | 4/11 | 5/3 | 5/11 | 6/6 | " |
| 4-in. by 4-in. ... | 3/4 | 3/11 | 4/8 | 5/4 | 6/3 | 6/6 | 6/11 | 7/9 | 8/6 | " |

Special Hardwood Driving Mallet, 1/9 each.



Creosoted Fir Slats, 1-in. by ¾-in.

In bundles of 100-ft., 3-ft. 2/8; 4-ft. 2/8; 5-ft. 2/8; 6-ft. 3/-; 7-ft. 3/-; 8-ft. 3/2 per bundle.


Fine Gauges 1-in. Galvanized Nails. Specially for use with Trellis Laths. 10d. per lb., 7 lbs. 5/3.

Creosoted English Larch Rose and Dahlia Stakes.



| | 4-ft. | 5-ft. | 6-ft. |
|---------------------|-------|-------|----------|
| 1-in. × 1-in. ... | 3/- | 3/9 | 4/6 doz. |
| 1½-in. × 1½-in. ... | 5/6 | 7/- | 8/3 " |

Creosoted Larch Garden Bordering.




The Larch Bordering is introduced to meet the demand for a less costly article. Larch is the only wood that can be recommended as a substitute for Oak. 5-in. thickness.

| | 3-ft. | 4½-ft. | 6-ft. lengths. |
|----------------|-------|--------|----------------|
| 5-in. wide ... | -/7 | -/10½ | 1/2 each. |
| 4-in. " ... | -/5 | -/7½ | -/10 " |
| 3-in. " ... | -/4 | -/6 | -/8 " |

Larch stakes for above, 12-in. by 2-in. by ¾-in. (pointed) 1/- per doz.


Heavy Elm Turf Beater.



Base 12-in. by 12-in. by 3-in. complete with 4-ft. Stout Ash handle.

Price 6/6 each.

Strong Hardwood Plant Stakes.



¾-in. by ¾-in. Square Sticks, Planed, Cut from Hardwood. Ideal for the Herbaceous Border. Will not bend or rot. 24-in. 2/-; 30-in. 2/6; 36-in. 3/-; 42-in. 3/6; 48-in. 4/-; per dozen.

Teak Wood Stakes.

Everyone knows the value of Burma Teak Pointed Stakes. 7-ins. square.

4-ft. 4/6, 5-ft. 6/-, 6-ft. 7/6 per dozen.

All above F.O.R. London.

PERGOLA ROPE.

Cocoanut Fibre Rose Training Rope, always Warm. 2-in. circumference, **4d.**;
2½-in. ditto, **7d.**; 3-in. ditto, **10d.** per yard.

(Carriage Paid on 12 yards, otherwise please add **9d.**)

RUSTIC TIMBER.



LARCH POLES BUNDLED FOR RAIL



RUSTIC
LARCH
HALF
ROUNDS



ROUND LARCH FENCING POSTS



LARCH BRACKETS



RUSTIC LARCH POLES

English Larch Poles, with Bark on. 1½-in. average diameter for filling in, **8/6**;
2-in. average diameter for filling in, **10/-**; 2½-in. diameter for Rails, **12/6**;
3-in. diameter butts for Rails or Posts, **15/6**; 3½-in. diameter for Posts,
17/6; 4-in. to 4½-in. diameter, **25/-** per 100 feet. Any lengths cut.

Larch Brackets, as illustrated. Splayed to fit 2½-in. diameter, 2-ft. 6-in. long,
4/-; ditto, 3-ft. long, **4/6**; 3-in. diameter, 2-ft. 6-in. long, **5/-**; ditto, 3-ft.
long, **5/9**; 3½-in. diameter, 2-ft. 6-in. long, **6/-**; 3-ft. long, **6/6** per doz.

Larch Half Rounds, as illustrated. For Fencing, etc. Size about 3-in. by
1½-in. in 2-ft., 2-ft. 6-in. and upwards by 6-in. to 10-ft., **10/-** per 100 feet.

Larch Pergola Poles. 10 feet. 4-in. butts, **2/-**; 4½-in., **2/3**; 5-in., **2/6**;
5½-in., **2/9**; 6-in., **3/-** each.

Peeled Oak Pergola Poles. 10 feet. 4-in. butts, **2/6**; 4½-in., **2/9**; 5-in.,
3/3; 5½-in., **3/6**; 6-in., **4/-** each. Peeled Oak Poles for rails and filling in,
about 10-ft. lengths, 2½-in. and 3-in. butts, **14/6** per 100 feet.

Larch Fencing Posts, as illustrated. 5-in. butts, 5-ft., **1/9**; 6-ft., **2/3** each.
6-in. butts, 5-ft., **2/3**; 6-ft., **3/-** each.

We can dip any Poles 2-ft. in Creosote Tank, **-/2** per Pole extra.

ROSE CLIMBER POLES.



8-ft. out of Ground, 2-ft. in Ground.


Heavy Pattern—4-in. butts, Larch with Bark on, **7/-** each. With Bark off,
and Coated Preservative, **8/-** each.

Lighter Pattern—3-in. butts, Larch with Bark on, **5/-** each. With Bark off,
and Coated Preservative, **6/3** each.

Any above Carriage Paid Station, England and Wales, on order of **£1** and over,
without extra charge. Orders of **10/-** up to **£1** please add **1/-** Part Carriage.

Cleft Chestnut Panels.


To bolt together. Very strong and ornamental. The smaller sizes most useful as edging and the other sizes as general fencing. Mesh is about 6-in. diamond, and the creosoted feet go into ground from 1-ft. 3-in. to 1-ft. 6-in. Prices are for a panel 6-ft. long. Gates 3-ft. wide, complete with Posts and fittings.



| Height. | 6-ft. Panel. | Gate. |
|-----------------|--------------|-------|
| 1-ft. 6-in. ... | 4/6 | — |
| 2-ft. ... | 4/9 | — |
| 2-ft. 6-in. ... | 5/- | 11/3 |
| 3-ft. ... | 5/8 | 11/6 |

| Height. | 6-ft. Panel. | Gate. |
|-----------------|--------------|-------|
| 3-ft. 6-in. ... | 6/6 | 13/- |
| 4-ft. ... | 6/11 | 15/9 |
| 4-ft. 6-in. ... | 7/6 | 17/6 |
| 5-ft. ... | 8/6 | 19/6 |


RUSTIC FENCING AND GATE, No. 1.



Strongly made from Rustic Larch with Bark on.

Supplied in 8-ft. Sections. Feet of Posts are tarred.

| 3-ft. 6-in. | 4-ft. | 4-ft. 6-in. high |
|-------------|-------|-------------------------|
| 15/- | 16/- | 17/6 per 8-ft. Section. |




Rustic Gate. Well made, with Bark on. With Posts, Hinges and Latch.

Complete, 3-ft. 6-in. wide by 3-ft. 6-in. high. Price 18/9.

RUSTIC FENCING & SCREENS, No. 2.


Seasoned hardwood made in 6-ft. panels complete with posts ready for fixing.

Gates 3-ft. wide, complete with post and fittings.




| Height. | With Bark on per 6-ft. Panel | Gate. | Stained & Varnished per 6-ft. Panel | Gate. |
|-----------------|---------------------------------|-------|--|-------|
| 3-ft. ... | 9/- | 8/- | 13/6 | 10/9 |
| 3-ft. 6-in. ... | 10/6 | 8/9 | 16/- | 12/6 |
| 4-ft. ... | 12/- | 9/6 | 18/- | 14/3 |
| 4-ft. 6-in. ... | 13/6 | 10/3 | 21/- | 16/- |
| 5-ft. ... | 15/- | 11/3 | 23/- | 17/9 |
| 6-ft. ... | 18/- | 13/- | 27/- | 19/6 |

All above are F.O.R. at Works.



No. 4

Galvanized Wire Arches.



No. 8

| High | Span | Wide | | | No. 4 | | No. 8 |
|-------------|-------------|-------------|-----|-----|---------------|---------------|-------|
| | | | | | Light each | Heavy each | each |
| 7-ft. 0-in. | 4-ft. 0-in. | 1-ft. 0-in. | ... | ... | 7/9 | 11/- | 8/9 |
| 7-ft. 0-in. | 4-ft. 0-in. | 1-ft. 3-in. | ... | ... | 9/3 | 12/- | 14/3 |
| 7-ft. 0-in. | 4-ft. 0-in. | 1-ft. 6-in. | ... | ... | 12/- | 14/9 | — |
| 7-ft. 0-in. | 4-ft. 0-in. | 2-ft. 0-in. | ... | ... | 18/- | 20/- | — |



No. 13

Artistic Rustic Arches

Height ... 8-ft.
Span ... 4-ft.
Width ... 15-in.

These should not be confused with the many Cheap Rustic Arches on the market which are constructed of soft woods quite unsuitable for this purpose.



No. 43

| | No. 13 | No. 43 | Flat Top |
|--|--------|--------|----------|
| Larch, Natural, with bark on ... | 15/- | 14/6 | 14/6 |
| Oak, Peeled, Stained and Varnished ... | 21/- | 20/- | 20/- |
| Do. do. Extra Heavy ... | 24/- | 23/- | 23/- |

All above F.O.R., at Works.


Extending Wood Trellis.



in. Mesh. 12-ft. when extended.
 Height, 1-ft. 2-ft. 3-ft. 4-ft. 5-ft. 6-ft.
 or 12-ft.
 Length, 1/- 2/- 3/- 4/- 5/- 6/-
 to
 each. 1/3 2/6 3/9 5/- 6/3 7/6

Welded Bordering.


Extra Strong. Green enamelled.



Welded at every joint. Also adapt-
 able for round Beds, etc. Made to
 bolt together, bolts supplied.

12-in. 18-in. High.
 1/9 2/- per 3-ft. length.

No. 102. Garden Fencing




Made of hard wire, 2-in. diamond
 mesh, and galvanized after made.
 Iron legs are attached to each end

| | | | |
|------------|-----|-----|-----------------|
| | 24 | 30 | 36-in. high. |
| 2-ft. long | 3/6 | 4/6 | 5/6 per length. |
| 3-ft. " | 4/3 | 5/6 | 6/6 " |
| 4-ft. " | 5/6 | 6/6 | 8/- " |


All above F.O.R.

CROQUET BORDERING. Galvanized Wire




In 3-ft. lengths. Complete with Pegs.
 9-in. 12-in 15-in. high.
 1/7 1/11 2/5 per length.

Improved Wire Garden Bordering.



No. 100. 12-in. high out of ground.
 Hard wire, galvanized.
 3-ft. long, 1/2; 4-ft. 6 in. long, 1/6;
 6-ft. long, 2/- per length.
 Above 6-in. high, 3-ft. long, 8/6 doz.

Galvanized Wire Garden Fencing.



No. 101. 1 1/2-in. Mesh, game proof.
 Iron rods each end for fixing.
 18 24 30 36-in. high.
 2-ft. long 2/3 2/9 3/9 4/9 per length
 3-ft. " 2/9 3/3 4/3 5/- "
 4-ft. " 3/6 3/9 4/9 5/9 "
 6-ft. " 4/3 4/9 6/- 7/3 "

Chain Link Bordering.



for Croquet, Edging, etc.

1 1/2-in. mesh, Galvanised Wire, with
 angle stakes and line wires for top and
 bottom. Very Flexible. Will follow
 any line or curve. Price with one steel
 stake per yard. 12-in. high, 1/3; 18-in.
 high, 1/7; 24-in. high, 1/11 per yard.

Extra Stakes 7d. each.

Bamboo Canes,



Ideal plant stakes. Very strong yet neat and inconspicuous. Will last for years. The 7-ft. and 8-ft. are specially suitable for **Sweet Peas** and **Runner Beans**.

3-ft. Thin, 1/9: 4-ft. 2/3 per 100.

| | per doz. | per 100. |
|--------------------------|----------|----------|
| 4-ft. Canes, Medium, 6d. | | 3/9 |
| 4-ft. Canes, Thick, 9d. | | 5/9 |
| 5-ft. Canes, Thick, 11d. | | 6/9 |
| 6-ft. Canes, Thick, 1/1 | | 8/3 |
| 7-ft. Canes, Thick, 1/4 | | 10/3 |
| 8-ft. Canes, Thick, 1/6 | | 11/0 |

Green Bamboo Sticks.

2-ft. 1/6: 2½-ft. 2/-: 3-ft. 2/6 per 100.

Garden Sticks.



| | | | |
|-----|-----|-----|-------------|
| 18 | 24 | 30 | 36 inches. |
| 1/5 | 2/3 | 3/- | 4/- per 100 |

STOUT CHESTNUT STAKES, CLEFT.

Extra strong and lasting stakes of substantial thickness.

| | | | | |
|-----|-----|-----|-----|-------------|
| 24 | 30 | 36 | 42 | 48 inches. |
| 2/9 | 3/6 | 4/9 | 6/3 | 8/6 per 100 |

GARDEN LABELS.



Planed and Painted White.

| | | |
|-----------------|-------------|-------------|
| 4 in., -/10; | 5-in., 1/-; | 6-in., 1/3; |
| 7 in., 1/6; | 8-in., 1/9; | |
| per box of 100. | | |

Indelible Pencils 2d. each.



Green Twist -/6 per spool

Tar Twist -/6 " "


Plain Twist -/6 " "

Tarred Twine, thick, thin & medium -/7 per spool.

RUSSIAN MATS.

For protection from Frost.
Size, 7-ft. by 3-ft. 6-in. 1/6 each.
(1 doz. lots, Carriage Paid.)

PERMANENT PLANT LABELS.



For tying, 3-in. by ½-in.
Made from Hard White
Waterproof material
entirely unaffected by
any weather condi-
tions. Writing easily
removed by fine glass
paper and label used
again. Box of 5
with Pencil. Price
2/6 Post Paid.



Green Ground Labels
pointed one end. Size
5-in. by ½-in. Price
4/9 per box of 100

Similar Labels, Oval
Shape, on 4-in. Zinc
Stems for Rockeries
etc., 1/2 per dozen

PENETRATING INK

Quick Drying.
Gives a permanent and
indelible lettering.

9d. per bottle.

Zinc Acme Labels.


Raised Bright Letters.
For the Names of Roses only
2/6 per doz.



Aluminium Tying Wire 1/- per lb.
of 40-ft.




For Fruit Trees only.
3/- per doz.
(Postage extra.)

Sussex Trug Baskets.

For Fruit and Vegetable Gathering.


| | | | |
|-----------------------|----------------------|------|------|
| No. 3. | 13½-in. by 7-in.... | 2/- | each |
| No. 4. | 15-in. by 8-in. ... | 2/6 | " |
| No. 5. | 18½-in. by 10-in. | 2/9 | " |
| No. 6. | 21-in. by 11-in. ... | 3/3 | " |
| No. 7. | 23-in. by 12-in. ... | 3/6 | " |
| No. 8. | 25-in. by 13½-in.... | 3/11 | " |
| (Carriage 6d. extra.) | | | |

Cané Besom.

Sweeps cleaner and lasts much longer than Birch. Ideal for Lawns. Complete on 3-ft. handle painted green, with 20-in. long Canes, 1/11 each. (Carriage 9d. on singles.)


Hardwood Mallet.

Special Value.




Head 6½-in. by 4-in. dia.,
19-in Ash handle.


Price 1/9 (Carriage paid).†

Sieves.


| | Galvanised Rims. | Wood Rims. | |
|--------------|------------------|------------|-------|
| Mesh | ¾-in. | ¼-in. | ¾-in. |
| 12-in. diam. | 1/5 | 2/6 | 1/1 |
| 14-in. " | 1/8 | 2/11 | 1/3 |
| 16-in. " | 1/11 | 3/6 | 1/5 |
| 18-in. " | 2/7 | 4/9 | 1/11 |

Mole Traps.

Wrought Iron, Black, 9d. each.
Galvanised, 1/- each.

Garden Gloves.


| | | Pair. |
|---------------------------|-----|-------|
| Gents' All-Leather, Stout | ... | 3/9 |
| Do. do. Medium | ... | 2/11 |
| Do. do. Double Palm | ... | 2/11 |
| Ladies' do. Best quality | ... | 2/9 |
| Do. do. Gauntlet... | ... | 3/6 |
| (Postage 4d. extra.) | | |

Galvanized Iron Bulb and Potato Planter.

Eliminates stooping. Cuts a neat hole 3 inches in diameter, and prevents suspension which is a frequent cause of decay. Price 5/9 each. Carriage Paid.

EARTH BORER. Similar to above, but with Cutter for 3½-in. diameter and will bore about two feet in depth, 7/-. Carriage Paid.

UMBRELLA TRAINERS.




**Adjustable for Standard Roses
Clematis, Etc.**

The umbrella form of Trainer is adjustable to almost any height and be found very useful, particularly Weeping and Wichuraiana Roses when grown on extra tall Standards spreading the growth more effectively and giving a useful support at a low price.

In two halves for
existing Roses.

| | | | | |
|----------------|---------|---------|----------|------|
| 2-ft. diameter | 3 rings | 8 stays | 5/- each | 6 6 |
| 2-ft. 6-in., | 3 " | 8 " | 6/3 " | 7 9 |
| 3-ft. " | 3 " | 8 " | 7/6 " | 9/- |
| 4-ft. " | 4 " | 8 " | 10/6 " | 12/- |


Oak Stakes for above, 7-ft. by 1½-in. by 1½-in., 1/2 each. Larch ditto, 9d. each.



Boot Scrapers.

All Steel framework. Fitted with Brushes, as illustrated. Well made.


(Spare Brushes, 1/- each)
Black Japanned Finish 5/- } Carr.
Cadmium Plated Finish 6/6 } paid.



Boot Wiper and Scraper.

Brushes which are of stiff bristle revolve and remove effectively all mud, etc. Will last for years. Nothing to get out of order.

27/-. Carriage Paid.



Boot Wiper and Scraper.

Cleans sides underneath part of boots simultaneously. Complete polished wood handle and galvanised scraper.

Portable.

Bottom fitted with Rubber buffer.

Price 8/9

Carriage and Packing free.

Combination Brush and Scraper




Galvanised Steel and Best Brushes which will last many years and then be renewed.


9-in. by 16-in. size (2 brushes)
12-in. by 24-in. ,, (as illust.)
16-in. by 30-in. ,, (ditto.)

Carriage Paid.

Sundries for Wiring Walls, Fruit Tree Training, etc.




- No. 1. Straining screws, galvd., with nuts 6" 1/6, 8" 2/-, 10" 3/-, 12" 3/3 per doz.
 No. 2. Straining screws, galvd. 5" -/11, 6" 1/1, 7" 1/3, 8" 1/7, 10" 2/7, 12" 3/8 each.
 No. 3. Wire strainers. Double ended, left and right hand threads, 9d. each, 8/6 doz.
 No. 4. Raddisseurs, galvd. For straining 14 & 15-G wire, 6d. each; 11, 12 & 13-G wire, 7d. each; 7, 8, 9 & 10-G wire, 9d. each; 3, 4, 5 & 6-G wire, 1/- each.
 No. 5. Intermediate Driving Eyes. Strong malleable, galvd. 2" 4d., 2 1/2" 5d., 3" 7d., 4" 8d., 5" 11d., 6" 1/2 per doz.
 No. 6. Intermediate Driving Eyes, galvd. 2" 3d., 2 1/2" 4d., 3" 5d., 4" 6d., 5" 8d., 6" 11d.
 No. 7. Terminal Holdfasts, galvd. 3" 1/4, 4" 1/8, 5" 1/11 per doz. [per doz.
 No. 8. Shouldered Do. do. 4" 1/3, 5" 1/9 per doz.
 No. 9. Do. do. do. 4" 2/-, 5" 2/6 per doz.
 No. 10. Vine Eyes, galvd., 3" 8d., 4" 9d., 5" 10d., 6" 11d., 8" 1/2, 10" 1/6, 12" 1/10 doz.
 No. 11. Screw Hooks. 1" 2d., 1 1/4" 2 1/2d., 1 1/2" 3d., 2" 4d., 2 1/2" 6d. per doz.
 Do. Eyes. 1" 2d., 1 1/4" 3d., 1 1/2" 4d., 2" 7d., 2 1/2" 1/1 per doz.
 No. 12. Wall Nails. Iron Shanks and soft lead clips for easy bending, 1" 5d., 1 1/4" 6d., 1 1/2" 7d., 2" 9d. per doz.




- No. 13. Galvanised Staples. 3/4" 3d., 1" 6d., 1 1/4" 1/-, 1 1/2" 1/3 per gross.
 No. 14. Tee Hinges, 6" 4d. 8" 5d. 10" 6d. 12" 7d. 14" 9d. 16" 1/-, 18" 1/3 per pair
 No. 15. Back Flap Hinges, 1" 2d. 1 1/4" 2d. 1 1/2" 2 1/2d. 2" 3 1/2d. 2 1/2" 6d. per pair.
 No. 16. Butt Hinges, 1" 1d. 1 1/4" 1d. 1 1/2" 1 1/2d. 2" 2d. 3" 2 1/2d. per pair.
 No. 17. Coil Door or Gate Springs, 9" 8d., 10" 11d., 12" 1/6 each.
 No. 18. Pullies, upright or side, Single, 1" 3d., 1 1/2" 4d., 2" 6d., each.
 Double, 6d., 8d. & 1/- each.
 Pullies, galvd. Clothes Line. Single, 1 1/2" 8d., 2" 1/- each. Double 1/2 & 1/9
 No. 19. Pullies, Screw Guarded. Single, 1" 4d., 1 1/2" 5d., 2" 7 1/2d. each.
 Double, 6d., 8d. and 1/1 each
 No. 20. Padlocks with 2 keys, 2" 1/- each.
 No. 21. Repairing Plates. Straight 5/8 wide 3" 1/6, 4" 1/9, 5" 2/-, per doz.
 " " " 7/8 " 4" 2/-, 5" 2/- per doz.
 " " T or L shape 3/8 " 2" 1/3, 3" 1/6, 4" 1/9 per doz.
 " " " 5/8 " 3" 2/-, 4" 3/- 5" 3/6 per doz.
 " " " 7/8 " 4" 4/-, 5" 5/6 per doz.
 No. 22 Shelf Brackets. 4" x 3" 4d., 5" x 4" 4d., 6" x 5" 5d., 8" x 6" 7d., 10" x 8" 9d. per pair.


FLORAL BASKETS.




No. 44, 9-in.
1/-




No. 547, 10-in.
2/- each



No. 400, 12-in.
1/9



No. 105, For Wall
1/6




FRUIT STORE RACK

A useful Fruit Store. Tray Splines are rounded on edges. The Back is strongly braced with five battens screwed to corner posts. Made in one size only, with 10 Trays.

3 ft. 9 in. by 19 in. deep by 2 ft. wide

Price 28/9 Carriage Paid Station England and Wales.

GALVANIZED WIRE PEA GUARDS, 3-in. Mesh.



36-in. long, 6-in. high, 6-in. wide with two ends to each dozen. Packed flat.

| | | | |
|--------|------|--------|------|
| 1 doz. | 3/9 | 2 doz. | 7/- |
| 3 " | 10/6 | 4 " | 13/6 |
| 6 " | 19/9 | 12 " | 37/6 |

Carriage Paid. Extra Ends 2d.


GALVANIZED CIRCULAR SWEET PEA TRAINER

For efficiently training sweet peas. 4-ft. high, 12-in. diameter.

Price 2/9 each

4-ft. high, 18-in. diameter.

Price 3/9 each



VASE TOP TRAINER

Stronger Pattern.

Diameter in body 12 in.

Diameter at top 21 in.


Each

3-ft. high ... 6/-

4-ft. high ... 6/-

5-ft. high ... 8/-

6-ft. high ... 9/-



GALVANIZED WIRE SUPPORT

With 4 collapsible legs 3-ft. long.


Diam.

12-in. ...


15-in. ...

18-in. ...

24-in. ...



PEA AND BEAN SUPPORTS.




Occupy but small space and last year after year. Especially suitable for Sweet Peas, and although initial outlay is rather higher, ultimate cost is much less than sticks.

Prices complete with 3 Steel Uprights and two 9-ft. Top Rods and the Square Mesh Net. 18-ft. by 6-ft., 13/3; 18-ft. by 7-ft., 14/3, Carriage Paid.

Nets only, 3/-, 3/3 respectively, Carriage Paid.


STRAWBERRY OR PLANT GUARD WITH ROD.



Folds flat when not in use. 6-ft. long, 2-ft. wide, 15-in. high, 1/2-in. mesh. Useful not only for Strawberries, but for other plants and seedlings. Can be made frost proof by covering with scrim or straw. Price without ends, 6/9 each. Ends, 1/2 each. Rods for securing to ground included.

STRAWBERRY PROTECTOR.

With elliptic top. Made of galvanized wire netting, 1/2-in. mesh. Including 2 ends to each dozen, 72-in. long by 18-in. wide by 9-in. high, 2/6 each. Extra ends for same, -/5 each.



NETTING AND SCREEN SUPPORTS.

For rapid and effective protection of Seed and Strawberry Beds.

Fixed in half the time taken by other methods. Most economical. Last for many years. Occupy little space when stored away. Saves Netting from damage as it is kept securely in place by top lugs, which also hold Extension Canes when used for large beds.


Adaptable for any size or shape of bed.

One dozen supports is sufficient for bed 66-ft. by 2-ft. or 30-ft. by 6-ft.

14-in. above ground, 8/- doz.

20-in. above ground, 12/- doz.

BAMBOO CANES for use with these supports, see page 24.



Ask for particulars of Cotton Spreading Apparatus for Fruit Protection.


FRUIT ENCLOSURES.

The most simple and effective method of erecting a **FRUIT ENCLOSURE**. By using the Steel Uprights and Top Rods as illustrated, erection is simplicity itself and the combination of Top Rod and Earth Plate eliminates all Stay Wires or Guys. Makes the hanging and removing of Netting, either Wire or String, a quick and easy job.

Particulars of Wire Netting will be found on Page 34.

Particulars of String Netting will be found on Page 31. The New Square Mesh is particularly recommended.

Odd size top rods can be cut to fit Special Size Enclosures.




Example: An enclosure 18-ft. by 18-ft. takes 9 Standards and 12 Top Rods, or as illustrated, 27-ft. by 27-ft. takes 16 Standards and 24 Top Rods

STEEL UPRIGHTS. Painted Green.


| | 6-ft. | 7-ft. | 8-ft. out of ground |
|--------------------------------------|-------|-------|---------------------|
| Ex. Strong Tubular Welded ... | 2/2 | 2/4 | 2/6 each |
| Medium Tubular ... | 2/- | 2/2 | 2/5 .. |

TUBULAR STEEL TOP RODS. 9-ft. long, Painted Green with Galvanized Hooks.



Ex. Strong Quality, 1/4 each.

Stout Ground Pegs.




8 1/2-in. long.

Galvanized Iron, for fixing netting to ground, 1/3 per doz.

GATES for above.

Well braced Wood Gate Frames, covered with Galvanized Wire Netting, complete with two Oak Gate Posts, 2-in. by 2-in. thickness, and hinges.

| | | | |
|--------------------------|-----|-----|------|
| Size 6-ft. by 2-ft. wide | ... | ... | 14/6 |
| „ 7-ft. by 2-ft. „ | ... | ... | 16/6 |



New Tanned String Netting. Square Mesh.

(Not suitable for Tennis Surrounds. See page 155.)

Whilst more expensive than the ordinary Tanned String Netting (repaired fish nets) it is more sightly, easier to put up and covers the **actual size** stated.

Made in 1-in. mesh from stout Cotton Twine and selvedged all round.
Will keep out the smallest birds.

| Stocked | 1 yd. | 2 yds. | 3 yds. | 4 yds. | Wide. |
|------------|-------|--------|--------|--------|-------------|
| Medium ... | 5½d. | 10½d. | 1/3½ | 1/8½ | per yd. run |
| Heavy ... | 6½d. | 1/0½d. | 1/6½ | 2/- | „ |

Any length supplied in above widths.

Above can also be **Steam Tarred** in addition for 1/- per 50 square yards with a minimum charge of 1/-. This greatly adds to its life.

Postage, 6d. extra on orders of less than 20/-.

Sweet Pea Nets.


Stout string, 5-in. **square** mesh, steam tarred, selvedged all round.
Stock sizes, 18-ft. by 6-ft., 3/-; 18 ft. by 7 ft., 3/3, Carriage Paid. Special sizes made to order, 3d. per square yard.

Diamond Mesh. Repaired Netting Corded all round to cover area 30-ft. by 9-ft. 5/6 Carriage Paid.

Tanned String Netting.

Diamond Mesh

Fully Repaired **Fish Netting.**



Special Note.—Being **Diamond** mesh a third more should always be allowed above the surface measurement. The netting shrinks one-third of its strained length on its being expanded to its specified width, and this rule applies to **all** diamond mesh netting. Thus a net 50 yards long will only cover about 33 yards when expanded to its correct width.

| Light Quality. | | | | Heavy Quality | | | |
|---|-----|-----|-------------|--|-----|------|---------|
| For Covering new Lawns, Seed Beds and Fruit Bushes only. | | | | For General Garden use Sweet Pea Trainers, &c. | | | |
| 25 yards by 2 yards | ... | ... | 3/9 per net | ... | ... | 5/- | per net |
| 25 " 3 " | ... | ... | 5/3 " | ... | ... | 6/9 | „ |
| 25 " 4 " | ... | ... | 6/3 " | ... | ... | 8/9 | „ |
| 50 " 2 " | ... | ... | 6/3 " | ... | ... | 8/9 | „ |
| 50 " 3 " | ... | ... | 8/9 " | ... | ... | 13/ | „ |
| 50 " 4 " | ... | ... | 11/9 " | ... | ... | 16/6 | „ |

All above Carriage Paid.

Pig and Cattle Fencings.

Every style has



the Hinged Joint.

The cheapest Fence, of uniform strength, which will stand for years without cost for maintenance. Cold-drawn spring steel wire coated with the finest galvanizing, hardened by a special process. The hinged joints hold the horizontal and vertical wires as securely as a vice.


Tension curved



for strength.

Medium
Heavy ...

... Top and bottom horizontals of 10G, intermediates of 12G.
... " " " 9G, " 11G.




No. 635.

Medium
Heavy

No. 635. Height 35-in.

| Uprights apart | Horizontals apart | Price per roll of 55 yards |
|-------------------|----------------------|-------------------------------|
|-------------------|----------------------|-------------------------------|

| | | |
|--------|--------------------|------|
| 12-in. | 5, 6, 7, 8 & 9-in. | 16/- |
| do. | do. | 20/6 |




No. 832.

Heavy
Medium
Heavy

No. 832. Height 32-in.

| | | |
|--------|-----------------------------|------|
| 12-in. | 3, 3½, 4, 4½, 5, 5½ & 6-in. | 24/- |
| 6-in. | do. | 24/3 |
| do. | do. | 33/- |



No. 845.

Heavy

No. 845. Height 45-in.

| | | |
|--------|----------------------------|------|
| 12-in. | 4½, 5, 5½, 6, 7, 8 & 9 in. | 27/- |
|--------|----------------------------|------|

No. 424. Height 24-in.

Medium

| | | |
|--------|-------------|------|
| 12-in. | 7, 8, 9-in. | 12/- |
|--------|-------------|------|

All above in Standard Rolls of 55 yards, which quantity is **Carriage Paid**. Steel Stakes of Heavy U Section as shown on page 39, with tongues suitably spaced for each Horizontal Wire can be supplied as follows:—


For No. 635 Fencing 1/8 each

| | | | | | |
|---|---|-----|---|------|---|
| " | " | 832 | " | 1/8 | " |
| " | " | 845 | " | 1/11 | " |

EARTH PLATES FOR WOOD POSTS.

Where the soil is sandy or is damp clay, the uprights are liable to move in heavy wind. The Earth Plates are recommended in such cases and by nailing same to posts below ground level, greater rigidity is obtained.

Supplied in 8-in. × 4-in. × ½-in. thick @ 1/6 per dozen.



BRITISH MADE GALVANIZED WIRE NETTING.

Prices per Roll of 50 yards. Carriage Paid Station.

| Width ... | | 12-in. | 18-in. | 24-in. | 30-in. | 36-in. | 42-in. | 48-in. | 60-in. | 72-in. |
|---------------------|----|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Mesh. Gauge. | | | | | | | | | | |
| $\frac{1}{2}$ -in. | 22 | 14/- | 20/2 | 26/1 | 31/9 | 38/1 | 44/5 | 50/9 | 63/5 | 76/2 |
| | 20 | 18/8 | 26/8 | 34/10 | 42/5 | 50/9 | 59/3 | 67/8 | 84/7 | 101/6 |
| | 19 | 22/8 | 32/5 | 42/3 | 51/6 | 61/7 | 71/11 | 82/2 | 102/8 | 123/2 |
| $\frac{3}{4}$ -in. | 20 | 10/8 | 15/3 | 19/5 | 23/7 | 27/7 | 32/2 | 36/9 | 45/11 | 55/2 |
| | 19 | 12/6 | 17/11 | 22/10 | 27/11 | 32/8 | 38/1 | 43/6 | 54/5 | 65/4 |
| | 18 | 16/8 | 23/11 | 30/6 | 37/2 | 43/6 | 50/9 | 58/- | 72/6 | 87/- |
| 1-in. | 20 | 7/10 | 11/3 | 14/4 | 17/5 | 20/4 | 23/8 | 27/1 | 33/10 | 40/8 |
| | 19 | 9/1 | 12/10 | 16/4 | 19/11 | 23/3 | 27/- | 30/11 | 38/8 | 46/6 |
| | 18 | 11/5 | 16/6 | 20/10 | 25/7 | 29/9 | 34/8 | 39/8 | 49/6 | 59/6 |
| $1\frac{1}{4}$ -in. | 19 | 7/3 | 10/4 | 13/1 | 15/9 | 18/2 | 21/2 | 24/2 | 30/3 | 36/4 |
| | 18 | 9/3 | 13/1 | 16/8 | 20/1 | 23/2 | 27/- | 30/11 | 38/8 | 46/4 |
| | 17 | 12/- | 17/3 | 21/11 | 26/6 | 30/5 | 35/6 | 40/7 | 50/9 | 60/10 |
| $1\frac{1}{2}$ -in. | 19 | 6/4 | 9/1 | 11/5 | 13/9 | 16/- | 18/7 | 21/3 | 26/8 | 32/- |
| | 18 | 7/10 | 11/3 | 14/4 | 17/3 | 19/11 | 23/3 | 26/7 | 33/2 | 39/10 |
| | 17 | 9/10 | 14/- | 17/9 | 21/5 | 24/8 | 28/9 | 32/10 | 41/1 | 49/4 |
| 2-in. | 19 | 4/11 | 6/11 | 8/11 | 10/6 | 12/- | 14/- | 16/- | 20/- | 24/- |
| | 18 | 6/2 | 8/11 | 11/3 | 13/5 | 15/3 | 17/9 | 20/4 | 25/5 | 30/6 |
| | 17 | 7/7 | 10/11 | 14/- | 16/8 | 18/10 | 22/- | 25/2 | 31/5 | 37/8 |
| | 16 | 10/- | 14/4 | 18/2 | 21/9 | 24/8 | 28/9 | 32/10 | 41/1 | 49/4 |
| 3-in. | 19 | 3/8 | 5/1 | 6/6 | 7/7 | 8/8 | 10/2 | 11/7 | 14/6 | 17/4 |
| | 18 | 4/7 | 6/4 | 8/- | 9/7 | 10/11 | 12/8 | 14/6 | 18/2 | 21/10 |
| | 17 | 6/4 | 8/4 | 10/8 | 12/8 | 14/6 | 16/11 | 19/4 | 24/2 | 29/- |

**SHEEP NETTING
WITHOUT
CENTRE STRAND**
3-ply Selvages

**SHEEP NETTING
WITH
CENTRE STRAND.**
3-ply Selvages

| Width ... | | 24-in. | 30-in. | 36-in. | 42-in. | 48-in. | 30-in. | 36-in. | 42-in. | 48-in. |
|--------------|----|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Mesh. Gauge. | | | | | | | | | | |
| 3-in. | 16 | 13/11 | 16/4 | 18/6 | 21/5 | 24/3 | 18/6 | 20/8 | 23/7 | 26/6 |
| | 15 | 15/11 | 18/8 | 21/- | 24/3 | 27/7 | 21/2 | 23/7 | 26/10 | 30/1 |
| | 14 | 19/- | 22/6 | 25/5 | 29/4 | 33/4 | 25/- | 27/11 | 31/11 | 35/11 |
| 4-in. | 16 | 11/9 | 13/9 | 15/7 | 18/- | 20/5 | 15/11 | 17/9 | 20/2 | 22/7 |
| | 15 | 14/4 | 16/8 | 18/10 | 21/9 | 24/8 | 19/2 | 21/5 | 24/3 | 27/2 |
| | 14 | 16/6 | 19/2 | 21/9 | 25/2 | 28/6 | 21/9 | 24/3 | 27/8 | 31/1 |

SUGGESTIONS : $\frac{1}{2}$ -in. mesh for keeping out rats.
 $\frac{3}{4}$ -in. mesh for keeping out sparrows and for fruit enclosures.
 1-in. mesh for chicken runs.
 $1\frac{1}{2}$ -in. mesh for rabbits, tennis enclosures, poultry.
 2-in. mesh for poultry and general utility purposes.
 It costs as much to erect thin gauge as heavy gauge Netting.
 The heavy gauges are **cheapest** in the end.

PATENT WIRE NETTING STAKES OR STANDARDS.

Unique in its simplicity, convenience and effectiveness.




Constructed of a special section of tough steel having great resisting qualities and which gives a specially firm grip of the ground when driven in.

Two tongues are pressed from the solid metal—

The lower tongue engages the bottom selvage of the wire netting, whilst the top selvage of the netting is slipped over and into the upper tongue.

Painted two coats Rust Destroying Black Enamel Paint before leaving Works.

Actual Sizes of Sections.



No. 2 Section.

| For Netting. | Length overall. | Per doz. |
|------------------|-----------------|----------|
| 2 ft. 0 in. wide | 3 ft. 3 in. | 5/6 |
| 2 ft. 6 in. „ | 3 ft. 9 in. | 6/3 |
| 3 ft. 0 in. „ | 4 ft. 3 in. | 7/- |
| 3 ft. 6 in. „ | 5 ft. 0 in. | 8/- |

No. 3 Section.

| For Netting. | Length overall. | Per doz. |
|--------------|-----------------|----------|
| 4 ft. 0 in. | 5 ft. 3 in. | 12/- |
| 5 ft. 0 in. | 6 ft. 3 in. | 14/- |
| 6 ft. 0 in. | 7 ft. 6 in. | 16/6 |

If with Earthplates, as illus., 2/6 doz. extra

All above Carriage Paid Station, England and Wales, on orders of 20/- and over.

Strong L Section Steel Standards.


For Wire Netting and Chain Link Fencing, Etc.

| Height above Ground. | 1-in. by 1-in. Angle Iron. Painted Black. | 1½-in. by 1½-in. Angle Iron. Painted Black. |
|----------------------------|---|---|
| 3-ft. | 11/- | 20/- per doz. |
| 4-ft. | 13/- | 23/- „ |
| 5-ft. | 15/- | 26/- „ |
| 6-ft. | — | 28/- „ |
| Earth Plates (if required) | 4/- | 7/- extra „ |

L Angle Iron Standards. Carriage paid England and Wales on £2 orders.


OAK AND LARCH NETTING STAKES, see pages 18 and 19.


Galvanised Chain Link Fencing



FOR ALL PURPOSES.

Since its introduction, the demand for this type of fencing has continually grown. Chain Link Fencing is **absolutely rigid** when erected and is the strongest type of fencing known. It **does not bulge**, however, and lasts years longer than wire netting. It cannot be compared for appearance.

Chain Link Fencings can be erected without showing a single join, however long the fence. Simply open the top and bottom loops, twist the end wire out. Then spiral back again into the two loose ends and clench the loops. The illustration clearly shows the method. 



ERECTION is simple and easy. **No straining tools** or **expert labour** necessary. Posts are erected first. Top and bottom wires then stretched taut from end to end. Place the fencing stretched hand tight either attaching to straining wires by means of binding wires or by opening looped knuckles at intervals, reclosing over the straining wires. Top and bottom wires for low fencing and when higher than 4-ft. centre wires as well are supplied. **Uprights** should be used about 8-ft. apart, and these are shown in the following pages. Hardwood posts as shown on pages 18 and 19 can, however, be used up to 6-ft. high fencing. Particulars of this fencing above 6 ft. high for Tennis surrounds, etc., are shown in the Tennis section of the Catalogue.

STRAINING END POSTS (see page 38) with 1 staybar and **Corner Post** with double staybars, etc., complete with straining screws, can be used where required, and these, of course, provide very firm anchorage for straining the line wires.

The following page indicates the various sizes and prices.

For aviaries and chicken enclosures. For

| | |
|---|--|
| machine and window guards | Use $\frac{1}{2}$ in., $\frac{3}{4}$ -in. or 1-in. mesh. |
| For rabbit fences, runs for small dogs, etc. | Use $1\frac{1}{2}$ -in. or $1\frac{3}{4}$ -in. mesh. |
| For lawn tennis enclosures | Use $1\frac{3}{4}$ -in. or 2-in. mesh. |
| For poultry enclosures, dog runs, etc. | Use 2-in., $2\frac{1}{2}$ -in. or 3-in. mesh. |
| For division or boundary fences | Use 2-in. to 5-in. mesh. |
| For pig and cattle and general field fences | Use 3-in. to 5 in. mesh. |

British Made Galvanised Chain Link Fencing.

ALL PRICES per roll of 25 yds., including **LINE WIRES**.

Carriage Paid to Station, England and Wales.





All widths from 1-ft. rising by 6-in. to 12-ft.

Gauge Chart, see page 43.


| Mesh. | Gauge. | 1-ft. | 1½-ft. | 2-ft. | 2½-ft. | 3-ft. | 4-ft. | 5-ft. | 6-ft. | High. |
|--------|--------|-------|--------|-------|--------|-------|-------|-------|-------|---|
| 1-in. | 17 | 20/- | 30/- | 40/- | 42/6 | 51/- | 68/- | 85/- | 102/- | In between heights, such as 3½-ft., 4½-ft., 5½-ft., at <i>pro rata</i> , viz., exactly half the difference between 3 ft. and 4-ft. or 4-ft. and 5-ft., etc. |
| 1-in. | 17 | 13/- | 19/6 | 26/- | 27/6 | 33/- | 44/- | 55/- | 66/- | |
| 1-in. | 16 | 14/- | 21/- | 28/- | 30/- | 36/- | 42/- | 60/- | 72/- | |
| 1-in. | 15 | 16/6 | 24/9 | 33/- | 35/- | 42/- | 56/- | 70/- | 84/- | |
| 1-in. | 17 | 10/- | 15/- | 20/- | 21/3 | 25/6 | 34/- | 42/6 | 51/- | |
| 1-in. | 16 | 10/6 | 15/9 | 21/- | 22/6 | 27/- | 36/- | 45/- | 54/- | |
| 1-in. | 15 | 13/- | 19/6 | 26/- | 27/6 | 33/- | 44/- | 55/- | 66/- | |
| 1½-in. | 16 | 10/- | 15/- | 20/- | 21/3 | 25/6 | 34/- | 42/6 | 51/- | |
| 1½-in. | 15 | 11/- | 16/6 | 22/- | 23/9 | 28/6 | 38/- | 47/6 | 57/- | |
| 1½-in. | 15 | 9/- | 13/6 | 18/- | 18/9 | 22/6 | 30/- | 37/6 | 45/- | |
| 1½-in. | 14 | 10/- | 15/- | 20/- | 21/3 | 25/6 | 34/- | 42/6 | 51/- | Over 6-ft. up to 12-ft. Fencing exactly <i>pro rata</i> to 6-ft. prices. |
| 1½-in. | 13 | 11/6 | 17/3 | 23/- | 25/- | 30/- | 40/- | 50/- | 60/- | |
| 1½-in. | 12 | 15/6 | 23/3 | 31/- | 33/9 | 40/6 | 54/- | 67/6 | 81/- | |
| 1½-in. | 15 | 6/6 | 9/9 | 13/- | 13/9 | 16/6 | 22/- | 27/6 | 33/- | |
| 1½-in. | 14 | 7/- | 10/6 | 14/- | 15/- | 18/- | 24/- | 30/- | 36/- | |
| 1½-in. | 13 | 9/6 | 14/3 | 19/- | 20/- | 24/- | 32/- | 40/- | 48/- | |
| 1½-in. | 12 | 11/6 | 17/3 | 23/- | 25/- | 30/- | 40/- | 50/- | 60/- | |
| 2-in. | 15 | 5/6 | 8/3 | 11/- | 12/- | 14/3 | 19/- | 23/9 | 28/6 | |
| 2-in. | 14 | 6/6 | 9/9 | 13/- | 13/9 | 16/6 | 22/- | 27/6 | 33/- | |
| 2-in. | 13 | 8/- | 12/- | 16/- | 17/- | 20/3 | 27/- | 33/9 | 40/6 | |
| 2-in. | 12 | 10/- | 15/- | 20/- | 21/3 | 25/6 | 34/- | 42/6 | 51/- | Odd Lengths supplied at same rates, plus 15% for breaking roll. |
| 2½-in. | 14 | 6/6 | 9/9 | 13/- | 13/9 | 16/6 | 22/- | 27/6 | 33/- | |
| 2½-in. | 13 | 7/- | 10/6 | 14/- | 14/6 | 17/3 | 23/- | 28/9 | 34/6 | |
| 2½-in. | 12 | 8/6 | 12/9 | 17/- | 17/6 | 21/- | 28/- | 35/- | 42/- | |
| 2½-in. | 11 | 10/6 | 15/9 | 21/- | 22/6 | 27/- | 36/- | 45/- | 54/- | |
| 3-in. | 14 | — | — | 10/9 | 11/3 | 13/6 | 18/- | 22/6 | 27/- | |
| 3-in. | 13 | — | — | 12/- | 12/6 | 15/- | 20/- | 25/- | 30/- | |
| 3-in. | 12 | — | — | 15/9 | 16/3 | 19/6 | 26/- | 32/6 | 39/- | |
| 3-in. | 11 | — | — | 19/3 | 20/- | 24/- | 32/- | 40/- | 48/- | |
| 3-in. | 10 | — | — | 21/6 | 22/6 | 27/- | 36/- | 45/- | 54/- | |
| 3-in. | 9 | — | — | — | 30/- | 36/- | 48/- | 60/- | 72/- | |
| 4-in. | 12 | — | — | — | 16/3 | 19/6 | 26/- | 32/6 | 39/- | |
| 4-in. | 11 | — | — | — | 18/9 | 22/6 | 30/- | 37/6 | 45/- | |
| 4-in. | 10 | — | — | — | 20/- | 24/- | 32/- | 40/- | 48/- | |
| 4-in. | 9 | — | — | — | 23/3 | 27/9 | 37/- | 46/3 | 55/6 | |
| 5-in. | 11 | — | — | — | — | 19/6 | 26/- | 32/6 | 39/- | |
| 5-in. | 10 | — | — | — | — | 21/- | 28/- | 35/- | 42/- | |
| 5-in. | 9 | — | — | — | — | 22/6 | 30/- | 37/6 | 45/- | |

LINE WIRES INCLUDED FREE.

Also supplied **Dipped Black Bitumastic Paint** on top of the galvanising at 6d. per roll per foot high, any mesh or gauge. Thus a 3-ft. roll is 1/6, 4-ft. is 2/- and so on. **Green Dipped** 1/- per roll per foot high.

INTERMEDIATE
STANDARD WITH OR
WITHOUT EARTH PLATETERMINAL
STRAINING POST OR
GATE POSTCORNER
STRAINING
POSTINTERMEDIATE
STRAINING
POST

SINGLE GATE



DOUBLE GATE

Height of Fencing Intermediate Standards—

1-in. angle for 14G and 15G
fencing
Standards for medium
fencing
Heavy fencing standards..

Terminal Straining Posts with 1 Staybar—

1½-in. Angle for 14G and
15G fencing
2-in. Angle for heavier
fencing

Corner Straining Posts with 2 stay bars.

Intermediate Straining Posts with 2 stay bars.

1½-in. Angle for 14G and
15G fencing
2-in. Angle for heavier
fencing

Gates complete 3-ft. wide ..
Gate Posts with 1 stay bar for
hanging and latching ..

Gates, complete pairs, 8-ft.
or 9-ft. wide

Extra Heavy Gate Posts for
pairs of gates

Earth Plates (if required for
intermediate standards) ...

1-ft. to

3-ft. 3½-ft. 4-ft. 4½-ft. 5-ft. 6-ft.

-/11 1/- 1/1 1/2 1/3 — ea

1/8 1/9 1/11 2/- 2/2 2/4 ..

1/11 2/3 2/5 2/7 2/8 3/3 ..

10/3 10/9 11/0 11/9 12/6 14/- ..

12/3 13/3 14/- 14/9 15/6 16/6 ..


14/9 15/6 16/3 17/6 18/6 19/9 ..

17/6 18/6 19/6 20/6 21/6 22/6 ..

30/- 30/- 30/- 32/- 34/- 35/- ..

12/9 13/9 14/6 15/3 16/- 17/- ..

4-ft. high, 65/-; 5-ft. high, 75/-; 6-ft. high,
80/- per pair.4-ft. high, 33/9; 5-ft. high, 37/6; 6-ft. high,
40/3 per pair.For 1-in. Angle Stakes, -/4 each; for 1½-in.
-/7 each; for Heavy Stakes, -/9 ea

ESSANEE" SPECIAL WIRE FENCING.

Standards are constructed of a special section of tough steel having great resisting properties, and which gives a specially firm grip of the ground when driven in. The wires are attached to standards by special tongues pressed from the solid metal, and after wires are inserted in the tongue a light tap with a hammer will close same. To remove wire, the tongue can be readily re-opened and closed again as required.

Painted two coats **Rust-Destroying Black Enamel.**


Standards are 5 ft. 6 in. long, making a 4-ft. Fence, and prices **Include** all necessary 12-Gauge Galvanised Wire for five lines. See page 43 for wire gauge chart.

Can be also supplied 5-ft. high, 6 wires, at 5/- per 100-ft. of Fencing extra on prices below. "U" Section only.

Any length of Fencing can be supplied at *pro rata* prices. If 10-G. Wire 2/- extra per 100-ft. of Fencing.

If 8-G. Wire 4/6 " " "

Either type supplied to order with the Stakes **Galvanised** after made at an extra of 33½ per cent.



| 1,000 ft. Fencing, consisting of 100 Stakes and 5,000 ft. of 12-G. Wire | Prices using "U" section Stakes. |
|---|-------------------------------------|
| | £11 11 6 |
| 800 ft. do. with 80 Stakes | 9 7 6 |
| 600 ft. do. " 60 " | 7 3 6 |
| 400 ft. do. " 40 " | 4 19 6 |
| 300 ft. do. " 30 " | 3 14 6 |
| 200 ft. do. " 20 " | 2 12 6 |

Can also be supplied using
1½-in. × 1½-in. Angle Iron
stakes as follows

| | |
|----------------------------|----------------|
| | £9 10 0 |
| 800 ft. do. with 80 Stakes | 7 12 6 |
| 600 ft. do. " 60 " | 5 17 6 |
| 400 ft. do. " 40 " | 4 5 0 |
| 300 ft. do. " 30 " | 3 4 0 |
| 200 ft. do. " 20 " | 2 5 0 |


All above Carriage Paid, England and Wales.

The following Straining Posts are a Heavier Pattern similar to those illustrated on page 38, and the prices include the Straining Eyebolts for each line of wire.

| | 5 Wire. | 6 Wire. |
|--|-------------|------------------|
| End Straining Posts with 1 staybar | 15/- | 18/6 each |
| Corner " " 2 staybars | 20/- | 25/- " |
| Intermediate " " " | 20/- | 25/- " |

CHESTNUT PALE FENCING.

FULL SIZE BEST QUALITY PALES.



Priced per yard run and **Carriage Paid** nearest Station within 200 miles of London on Orders of **£5 0 0**. Otherwise F.O.R. works.

Prices Pattern B—

| Height of Fence ft. in. | Pales 5-in. apart s. d. | Pales 4-in. apart s. d. | Pales 3-in. apart s. d. | Pales 2-in. apart s. d. | Pales 1½-in. apart s. d. | Inter-mediate Posts s. d. | Straining Posts 3-in.x3-in. s. d. | Strut 3-in.x2 s. d. |
|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|------------------------------|--------------------------------------|------------------------|
| 2 0 | 0 5½ | 0 7½ | 0 8½ | 0 10½ | 1 0 | 0 4 | — | — |
| 2 6 | 0 7½ | 0 9½ | 0 10½ | 1 1 | 1 4 | 0 5 | — | — |
| 3 0 | 0 8½ | 0 10½ | 1 0 | 1 2½ | 1 6 | 0 6 | 2 4 | 1 1 |
| 3 6 | 0 10½ | 1 1 | 1 2½ | 1 6 | 1 10½ | 0 7 | 2 8 | 1 1 |
| 4 0 | 1 0½ | 1 3½ | 1 5 | 1 9 | 2 2 | 0 8 | 2 10 | 2 |

Prices Pattern A—

| | | | | | | | | |
|-----|------|-------|------|------|------|-----|------|-----|
| 2 0 | 0 7½ | 0 9 | 0 10 | 1 0½ | 1 3 | 0 4 | — | — |
| 2 6 | 0 8½ | 0 10 | 0 11 | 1 1½ | 1 4½ | 0 5 | — | — |
| 3 0 | 0 9½ | 0 11½ | 1 1 | 1 4 | 1 8 | 0 6 | 2 4 | 1 1 |
| 3 6 | 1 0 | 1 2½ | 1 4 | 1 8 | 2 0½ | 0 7 | 2 8 | 1 1 |
| 4 0 | 1 1 | 1 4 | 1 5½ | 1 10 | 2 3 | 0 8 | 2 10 | 2 |


Prices Pattern E—

| | | | | | | | | |
|-----|------|-------|-------|-------|-------|-------|------|-----|
| 3 0 | 0 11 | 1 1 | 1 2½ | 1 5½ | 1 9½ | 0 6 | 2 4 | 1 |
| 3 6 | 1 1½ | 1 4 | 1 5½ | 1 9½ | 2 2 | 0 7 | 2 8 | 1 1 |
| 4 0 | 1 2½ | 1 5½ | 1 7 | 1 11½ | 2 4½ | 0 8 | 2 10 | 2 |
| 4 6 | 1 4 | 1 7 | 1 9 | 2 1½ | 2 7½ | 0 10½ | 3 1 | 2 |
| 5 0 | 1 6 | 1 9½ | 1 11½ | 2 5 | 2 11½ | 1 0 | 3 4 | 2 |
| 5 6 | 1 8 | 1 11½ | 2 3 | 2 8½ | 3 3½ | 1 1½ | 3 6 | 2 |
| 6 0 | 1 9½ | 2 1½ | 2 4½ | 2 11½ | 3 7½ | 1 3 | 3 10 | 2 1 |


Prices Pattern D—

| | | | | | | | | |
|-----|------|------|-------|------|-----|-------|------|-----|
| 4 0 | 1 4 | 1 7 | 1 9 | 2 1 | 2 6 | 0 8 | 2 10 | 2 |
| 4 6 | 1 6 | 1 8½ | 1 10½ | 2 3 | 2 9 | 0 10½ | 3 1 | 2 |
| 5 0 | 1 7½ | 1 11 | 2 1 | 2 6½ | 3 1 | 1 0 | 3 4 | 2 |
| 5 6 | 1 9½ | 2 1 | 2 4½ | 2 10 | 3 5 | 1 1½ | 3 6 | 2 |
| 6 0 | 1 11 | 2 3 | 2 6 | 3 1 | 3 9 | 1 3 | 3 10 | 2 1 |


Any above can be supplied **Creosoted** at 10 per cent. extra.
Gates to match. See page 42.

CHESTNUT PALE FENCING.**FULL SIZE BEST QUALITY PALES.**


Pattern C



Pattern F



Pattern G



Pattern H

Priced per yard run and **Carriage Paid** nearest Station within 200 miles of London on Orders of **£5 0 0**. Otherwise F.O.R. works.

Prices Pattern C—

| Height of Fence ft. in. | Pales 5-in. apart s. d. | Pales 4-in. apart s. d. | Pales 3-in. apart s. d. | Pales 2-in. apart s. d. | Pales 1½-in. apart s. d. | Inter-mediate Posts s. d. | Straining Posts 3 in.x3-in. s. d. | Struts 3-in.x2-in. s. d. |
|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|------------------------------|--------------------------------------|-----------------------------|
| 3 0 | 0 9 | 0 11 | 1 0 | 1 2½ | 1 6 | 0 6 | 2 4 | 1 9 |
| 3 6 | 0 11 | 1 1 | 1 2 | 1 5 | 1 9 | 0 7 | 2 8 | 1 11 |
| 4 0 | 1 0 | 1 2 | 1 3 | 1 7 | 1 10 | 0 8 | 2 10 | 2 1 |
| 4 6 | 1 1 | 1 3 | 1 4½ | 1 9 | 2 0 | 0 10½ | 3 1 | 2 3 |
| 5 0 | 1 2½ | 1 5 | 1 7½ | 1 11 | 2 4½ | 1 0 | 3 4 | 2 6 |
| 5 6 | 1 4½ | 1 8 | 1 9½ | 2 3 | 2 9 | 1 1½ | 3 6 | 2 8 |
| 6 0 | 1 6½ | 1 10 | 2 0 | 2 6 | 3 1 | 1 3 | 3 10 | 2 10 |

Prices Pattern F—

| | | | | | | | | |
|-----|---|---|------|-------|------|-------|------|------|
| 4 6 | — | — | 1 7½ | 1 10½ | 2 2½ | 0 10½ | 3 1 | 2 3 |
| 5 0 | — | — | 1 9½ | 2 1 | 2 6 | 1 0 | 3 4 | 2 6 |
| 5 6 | — | — | 2 0 | 2 3½ | 2 8 | 1 1½ | 3 6 | 2 8 |
| 6 0 | — | — | 2 2 | 2 6½ | 2 11 | 1 3 | 3 10 | 2 10 |

Prices Pattern G—

| | | | | | | | | |
|-----|---|---|------|-------|-----|-------|------|------|
| 4 6 | — | — | 1 9½ | 2 1 | 2 6 | 0 10½ | 3 1 | 2 3 |
| 5 0 | — | — | 1 11 | 2 3½ | 2 9 | 1 0 | 3 4 | 2 6 |
| 5 6 | — | — | 2 1½ | 2 6½ | 3 1 | 1 1½ | 3 6 | 2 8 |
| 6 0 | — | — | 2 4 | 2 10½ | 3 5 | 1 3 | 3 10 | 2 10 |

Prices Pattern H—


| | | | | | |
|-----|-----|-------------------------|-------|------|------|
| 2 9 | 2 1 | Pattern H | 0 6 | 2 4 | 1 9 |
| 3 0 | 2 3 | is a | 0 6 | 2 4 | 1 9 |
| 3 6 | 2 9 | Wind Screening | 0 7 | 2 8 | 1 11 |
| 4 0 | 3 2 | with the | 0 8 | 2 10 | 2 1 |
| 4 6 | 3 8 | Pales practically | 0 10½ | 3 1 | 2 3 |
| 5 0 | 4 1 | touching for | 1 0½ | 3 4 | 2 6 |
| 5 6 | 4 6 | all purposes of | 1 1½ | 3 6 | 2 8 |
| 6 0 | 5 2 | Privacy and Protection. | 1 3 | 3 10 | 2 10 |

Any above can be supplied **Creosoted** at 10 per cent. extra.
Gates to match. See page 42.



Chestnut Pale Fencing Gates.

HAND AND FIELD GATES.



To match any pattern Fencing
shown on previous pages.

Hand Gates.

| Height. | Width. | Price Complete With Fittings. |
|-------------|-------------|----------------------------------|
| 3 ft. 0 in. | 3 ft. 0 in. | 15/6 |
| 3 ft. 6 in. | 3 ft. 0 in. | 16/- |
| 4 ft. 0 in. | 3 ft. 0 in. | 16/6 |
| 4 ft. 6 in. | 3 ft. 0 in. | 17/- |
| 5 ft. 0 in. | 3 ft. 0 in. | 17/6 |
| 6 ft. 0 in. | 3 ft. 0 in. | 19/- |

Gate Posts.

4 in. x 4 in. each.

| | |
|------------------|-----|
| 5 ft. 0 in. long | 4/3 |
| 5 ft. 6 in. long | 4/8 |
| 6 ft. 0 in. long | 5/2 |
| 6 ft. 6 in. long | 5/6 |
| 7 ft. 6 in. long | 6/4 |
| 8 ft. 6 in. long | 7/2 |

Str
3 in.
ea


Field Gates.

Complete with fittings (Hinges, Drop Hook and Staple to take padlock)
All 9-ft. wide.


| Height. | Price Complete. | Gate Posts. | Stru 3 in. by 3 |
|-------------|--------------------|---|--------------------|
| 3 ft. 6 in. | 35/- | 6 ft. 0 in. by 4 in. by 4 in., 5/2 each | 2/ |
| 4 ft. 0 in. | 37/6 | 7 ft. 0 in. by 4 in. by 4 in., 6/- " | 3/ |
| 4 ft. 6 in. | 42/- | 7 ft. 6 in. by 4 in. by 4 in., 6/4 " | 3/ |
| 5 ft. 0 in. | 47/6 | 8 ft. 0 in. by 4 in. by 4 in., 6/8 " | 3/ |

Wattled Hazel Hurdles, 6-ft. long.

Suitable for Wind Screens
or Division Fences.



6-ft. x 3-ft. high, 2/6 ; x 4-ft. high, 3/6 ; x 5-ft. high, 4/6 ; x 6-ft. high, 5/6 ea
Stakes for 3-ft. -/4 ; for 4-ft. -/5 ; for 5-ft. -/5 ; for 6-ft. -/6 each.
Above prices are F.O.R. works.



Wind Screening.

| Height. | Wires. | Price per Yard. | St |
|-------------|--------|-----------------------|----|
| 2 ft. 6 in. | 2 | 1/6 | - |
| 2 ft. 9 in. | 2 | 1/9 | - |
| 3 ft. 0 in. | 3 | 1/11 | - |
| 3 ft. 3 in. | 3 | 2/1 | - |
| 3 ft. 6 in. | 3 | 2/3 | - |

F.O.R. at Works.

Cleft Half-round Pales, barked, wired together nearly touching, thus making
a most effective screen for exposed positions and for privacy.

Galvanized Fencing and Binding Wire.

8 10 12 14 16 GAUGE
● ● ● ● ● THICKNESS

| Gauge. | Length per Coil. | Price of Coil. |
|--------|---------------------|-------------------|
| 8 | 260 yds. | 13/3 |
| 8 | 130 „ | 7/- |
| 10 | 440 „ | 14/9 |
| 10 | 220 „ | 7/6 |
| 10 | 110 „ | 4/0 |
| 10 | 55 „ | 2/3 |
| 12 | 640 „ | 15/- |


Galvd. Flexible Strand Fencing Wire.



| 7-ply. No. | In Coils of | Price per Coil. |
|---------------|----------------|--------------------|
| 4G | 80 yds. | 8/9 |
| 5G | 95 „ | 9/- |
| 6G | 120 „ | 9/6 |
| 7G | 140 „ | 10/6 |
| 8G | 165 „ | 12/- |

THE TOWNSEND WIRE STRETCHER

is made with a wooden lever, or handle, 3-ft. in length, to which is attached malleable iron pincers, into which are riveted serrated steel grips; warranted not to slip. It is a substantial and very durable implement.




Advantages.—The ease with which it is attached to the wire, the rapidity with which the wire is brought into position for fixing. One man stretching the wire can nail it to the post from which he is stretching without assistance. Price Complete, 12/6. Carriage Paid. Particulars of other Strainers and Holdfasts, etc., page 27.

| Gauge. | Length of Coil. | Price per Coil. |
|--------|--------------------|--------------------|
| 12 | 320 yds. | 8/- |
| 12 | 160 „ | 4/6 |
| 12 | 80 „ | 2/6 |
| 14 | 135 „ | 2/6 |
| 16 | 100 „ | 2/3 |
| 19 | 80 „ | -/9 |

16G and 18G in Bobbins 1/- each

Barbed Wire. 4-point thick set



Galvd.

| | | | |
|-------|----------|-----|------|
| Reels | 100 yds. | ... | 8/- |
| „ | 220 „ | ... | 13/- |
| „ | 250 „ | ... | 15/6 |

Carriage Paid from Works.

Special line, thinner wire. In 100-ft. Coils, 2/3.


Flexible Strand Wire (Galvd.).

50-ft. lengths, -/9 each.

100-ft. lengths, 1/6 each.

(Carriage -/6 extra.)

Earth Auger.



Bores hard earth or fine soil. Does not bind but lifts and is then opened to discharge contents. More than one size can be bored. Most useful for Fence Posts of all kinds and a great aid to tree planting, etc.


Bores to depth of 3½ feet.

Size of holes.
diameter.

| | | |
|-----------------|-----|------------|
| 5-in. to 8-in. | ... | 36/- each. |
| 8-in. to 14-in. | ... | 42/- „ |
| 8-in. to 16-in. | ... | 46/- „ |

Carriage and Packing 1/- extra.

DIVISION FENCING.




Open Slatted Pattern supplied in 6-ft. sections ready for fixing. Rails of 2-in. by 1½-in. with 2-in. by ¾-in. pales spaced 3-in. apart. At each end of the Section double 1-in. by ¾-in. fillets are attached to enable fence to be fixed centrally between the Posts. Fixing is by means of nails or screws through these fillets into sides of Posts which are **English Larch**, 3-in. by 2½-in. and 2-ft. longer than fence. The whole treated **Brown Wood Preservative** before being made.

3-ft. high, 1/7; 3-ft. 6-in. high, 1/9; 4-ft. high, 1/11; per foot run, inclusive of Posts at 6-ft. intervals.

WEATHER BOARDED FENCING GATES.

To match the Ordinary Close Fencing.



Framed, ledged and braced Gates in **Oak and Deal**.

Any Size in Single Gates or Pairs can be supplied.

Single Gate 3-ft. wide, 4-ft. high in **Oak, 30/-**.

ditto ditto **Deal, 20/-**.

Pairs of Gates 7-ft. wide, 4-ft. high in **Oak, 67/6**.

ditto ditto **Deal, 45/-**.

Prices are complete with Strong Reversible Hinges. Latches extra. See next page. **Posts** for above Gates, see next page.


ENTRANCE GATES—SINGLE AND IN PAIRS.

High Grade Quality and Workmanship.


Selected **English Oak**, 2-in. nominal thickness. Double braced at back, so that hanging can be made to either post. Double Gates rebated at the Centre. Pinned with **Oak** Dowels into tenons and **Galvanised** nails only used.

All 3-ft. 6-in. high. Single Gates 3-ft. wide. Pairs 7-ft. wide.


Other widths can be supplied.




No. 45




No. 38



No. 24



No. 37



No. 36

These same designs also supplied in selected **Deal** of the same substance and high-class workmanship.

| Prices | Single Gate | Pair | Prices | Single Gate | Pair |
|-------------------|-------------|------|--------------------|-------------|------|
| No. 45 Oak | 21/- | 52/6 | No. 45 Deal | 15/9 | 39/6 |
| No. 38 „ | 28/- | 65/- | No. 38 „ | 18/6 | 42/6 |
| No. 24 „ | 31/6 | 72/6 | No. 24 „ | 22/- | 50/- |
| No. 37 „ | 31/6 | 72/6 | No. 37 „ | 22/- | 50/- |
| No. 36 „ | 37/6 | 90/- | No. 36 „ | 25/- | 60/- |

Prices include Heavy Reversible Hinges. Latches extra.

Gate Posts. For any above. Planed and rounded tops.

Oak. 6-ft. by 5-in. by 4-in., 8/9. 6-ft. by 5-in. by 5-in., 11/- each.

Larch do. do. 6/9. do. do. 8/9 „

RING LATCH.

No. 58. As illustrated, 6-in., 3/- ; 7-in., 3/6 each.

Bow handle Surface Latch, for one side only,


6-in., 1/3 ; 7-in., 1/6 each.

Suffolk or Thumb Latch, 1/- each.

Automatic Gate Latch, for one side only, 6d. each.




IRON FIELD & FENCING GATES.



Strongly made
Wrought Iron
Gate, strengthened at Corners
Welded at joints. Slip bolt
fastening hole for padlock
Hangings for
Wood or Steel
Posts.

Size 10-ft. by 4-ft. high. Price complete 50/-.

Ex Heavy Steel Hanging and Latching Posts, with staybars similar to those illustrated on page 33 37/6 per pair.




Improved Pattern Wrought Iron Gates. Strengthened Corners. Complete with all Fittings, Hangings for Wood or Steel Posts.

3 ft. above ground

| | | | |
|------------------|-----|-----|------|
| 3-ft. 6-in. wide | ... | ... | 22/6 |
| 6-ft. 0-in. " | ... | ... | 32/6 |

Steel Hanging and Latching Posts, with staybars similar to those shown on page 38, 27/6 per pair.




OAK FIELD & FENCING GATES

Constructed of Selected Oak. 4-ft. wide overall by 4-ft. 3-in. high. Top bar and latching post of 3-in. x 3-in. and hanging post of 4 1/2-in. x 3-in.

Price 34/6. Same Gate in Deal, 27/6.

Fittings extra.




Constructed of selected Oak 10-ft. wide overall 4-ft. 3-in. high. Top bar and latching post of 3-in. x 3-in. and hanging post 5-in. x 3-in. Price 40/6.

Same Gate in Deal, 35/6.

Fittings extra.

Wrought Iron Unclimbable Fencing.



Supplied in Hurdles 6-ft. long and Two Patterns as above, Round Bars or Flat Spiked.

| Height above Ground. | Size of Flat Iron. | Vertical Bars. Size of Round. | Distance apart Centre to Centre. | Price per yard. |
|----------------------|--------------------|-------------------------------|----------------------------------|-----------------|
| 2-ft. 6-in. | 1½-in. by ¼-in. | ¾-in. diam. | 3-inches | 8/- |
| 3-ft. 0-in. | 1½-in. by ¼-in. | ¾-in. „ | 3 „ | 9/- |
| 3-ft. 0-in. | 1½-in. by ⅝-in. | 7⁄8-in. „ | 3 „ | 10/- |
| 3-ft. 6-in. | 1½-in. by ⅝-in. | 7⁄8-in. „ | 3 „ | 11/- |

Hand Gates to match, 3-ft. wide, hung to end of Hurdles, as shown.


2-ft. 6-in. and 3-ft. high, 42/- each; 3-ft. and 3-ft. 6-in. high, 49/- each.

Prices include one coat Paint before leaving Works, with Bolts and Nuts complete. Hurdles under 6-ft. long charged as 6-ft.


All types and sizes of Wrought Iron Railing quoted for on receipt of specification.

Extra Strong Wrought Iron Fencing.

For General Garden Use.



Patt. No. 3



Patt. No. 6

Constructed with 1-in. flat horizontal bars and ends. Verticals are solid ¼-in. dia. iron, which pass through the flat bars. **Extra strong and lasting.** Complete in 6-ft. lengths which bolt together by means of bolts supplied. Both patterns supplied with verticals 2½-in. or 1½-in. apart.

| | Height ... | 12-in. | 15-in. | 18-in. | 24-in. | |
|-----------------------------------|------------|--------|--------|--------|--------|-------------------|
| 2½-in. spacing, Painted Green ... | | 8/11 | 9/6 | 10/- | 11/- | Per 6-ft. length, |
| 1½-in. „ Do. ... | | 13/9 | 14/3 | 15/6 | 16/6 | Do. |
| 2½-in. „ Galvanized ... | | 11/6 | 12/3 | 13/3 | 14/3 | Do. |
| 1½-in. „ Do. ... | | 16/9 | 18/- | 19/3 | 20/6 | Do. |


All above f.o.r. at Works.

Hand-Wheel Cultivators.

List showing complete range of Hand Cultivators, Ploughs, etc., sent on request.

These well-known implements need little description to-day. They have proved themselves indispensable to anyone who wishes for best results. The saving in time alone is enormous, apart from the practical results.

Single Wheel Hoe, Cultivator, Plough, Rake, etc.



15-in. Wheel.

No. 16. Single Wheel. One pair 6-in. Hoes, three Cultivator Teeth, one large Garden Plough, one 7-in. Rake, one 4-in. Rake and one Leaf Lifter.

Price complete 47/6


No. 17. As above, but without Rakes and Leaf Lifter. Price 42/-

No. 17½. With Hoes and Cultivator Teeth only. Price 36/-

No. 18. With one pair Hoes only. Price 31/-

Combined Double and Single Wheel Hoe, Cultivator, Plough, Rake, etc.

All Steel Frame and
14-in. Steel Wheels
and complete with
Single Wheel Axle.



No. 11 Equipment. One pair 6-in. Hoes, one pair 4½-in. Hoes, four Steel Cultivator Teeth, one pair Ploughs, two 3-tooth Rakes, two 5-tooth Rakes and two Leaf Lifters. Price complete 68/-


No. 12. With one pair Hoes, four Cultivator Teeth, one pair Ploughs and two Leaf Lifters. Price 55/-

No. 13. With one pair Hoes only. Price 40/-

All above carriage paid nearest Station, England and Wales.

Hand-Wheel Cultivators—*Continued.*


These Small Planet tools are the latest additions to the range. Will be found most useful and greatly labour saving. Complete list sent on request.



The FIREFLY Garden Plough

Will throw a furrow 4-in. to 6-in. wide. A light and handy tool.


Price Complete 24/-.



The JIFFY Hoe

Takes the back breaking out of hoeing and weeding. Adjustable handle for height. **Price 17/6.**

A Plough attachment is a useful extra for opening up furrows for various purposes. **Price complete with Plough 21/6**



No 19 GARDEN PLOUGH AND CULTIVATOR.

Specially designed for the garden. Attachments are adjustable for depths. **Price complete** with Plough, 10-in. sweep scuffle hoe, and 2-in. Cultivating tooth **31/-.**

All above Carriage Paid nearest Station, England and Wales.

DIGGING FORKS AND SPADES.

All our Forks and Spades are **fully warranted**. The "A" quality are the product of various reputable manufacturers, whilst the "Neverbend" quality are solely manufactured by Spear & Jackson, of Sheffield.



| | “ A ” | “ Neverbend ” |
|---|------------|---------------|
| | Quality. | Quality. |
| 4-prong Digging Fork, D-handled, Strapped ... | 4/3 | 5/9 |
| 5 ” ” ” | — | 7/- |
| 4 ” Border Forks, Self Colour | 4/3 | 5/1 |
| 4 ” Half Red and Bright ... | — | 5/6 |
| 4 ” Spading or Potato Forks | 4/9 | 6/9 |
| 5 ” ” ” | — | 8/- |



SPADES.

| SPADES. | | "A" | | "Neverbend" | |
|---|--|----------|--------|-------------|--------|
| | | Quality. | | Quality. | |
| | | Size 1 | Size 2 | Size 1 | Size 2 |
| Treaded, D-handled, Strapped, Quarter Bright... | | 4/3 | 4/6 | 6/4 | 6/6 |
| " " " All Bright ... | | 6/6 | — | 7/10 | — |
| Border or Ladies, D-handled, Self Colour ... | | 4/- | | 5/- | |
| " " " Red and Bright... | | — | | 5/9 | |
| (No. 1 Spade measures 7½-in. by 11-in. ; No. 2, 8-in. by 12-in. ; Border, 5½-in. by 9-in.) | | | | | |
| Grafting Spade. | Long Strap, 3 Rivets, Size 12½-in. × 6-in. | ... | | 6/6 | each |
| Shovels. | Open Socket, Size 10 in. × 12½ in. | ... | ... | 2/6 | " |
| Do. | Best Strapped " " " | ... | ... | 4/3 | " |


PHILLIPS PATENT DIGGER.

An ideal Combination Fork and Spade. Extra Strong.



Blade $8\frac{1}{2}$ in. \times 13 in. long, 12 in. Straps, $7/6$ each.

(Carriage on any above 1/- extra.)

Skelton's Famous Garden Sets

In Sets consisting of—

No. 2. Spade, Fork, Rake and Hoe,
9/6 Set.No. 3. Spade, Fork, Rake and Hoe
(Larger Size), **11/- Set.**No. 4. Spade, Fork, Rake and Hoe
(Largest Size), **12/6 Set.**If with D Handles, price is **2/- extra.**
All above Carriage Paid.**Hand Forks.**

Flat Tines. Sheffield Made.


No. 30. With 6-in. Handle **-/8 each**No. 31. „ 14-in. „ **-/10 „**No. 32. „ **48-in.** „ **1/4 „**No. 16. Stainless Steel Solid
Forged, 6-in. handle ... **3/9 „****Hand Forks.**Best Quality. Sheffield Made.
Hardened and Tempered Prongs.No. 76. With 7-in. Handle **1/2 each.**No. 77. With 17-in. Handle **1/5 „**No. 80. With **48-in** Handle **1/8 „****Potting Trowels.**

Best Quality. Sheffield Made.

No. 54. Red and Bright, 6-in.
Handle, **-/11 each.**No. 56. With 17-in. Handle **1/2 each.****Solid Forged Trowels.**Best Sheffield. Tangs go right
through Handles.No. 18. All Bright, 6-in., **2/3 each**No. 20. Stainless Steel, **3/6 each****Bedding and Transplanting Trowels.**
Narrow Blades.No. 64. 6-in. Bright & Red, **1/- each****Fern Trowels.**

Extra Strong Handle, Steel Backed.

No. 70. All Bright, 7-in., **2/9 each.**Do. Stainless Steel, **4/11 each.**

Weeding Keb

A most useful Tool.

Prongs, $2\frac{3}{4}$ -in. by 5-in., 20-in. long, $1/11$

Prongs, $2\frac{3}{4}$ -in. by 5-in., 38-in. long, $2/3$

Prongs, 4-in. by $7\frac{1}{2}$ -in., 48-in. long, $3/-$

With Ash Handles, length as above.

(Carriage $-/6$ extra, see page 1.)


Rockery Weeder.

Bright Solid Steel Prongs, $4\frac{1}{2}$ -in. Polished Handle. Prongs are 1-in. apart. Makes an ideal tool for the

Rockery $1/9$ (Postage $-/6$)

Long Handle Weeder.

Solid steel prongs, $2\frac{1}{4}$ -in. wide on 4-ft. best Ash handle, $4/3$.

Daisy Grubber.

Daisy Grubbers, 10-in. handle, $1/8$

Do. 24-in. „ $2/6$

Short handled Grubber, 11-in. long, similar principle, $-/9$ each.

Weed Eradicator.

Plain 2-in. Spud, $-/9$ each.

On 4-ft. Deal Handle $1/3$ each.

Hand Cultivator.

Sheffield Made.




All of Crucible Spring Steel. prongs get right down into the soil means heavier crops—larger flow

5-prong with 4 ft. Handle, $5/-$ ea

3-prong with 4-ft. Handle, $4/3$ ea

(Carriage $-/9$ extra, see page 1.)


The Midget Cultivator.

A most useful Tool for Rockeries close work, price $2/6$

(Carriage $-/6$ extra, see page 1.)

Walking Stick Weed Extractor

“Cuts the Heart out.”



Tapered Tubular Steel Cutter at end of Wall Stick Handle. By pressing Cutter into heart of weed the root is extracted when Cutter is withdrawn

Whilst specially suited for extracting Tap-rooted Weeds such as Dandelion etc., it may be used with equal success to clear Dandelion and other close-growing fibrous-rooted weeds

“Cutting the heart out”

The holes made aerate the ground and improve drainage, thus stimulating growth.

Price $3/3$ each.

Postage $-/6$ extra.

Lawn Rake.



Ideal Tool for Large Lawns and Golf Bunkers.

Cleans and Improves the Turf. Reversible. Rounded or pointed prongs. Complete with 6-ft. Ash Handle.

36-tooth, 30-in. wide, 6/9 each.

24-tooth, 20-in. wide, 4/- each.

(Carriage -/9 extra.)

Garden Reels.




Iron Frame with Wrought Iron Spike, Enamelled Red, 2/6 each.

(Carriage -/6 extra see page 1.)

30-Yard Garden Lines.

Best Quality Hemp, 1/- each.

Dibbers.



T Handle, Iron Shod, 1/3 each.

D Handle, Iron Shod, 1/9 each.

(Postage -/6 extra, see page 1.)

Flexible Lawn Rake.




Sixteen Steel Prongs, adjustable spacing bar, to close or open prongs.

Long handle. Useful for leaves, moss, etc.

Price 4/9 each.

(Carriage -/9 extra.)

Best Cast Steel Rakes.



Teeth of Cast Steel which will not bend or clog.

It pays to use a Good Rake. Handled Complete. Best Quality. 8-tooth, 3/9; 10, 4/-; 12, 4/3; 14-tooth, 4/9 each.

(Carriage -/9 extra, see page 1.)

Japanned Steel Rakes.



6-tooth, -/11; 8, 1/1; 10, 1/3; 12, 1/6; 14, 1/9 each.

Fitted Ash Handle 1/3, or Deal 1/- extra.

(Carriage -/9 extra, see page 1.)

Light Ladies' Rakes.



For Rockeries or Narrow Borders.

6-tooth, 3 3/4-in. wide, 2/3 each.

8-tooth, 5 1/4-in. wide, 2/6 each.

Complete with long handle.

(Carriage -/6 extra, see page 1.)

Pronged Weeder.



Three prongs. Best steel.

6-in. Polished Handles, 1/11 each.

18-in. Polished Handles, 2/3 each.

48-in. Polished Handles, 3/6 each.

(Carriage -/6 extra, see page 1.)

The "Champion" Weed Eradicator

An Instrument for applying Weed Killer to Lawns, Flower Beds, &c., for destroying weeds without injury to the surrounding grass or flowers. It is so arranged that by simply stabbing the point into the plant, enough liquid is introduced into the sap to destroy it.

Price 10/3 each, Carr. and Pkg. -/9d.

**Canterbury Hoe.**

Solid Steel
prongs

5½-in. by 7-in.

2/6.

Bury Hoes. Swan Neck

Best Warranted Sheffield Make.

4-in., 1 1/2; 5, 1 1/2; 6, 1 1/3;

Fitted Ash Handle 1/3, or Deal
1/- extra.

Short Neck Hoes

Best Sheffield Make.

4-in., -/8; 5, -/9; 6, -/10;
7, -/11 each.

Fitted Ash Handle 1/3, or Deal
1/- extra.

(Carriage on any above, without handle -/6, with handle -/9 extra, see page 1)

Triangular Hoes.

Extra Well Ground Blades, Hardened and Tempered in Oil.

5 in., 1/9; 6, 1/11 each.

Fitted Ash Handle 1/3, or Deal
1/- extra.

Dutch Hoes.

Best Warranted Sheffield Make
Solid Steel, 4-in., 2/2; 5, 2/3; 6, 2/3;
7, 2/6 each.

Stamped Steel, 4-in., -/11; 5, 1/11;
6, 1/1; 7, 1/3 each

Fitted Ash Handle 1/3, or Deal
1/- extra.

Pronged Cultivator Hoe.

Best Sheffield Make 2/- each.

Fitted Ash Handle 1/3, or Deal
1/- extra.

Double Cultivator Hoe

Best Sheffield Make, 1/11 each.

Fitted Ash Handle 1/3, or Deal
1/- extra.

Hoe and Rake Handles.

4½-ft. Ash, 1/-; 5-ft. Deal, -/10 each.

Best Cast Steel Solid Eye Pickaxes and Mattocks




Pickaxes, 3/- ; Hickory Handle, 1/9.




Mattocks, 2/11. Hickory Handle, 1/9.

Felling Axes. Extra Quality.



With 36-in. Best Hickory Handles.
3½ lb., 7/6 ; 4 lb., 7/11 each

Best Solid Steel Claw Hatchet.



For Garden and General Use,
4/11 each.

(Carriage -/6 extra.)

Best Cast Steel Household Axes.



Handled complete. No. 2. 2/3 each.

Pruning Saws.

All Saws Guaranteed.




Single Edge—16-in., 2/9
Double Edge— „ 3/9



Curved Crescent pattern—14-in., 3/6

Hand and General Purpose Saws.



Ordinary Tooth, 18-in., 2/9 ;
20-in., 2/11 ; 24-in., 3/6



Lightning Tooth, 24-in., 4/-
Interchangeable Saws.



Combining Lock, Compass and
Pruning Saws, Screw Handles.

2/- Complete.

CROSS CUT SAWS.




**Finest Quality Sheffield Made. Great American Tooth. Complete with
Supplementary Handle.**

| | | |
|-----|-----|---------------|
| 2½ | 3 | 3½ feet long. |
| 7/6 | 8/- | 8/9 each. |

GARDEN AND LOPPING SHEARS.

Best Solid Steel. Sheffield Hand Forged



Border Shears
for Edging, etc.

**Lawn Shears
for Grass Banks, etc.**

We take no chances on Garden Shears and only stock the **Best**. Every pair
Best Sheffield Made and fully warranted.

| | | Size | 8 in. | 9-in. | 10-in. |
|---|---|----------|-----------------------|-------|--------|
| No. 100 | Hand Shears, Plain Blades ... | | 3/11 | 4/3 | — pa |
| No. 101 | Do. Notched Blades... | | 4/6 | 4/11 | — " |
| No. 103 | Special light pattern Shears, 8-in. size only | | 2/3 | — | — " |
| No. 104 | Border, for Edging, Long Handles | | — | 8/11 | 9/11 " |
| No. 105W | Do. do. with Wheel | | — | 9/11 | 11/- " |
| No. 106 | Lawn, Long Handles | | — | 8/11 | 9/11 " |
| No. 106W | Do. do. with 2 Wheels | | — | 11/- | 12/- " |
| No. 109H | Heavy Lopping Shears, No. 1, 7/3 | No. 108 | Lighter, 10 in. handl | | |
| | 3/9 pair. | | | | |
| No. 108 | Ladies' Light Border, 7-in. with 32-in. | Handles, | 7/11 | pair. | |
| No. 108W | Do. Light Lawn do. do. | | 7/11 | " | |
| (Carriage and Packing 9d. extra, see page 1.) | | | | | |

"Draw Cut" Secateurs.



9-in. long. Best Solid Sheffield Steel. Designed to give a sliding knife action so necessary for a clean cut. Both blades hollow ground and capable of cutting without bruising. Easy action and very little pressure required. Nickel plated, 10/6. Black, 8/6.

"Aubert" Pattern Secateurs.



The World's best. The discerning gardener knows this. A Splendid Tool. 7½-in., 5/3; 8½-in., 6/- pair

Secateurs.

Strong Sheffield make, reliable tools.



Single cut.

Double cut.



Single Cut, 8-in., black, 3/- pair.
Single Cut, 6-in., plated, 3/6 pair.
Double Cut, black, 6-in., 2/9; 7-in., 2/11; 8-in., 3/3 per pair.
(Postage on all above, -/4 extra, see page 1.)



Pruners.

Tree


Extra Strong, Socket Spring Handle. 6-ft., 7/-; 8-ft., 8/6; 10-ft., 9/6; 12-ft., 10/- each.

Spare Blades, 1/6.

(Carriage 1/- extra. see page 1.)

Heads only with socket for any length round handle, 2/9 post paid.

Rolcut Secateurs, British Made.



For Fruit Trees, Vines, Roses, etc. Scientifically Designed, Mechanically Constructed. They cut clean—as a knife, leaving no ragged ends, and they cut ¾-in. without effort. Blades easily sharpened without removing.

Standard pattern ... 8/6 } Post
Lighter pattern for ladies 6/- } Paid


Cut and Hold Secateurs.

Extra Strong Single Cut, embodying ingenious device for holding detached portion after severing. Very useful for flower gathering.

6-in. ... 3/9, 8-in. ... 6/6.

(Postage -/4 extra.)

Best Sheffield Garden Knives and Scissors.



224 225 226 227 247


Budding Knives. No. 224, 3½-in., 5/3.

Vine Scissors. No. 225, 6-in., 3/6
7-in., 4/3 per pair.

Pruning Scissors. No. 226, Stainless, 4-in., 3/-; 6-in., 4/6 per pair.

Flower Scissors. No. 227, Stainless, 5½-in., 4/6; 7-in., 5/- per pair.



Pruning Knives. No. 247, 4/6.
(Postage paid).

LONG-ARMED ROLCUT.

The **ROLCUT** principal of **CUTTING** has become widely recognised.

ALL GUARANTEED.

30-in. handles carrying the well known **Rolcut** principle of cutting. Price **22/6** or Chromium plated **2/6** extra.

**FOLDING PRUNING SAW No. 11.**

Length 10-in. folded. Embodying long widely spaced teeth which cut cleanly through green wood without binding. Price **5/6**.

PRUNING SAW No. 12

As above but fitted with a comfortable fixed handle. Price **5/-**

Easy Pruning at a distance. Hollow metal arm, light but strong. Lever works smoothly and easily and leads are carried in the hollow arm.

6-ft. long **25/-** 3-ft. long **22/6** Chromium plated **5/-** extra.

See previous page for **Rolcut** secateurs.

All above sent Carriage Paid and Packing Free.

Scythes and Snathes.




Best Quality Patent Scythes,
Unbreakable Point.
34-in., 7/-; 36-in., 7/3

American Pattern Ring Snathe, with
Fittings, 4/-each.

(Carriage 1/- extra, see page 1.)

Feather Weight Scythe.



A very handy
tool for cut-
ting rough
Grass, etc.
and for cut-
ting Grass Banks. Easily
detached Blade.

Blade 16½-in. Handle 28-in
Price 5/6 (Carriage -/9
extra)

Solid Steel Turf Edger or Plot Knife.



All Bright Hardened and Tempered
9-in. Blade, with 36-in. D Handle.
Highly Finished. Price 6/6 each.

Stamped Steel Quality, T Handle,
8-in. Blade. Price 3/- each.
(Carriage -/9 extra, see page 1.)

Solid Steel Forged Turfing Irons




Long Handle, shaped for easy lifting
10/6 each. Carriage Paid.



**GRASS
HOOK.**

Invaluable for Mowing Small Lawns
or Trimming Hedges, 2/3 each.
Blades only, 1/3 each.



**GRASS
HOOK.**

No. 1. 22-in. ... Cranked 2/6 each


CLIPPING SHEARS




Bent Shank, Sheffield made, 1/3.



One hand, spring handle, 11-in.
Useful for edges. 2/-.



New Grip. Easy downward closing
action of handle works cutting blade
quickly. 4/-.



**BILL HOOK
& CHOPPER.**


Double Edge. 2/3 each.
(Carriage any above, -/6 extra, see
page 1.)

The "Essanee" Super Lawn Mower.

British Made and Fully Guaranteed.

Guaranteed against all defects in manufacture, and spare parts always obtainable.

A splendid product of Canada.



Five Bladed
Sheffield Steel

Close Cutting


Easy Adjust-
ment.

| Sizes | ... | 8-in. | 10-in. | 12-in. | 14-in. |
|----------------|-----|-------|--------|--------|--------|
| Mower Complete | ... | 17/- | 18/- | 19/- | 20/- |
| Grass Boxes | ... | 4/- | 4/3 | 4/6 | 4/9 |

All above F.O.R.

Slatters Patent Front Runner.

For Trimming Narrow Grass Borders and Edges. Can be fitted to any side wheel Machine. A most useful attachment, enabling a Lawn Mower to be used for cutting quite up to the edges of lawns and for cutting narrow grass borders. Simple to attach, and can be adjusted to any height. Price 7/6 each, Carriage Paid.




COMBINATION GRASS EDGE TRIMMER AND CUTTER.

A Lawn Edge is worthy of careful attention. It should be cut to shape when the ground is moist and should then be trimmed periodically. Aim at having fine grass right up to a clean true edge. Coarse, outgrowing grass and weeds should not be trimmed; they are a disfigurement and must be pulled out whenever they appear.

This article is specially designed to meet the evident want of a light machine that will rapidly perform the irksome operations of trimming and cutting the ragged edges of Lawns. Also extremely useful for cutting turves preparatory to lifting. Grass Trimmer and Cutter, 32/6.



Turf Cutter only, 23/6.

Carriage and Packing, 1/3 extra.



LAWN MOWERS.

The following are the **Cash Prices** of the Standard Makes.
Comprehensive booklet of any make sent on application.



RANSOMES' MOWERS.

Ransomes' "Cub." Side Wheel. Five bladed.

10-in., 33/-; 12-in., 36/-; 14-in., 40/-. Grass Boxes 7/6 extra.

Ransomes' "Ace" Ball bearing Model. Six Bladed.

10-in., 37/6; 12-in., 40/-; 14-in., 42/6. Grass Boxes 7/6.

Ransomes' "Leo." High Side Wheel. Ball Bearing. Six Bladed.

10-in., 48/6; 12-in., 51/6; 14-in., 56/-. Grass Boxes 8/6 extra.

Ransomes' "Ajax." Ball Bearing, Light Roller Pattern. Six Bladed.

12-in. size only 90/- including Grass Box.

Ransomes' "Anglia." Standard Roller Model, Ball Bearing. Six Bladed.

10-in., 130/-; 12-in., 140/-; 14-in., 150/- including Grass Boxes.

Ransomes' "Atlas." Ball Bearing Roller Pattern. Six Bladed.

12-in. size only, 63/-, including Grass Box.

SHANKS'S MOWERS.

Shanks's "Scot." Standard Side Wheel. Five Bladed.

10-in., 33/-; 12-in., 36/-; 14-in., 40/-. Grass Boxes 7/6

Shanks's "Scot." Ball Bearing Model. Six Bladed

10-in., 37/6; 12-in., 40/-; 14-in., 42/6. Grass Boxes 7/6.

Shanks's "Hawk." High Side Wheel. Ball Bearing. Six Bladed.

10-in., 48/6; 12-in., 51/6; 14-in., 56/-. Grass Boxes 8/6

Shanks's "Thistle." Ball Bearing Light Roller Model. Six Bladed.

12-in., 100/-; 14-in., 110/- including Grass Boxes. Grease Gun supplied.


Shanks's "Eagle." Standard Roller Pattern. Six Bladed.

10-in., 130/-; 12-in., 140/-; 14-in., 150/-; 16-in., 175/-, including Boxes.

Shanks's "Comet." Ball Bearing Roller Pattern. Six Bladed.

12-in. size only, 63/-, including Grass Box.

All above Carriage Paid nearest Station.

LAWN MOWERS—*continued.***Green's Famous Lawn Mowers.****"Silens Messor"**

Green's "Utility." Light Side Wheel Model. Five Bladed.

10-in., 33/-; 12-in., 56/-; 14-in., 40/-. Grass Boxes, 7/6

Green's "Greenison." High Side Wheel. Six bladed.

10-in., 48/6; 12-in., 51/6; 14-in., 56/-; 16-in., 60/-. Grass boxes, 8/6

Green's "Silens Messor." Chain Drive Roller Model. Eight bladed.

8-in., 115/-; 10-in., 135/-; 12-in., 160/-; 14-in., 190/- including boxes.

Green's "Silens Messor Junior." Gear driven ball bearing light roller model.

Six bladed. Grease gun supplied for lubrication. **One size only, 12-in. 90/-, including grass box.**

Green's "Centenary." Ball-bearing Roller Pattern. Six bladed. 12-in. size only, 63/-, including Grass Box.

QUALCAST MOWERS.

Model "E." Side Wheel Pattern. Five bladed.

8-in., 24/2; 10-in., 25/2; 12-in., 26/1; 14-in., 27/1; Grass Boxes 4/3 extra.

Model "H." High Side Wheel Pattern. Ball-bearing. Five bladed.

10-in., 30/9; 12-in., 31/10; 14-in., 32/9; 16-in., 33/9; Grass Boxes 4/3.

"Panther." Roller Model, Ball-bearing Chain Drive. Five Bladed.

12-in. size only 47/6 including Grass Box.

"J.P." MOWERS.


"J.P." Minor. Ball-bearing Light Roller Pattern. Herring Bone Cutters. Easy running. 9-in., 77/6; 11-in., 97/6, including Grass Boxes.

"J.P." Major. Ball-bearing Roller Machine. Detachable Cutting Cylinder. Aluminium Grass Box included. In one size only, 12-in. at 137/6.

"J.P." Super. The well known Standard Machine. Enclosed High Speed Gearing. 12-in., £10 10s. 0d.; 16-in., £12 10s. 0d.

LAWN MOWERS—continued.

WEBB'S MOWERS



Although low in price, the specification gives a maximum of efficiency. **Six-blade Cutters**, Sheffield steel. Chain drive, totally enclosed. Adjustable handles. Easy adjustment.

The Webb "Whippet," 10-in. 45/-

The Webb "Wasp," 12-in. 47/-

Complete with Grass Box.

The Webb "Witch."

Precision built Roller Mower, Ball bearing. Easy hand adjustments. **Six-bladed Cutter**. Totally enclosed Chain Drive. A first class Mower at a Moderate Price.

12-in. Size only. 70/- Complete with Grass Box.

The Webb "Windsor." Standard Roller Gear Driven. Eight-bladed. Ball-bearing. Easy hand adjustment. A high grade Mower.


12-in., 104/6; 14-in., 119/6, including Boxes and Grease Gun for lubrication.



ROYAL ENFIELD MOTOR MOWERS.

12-in. Light Weight Mower with **CUTTERS ONLY** Motor Driven. A New Design with many Novel Features.

This model is specially designed for cutting small lawns and grass borders, and is particularly suited for cutting round flower beds and trees. The machine is propelled by hand, but as the roller is mounted on ball-bearings it is exceptionally easy to push, even on sloped or when cutting long grass. The engine drives the cutting cylinder and thus does all the hard work. As the machine moves independently of the cutting cylinder the very finest finish can be obtained.



Engine: Bore and stroke 49 m/m. by 52 m/m., capacity 98 c.c. developing approximately 2 horse power. Transmission through flexible coupling to roller chain enclosed in quickly detachable cover. Freewheel incorporated so that cutters can be turned for cleaning without danger of starting the engine. Cash Price **£12 12s.**

Water Ballast Rollers.

Roller Bearing.


These Rollers are practically indestructible as the cylinders are of a special close grain **cast iron** and are not thin sheet metal. You have either **light or heavy** implement at pleasure; **light** when ground is soft and very **heavy** for dry weather.

Single Cylinder Water Ballast.

| Sizes. | Weights Empty | | | Full | | | Prices. | |
|--------------|---------------|----|------|------|----|------|---------|----|
| | c. | q. | lbs. | c. | q. | lbs. | £ | s. |
| 21 by 21-in. | 3 | 3 | 0 | 5 | 2 | 0 | 6 | 3 |
| 24 by 24-in. | 4 | 2 | 0 | 7 | 0 | 0 | 7 | 16 |
| 27 by 27-in. | 6 | 3 | 0 | 10 | 0 | 0 | 11 | 3 |
| 30 by 30-in. | 9 | 0 | 0 | 14 | 0 | 0 | 15 | 11 |

Double Cylinder Water Ballast.

| Sizes. | Weights Empty | | | Full | | | Prices. | |
|--------------|---------------|----|------|------|----|------|---------|----|
| | c. | q. | lbs. | c. | q. | lbs. | £ | s. |
| 20 by 20-in. | 3 | 3 | 7 | 4 | 3 | 7 | 6 | 8 |
| 22 by 22-in. | 4 | 2 | 0 | 5 | 3 | 21 | 7 | 7 |
| 24 by 24-in. | 5 | 1 | 0 | 7 | 1 | 7 | 8 | 8 |
| 27 by 27-in. | 8 | 1 | 0 | 11 | 1 | 0 | 13 | 4 |
| 30 by 30-in. | 10 | 2 | 0 | 14 | 3 | 0 | 16 | 0 |



Tennis and Sports Ground Rollers.

"The Harcourt" For all types of Hard Tennis Courts it is essential that the surface of the Roller shall be absolutely "**true**," so that there shall be no possibility of marking the Court.

The "Harcourt" Roller is especially designed for this work, the face of the roller is turned in a lathe to ensure an absolutely smooth and true surface.

The Double Cylinders are bored and inner edges faced.

| Sizes | Weights | | | Prices | | |
|--------------------------------|---------|----|------|--------|----|----|
| | c. | q. | lbs. | £ | s. | d. |
| 28-in. wide by 24-in. diameter | 5 | 2 | 0 | 10 | 18 | 6 |
| 36-in. wide by 18-in. diameter | 4 | 3 | 14 | 9 | 19 | 6 |

Carriage Paid, nearest Station England and Wales.


Garden Rollers.

The "Essanee" Roller.

Cast Iron, Double Cylinder, Balance Handles, Rounded Edge.

A good value **Competitive** line.

| Sizes | | Approx. Weights | | | Prices |
|--------|-----|--------------------|----|------|-----------|
| | | c. | q. | lbs. | |
| 14-in. | ... | 1 | 2 | 21 | 27/6 each |
| 16-in. | ... | 2 | 0 | 0 | 31/6 " |
| 18-in. | ... | 2 | 2 | 14 | 42/- " |
| 20-in. | ... | 3 | 1 | 0 | 57/6 " |
| 22-in. | ... | 4 | 0 | 0 | 75/- " |
| 24-in. | ... | 4 | 2 | 0 | 85/- " |



"Premier" Roller-Bearing Rollers

The chief cause of hard work in rolling—axle friction—has been eliminated in the "Premier" Garden Roller. In the place of plain bearings, roller bearings have been used, resulting in a smoothly running Roller that can be managed easily. The "Premier" Garden Roller represents the last word in Roller values: no other Roller at its price can offer all the following features of the "Premier":—

Roller Bearings (patent)—ensuring easy running.

Cylinder Adjusting Device (patent)—enables the two halves of the Roller to be set closely together when wear eventually takes place, and also prevents them springing apart when in use.


| Sizes | | | Weights | | | Prices | | |
|--------------|--|--|------------|---|----|-------------|------|--|
| Dia. Width. | | | o. q. lbs. | | | Dia. Width. | | |
| 14 by 14-in. | | | 1 | 3 | 0 | 33/3 | each | |
| 14 by 16-in. | | | 2 | 0 | 0 | 38/- | " | |
| 16 by 18-in. | | | 2 | 3 | 0 | 45/9 | " | |
| 18 by 20-in. | | | 3 | 0 | 14 | 74/- | each | |
| 20 by 22-in. | | | 4 | 0 | 0 | 90/- | " | |
| 22 by 24-in. | | | 4 | 3 | 0 | 102/6 | " | |

The "Ironcrete" Garden Roller.

Fully Guaranteed, Concrete filled Steel Cylinders, rounded edges.

| Two Cylinders. | | | | Three Cylinders. | | | |
|----------------|----------|----------|--------|------------------------|----------|----------|--------|
| Size | | Weight | Prices | Size | | Weight | Prices |
| Width | Diameter | | | Width | Diameter | | |
| 13-in. | 13-in. | 1½ cwts. | 22/6 | 27-in. | 16-in. | 4½ cwts. | 70/- |
| 14-in. | 14-in. | 1¾ " | 25/6 | 30-in. | 18-in. | 6 " | 95/- |
| 16-in. | 14 in. | 2 " | 29/6 | Four Cylinders. | | | |
| 18-in. | 16-in. | 3 " | 39/6 | 36-in. | 16-in. | 6 cwts. | 105/- |
| 20-in. | 18-in. | 4 " | 55/- | 40-in. | 18-in. | 8 " | 125/- |

All above Carriage Paid nearest Station, England and Wales.



Earth Rammers.

| Round. | | Square. | |
|--------|--------|---------|--------|
| 8-lb. | 12-lb. | 8-lb. | 12-lb. |
| 2/- | 3/- | 2/- | 3/- |

Ash Handles for same, 1/3 each.



Telescopic Extension Ladders. Reduced Prices.

Unequalled for compactness, rigidity and strength. Absolutely nothing to go wrong. Locked at any height, and sections are detachable.

**With Ropes, Pulleys, etc. In Two Sections.**

| | | | |
|------------------------|------|-------------------------|------|
| 16-ft. Closes to 9-ft. | 42/- | 24-ft. Closes to 13-ft. | 64/- |
| 18-ft. „ 10-ft. | 46/- | 26-ft. „ 14-ft. | 70/- |
| 20-ft. „ 11-ft. | 52/- | 28-ft. „ 15-ft. | 76/- |
| 22-ft. „ 12-ft. | 58/- | 30-ft. „ 16-ft. | 82/- |

With Ropes, Pulleys, etc. In Three Sections.

| | | | |
|------------------------|------|-------------------------|-------|
| 23-ft. Closes to 9-ft. | 72/- | 32-ft. Closes to 12-ft. | 100/- |
| 26-ft. „ 10-ft. | 80/- | 34-ft. „ 13-ft. | 120/- |
| 29-ft. „ 11-ft. | 88/- | 36-ft. „ 14-ft. | 132/- |

Best Quality Push-up Extension Ladders. Without ropes.**In Two Sections. Hardwood Rungs**

| | | | |
|------------------------|------|-------------------------|------|
| 10-ft. Closes to 6-ft. | 16/6 | 20-ft. Closes to 11-ft. | 30/3 |
| 12-ft. „ 7-ft. | 19/3 | 22-ft. „ 12-ft. | 33/- |
| 14-ft. „ 8-ft. | 22/- | 26-ft. „ 14-ft. | 38/6 |
| 16-ft. „ 9-ft. | 24/9 | 28-ft. „ 15-ft. | 41/3 |
| 18-ft. „ 10-ft. | 27/6 | 30-ft. „ 16-ft. | 44/- |

Push-Up Extension Ladders. In Two Sections without ropes. Round Rungs.

| | | | |
|--------------------------|------|----------------------------|------|
| 10½-ft. closes to 6-ft., | 14/- | 19½-ft. closes to 10½-ft., | 26/- |
| 13½-ft. „ 7½-ft., | 18/- | 22½-ft. „ 12-ft., | 30/- |
| 16½-ft. „ 9-ft., | 22/- | 25½-ft. „ 13½-ft., | 34/- |

Platform Steps.

Stand on the Platform and have both hands to work with, just like standing on the floor. Larger Sizes also supplied.



| Man can reach. | Height over all. | Height to platform. | |
|----------------|------------------|---------------------|------|
| ft. in. | ft. in. | ft. in. | |
| 8 0 | 4 0 | 2 0 | 16/6 |
| 9 0 | 5 0 | 3 0 | 18/- |
| 9 9 | 5 6 | 3 9 | 20/- |
| 10 6 | 6 6 | 4 6 | 22/- |
| 11 3 | 7 6 | 5 3 | 27/- |
| 12 0 | 8 6 | 6 0 | 32/6 |

Combined Ladder and Self Supporting Steps.


Extension Ladder, Self Supporting Steps, and Two Separate Ladders, all in one. Larger Sizes supplied.



| Extended as a Ladder. | Height converted. | |
|-----------------------|-------------------|------|
| 8-ft. ... | 5-ft. ... | 20/- |
| 10½-ft. ... | 6-ft. ... | 22/6 |
| 12-ft. ... | 7-ft. ... | 27/6 |
| 14-ft. ... | 8-ft. ... | 35/- |
| 16-ft. ... | 9-ft. ... | 40/- |
| 18-ft. ... | 10-ft. ... | 45/- |

All above Carriage Paid Station, England and Wales.

FOLDING HOUSEHOLD STEPS.



STANDARD



OPEN.



CLOSED FLAT.

Made of Selected Deal. Will give every satisfaction.

STANDARD.

| | | |
|----------|------------------|------|
| 3 treads | 2 ft. 7 in. high | 6/3 |
| 4 .. | 3 ft. 6 in. .. | 7/6 |
| 5 .. | 4 ft. 3 in. .. | 9/3 |
| 6 .. | 5 ft. 2 in. .. | 11/- |
| 7 .. | 5 ft. 8 in. .. | 12/6 |
| 8 .. | 6 ft. 6 in. .. | 14/6 |

STOWPHLAT.

| | | |
|----------|-----|------|
| 3 treads | ... | 6/6 |
| 4 .. | ... | 7/6 |
| 5 .. | ... | 9/3 |
| 6 .. | ... | 11/- |
| 7 .. | ... | 12/6 |
| 8 .. | ... | 14/6 |

STANDARD STEPS supplied with BUCKET PLATFORM as shown
2/9 extra.

COMBINATION
CHAIR STEPS.

Strongly made of selected timber.

Takes the form of either **Chair** or **Steps** by raising or lowering the back.

Nothing to adjust. Nothing to get out of order. Price 11/3.

Carriage Paid.

All above Carriage Paid Station, England and Wales.

Garden Refuse and Rubbish Destructors.

"THE UNIVERSAL."



Will burn all kinds of refuse readily, owing to its practical shape creating a fierce draught.

Made of strong galvanised steel. Nothing to get out of order. Loose wrought iron grid provides air space and also clearance for ashes.

| No. | Height | Dia. | Price |
|-----|--------|--------|-------|
| 0 | 31-in. | 18-in. | 23/- |
| 1 | 36-in. | 21-in. | 33/- |
| 2 | 40-in. | 24-in. | 41/3 |

Carriage paid England and Wales.



"THE MARS."

A well made galvanized steel burner. Perforated all round, also at bottom.

43-in. high over-all.

19-in. diameter.

Burns all kinds of garden refuse.

Price 16/6.

Carriage paid.

"THE LEADER."

Will really burn household and garden refuse down to ashes at one lighting owing to the "forced draught" principle—a patented idea—on which it is built.

Strongly and heavily built of sheet steel, galvanized.


Size 16-in. by 46-in. overall.

Chimney 14-in. by 4-in.



Price 21/- complete

Carriage Paid England and Wales



"THE BRISTOL."

Illustration shows the general construction which provides for sufficient draught to quickly and readily burn up descriptions of refuse. This pattern has a lower inner lining of galvanized outer casing. This adds greatly

the life of the destructor.

| No. | Dia. | Height | Price |
|------|--------|--------|-------|
| 0679 | 17-in. | 24-in. | 38/- |
| 679 | 19-in. | 32-in. | 43/- |
| 680 | 19-in. | 38-in. | 50/- |
| 682 | 23-in. | 46-in. | 63/- |

No. 683. Extra heavy $\frac{1}{8}$ -in. thick plate. Large size, 36-in. by 52-in. high, 19

Carriage paid England and Wales.

Refuse Destructors of Heavier Make.


"Columbian"

Specially suitable for burning Garden Refuse.

Strongly made of **heavy Cast Iron**—in Sections for easy transport. Complete with 4-ft. Cast Iron Pipe and Cap.

| No. | Height. | Diameter. | Price. |
|-------|---------|-----------|--------|
| 1 ... | 29-in. | 19½-in. | 63/- |
| 4 ... | 29-in. | 23-in. | 73/6 |

Carriage Paid nearest Station.



"Triangular."


Designed to deal with refuse from gardens, nurseries, stables, kennels, camps, houses, hospitals, hotels, factories, warehouses, shops, schools, railway stations, etc.

All kinds of refuse are burned as produced (so preventing putrefaction or possible dissemination of poisonous matter by flies), and the fine ash when sifted makes a valuable fertiliser for gardens or fields, particularly when green stuff or household refuse is burned.


Weed seeds are completely destroyed which is not the case with bonfire ash. The construction allows for transport in sections, and the re-erection is simple; an unskilled person can put a Destructor together in a few minutes. The tapered shape ensures steady feeding of the material; there is no "bridging" over the fire. By the downward projection of the chimney base into the Destructor, the smoke and fumes from freshly charged material are also forced down and through or over the hottest part of the fire, reducing smoke and smell to a minimum. Any outrush of smoke when charging is avoided, and the Destructor may be filled right to the top and left to burn without attention for hours at a time.

| No. | Height. | Width. | Price. | No. | Height. | Width. | Price. |
|-----|---------|---------|--------|-----|---------|--------|--------|
| 7 | 32-in. | 22½-in. | 131/6 | 8 | 45-in. | 34-in. | 315/- |

Carriage Paid nearest Station.



GENERAL PURPOSE WHEELBARROW.



Sound Hardwood Body, $\frac{3}{4}$ -in. thick.

Hardwood Frame.

Four Spoke Wheel.

Seasoned Timber.

Bolted right through.

WIDE TREAD WHEELS.

Full size, No. 1. For **Narrow** Gateways.

Size of top, 26-in. by 20-in.—11-in. deep at front and 8-in. at back, $1\frac{1}{2}$ -in. tread wheel. Price **21/-**, or with additional removable top boards **31/6**.


Above supplied from Works with wide treaded Solid **Rubber Tyred** Ball Bearings, **7/-** extra.

Extra **Large** Size, No. 2.

Size of top 30-in. by 24-in.—13 in. deep at front, 10-in. at back, $1\frac{3}{4}$ -in. tread wheel. Price **27/6** or with additional removable top boards, **38/-**.

Either above supplied Brown **Solignumed** all over, **2/6** extra.

FRAME GARDEN BARROW No. 3.



One-inch Elm Body.

Hardwood Frame.

Stout Wood Wheel, 18-in. Diameter.
Detachable Tailboard.

Splendidly made for heavy use.

Size of top, 36-in. by 24-in.

Depth—front 16-in.; back 10-in.


Price **47/6**,

or with additional removable top,
as illustrated, **61/-**

Painted two coats, **7/6** extra.

Can be supplied with Pneumatic
Tyred Wheel, **25/-** extra.

All Steel General Purpose Wheelbarrow.



Under carriage handles all in one and made of **Steel Tube** with body of steel plate. Unbreakable wheel. Ideal for heavy loads.

No. Size, Price.

3. 36" x 24" 7/6

4. 36" x 28" 9/-


All above Carriage Paid Station, England and Wales.

Galvanised Steel Wheelbarrows.

Bodies Galvanised after made.
Japanned Frames. Wrought Iron Wheels.

| Size of Body. | | Price. |
|---------------|-------|--------|
| in. | in. | Each. |
| 23 | by 20 | 24/6 |
| 27 | by 23 | 28/- |
| 30 | by 26 | 37/- |
| 32 | by 28 | 43/6 |

BALL BEARING RUBBER TYRED WHEEL (as illustrated) 5/- extra, all sizes.




Really Serviceable.

Rubber Tyred
Wheels for
Easy and Silent
running.

IRONCRETE STEEL WHEELBARROWS

Sturdily built.
Heavily Galvanised.
Shaped Handles.
Perfect balance.
All Models now with
Disc Wheels.



"DE-LUXE"
Model


27/6

BALL-BEARING
WHEEL.

Junior Model. Size at top 23-in. × 18-in. Depth, 9½-in. front, 4½-in. back, with 8½-in. dia. rubber tyred wheel, 12/6.

Senior Model. As illustrated but with 13¾-in. dia., 2-in. tread, ball bearing steel wheel. Size at top 27-in. × 22-in. Depth, 13-in. front, 5½-in. back, 21/-.

De Luxe Model. As illustrated and same size as **Senior**, with 2-in. tread, ball bearing solid rubber wire wheel, 27/6.




Above **Senior** and **De Luxe Models** can be supplied with removable extension top which is easily and quickly attached or detached. Adds largely to capacity when required. 7/6 extra.

All above Carriage Paid Station, England and Wales:

THE BARROWETTE.

A VERY PRACTICAL ADDITION TO THE GARDEN.

All the **advantages** of a Wheelbarrow combined in a **Light, Folding Carrier** with the **additional advantages** of **Water Carrying** if required, and a **Tray** to hold various small tools. **A boon to ladies.** **Folds into small space,** Easily wheeled and emptied. **Most useful when weeding.** Although so light and portable, it is well made and strong.



STYLES AND PRICES.

The size of the container on all models is 16½-in. by 15-in. by 15-in. deep.
No. 184.—Woodwork finished in a plain oiled finish. Framework is of high quality hardwood with heavy gauge metal fixing plates, and is fitted with reliable 8-in. rubber-tyred wheels of the best make. The bag or container is of superior waterproof and rotproof canvas. Complete with Tool Tray.

Price 28/3 each.

No. 185.—Woodwork finished with two coats of protective lacquer. This model is held open by means of very simple automatic supporting stays, the metal fixing plates being dispensed with. Otherwise in all other respects as above but **without** Tool Tray.

Price 21/9 each.

All above sent Carriage Paid and Packing Free.

Tubs for Garden and Home.


FOR OUTDOOR USE.



Pattern "A"



Pattern "C"



Pattern "B"

| | No. | Top Dia. | Height | Hoops | Price |
|---|------|--------------------------|--------|-------|-----------|
| Pattern "A" (Nos. 1 to 9) Substantial Oak Tub painted Green or Varnished Light or Dark Oak as preferred with Steel Hoops Blacked. Handles 1/- extra up to 15-in., 1/6 extra over 15-in. size. | 1 | 10-in. | 9-in. | 2 | 9/6 |
| | 2 | 12-in. | 10-in. | 2 | 10/6 |
| | 3 | 13-in. | 11-in. | 2 | 11/6 |
| | 4 | 14-in. | 12-in. | 3 | 12/9 |
| | 5 | 15-in. | 13-in. | 3 | 13/9 |
| | 6 | 16-in. | 14-in. | 3 | 16/6 |
| | 7 | 18-in. | 18-in. | 3 | 18/3 |
| | 8 | 21-in. | 21-in. | 3 | 23/- |
| | 9 | 24-in. | 24-in. | 3 | 27/- |
| Pattern "B" (Nos. 10 to 13) Heavier quality in Teak or Oak. Prices include Drop Handles as illustrated. | 10 | 14-in. | 15-in. | 3 | 18/6 |
| | 11 | 16-in. | 17-in. | 3 | 22/- |
| | 12 | 18-in. | 18-in. | 3 | 28/- |
| | 13 | 20-in. | 20-in. | 3 | 32/- |
| Pattern "C" Strong Elmwood Tub, Brown Varnished and secured with Copper Nails. | Size | 15-in. × 15-in. × 15-in. | | | 29/6 each |
| | " | 17-in. × 17-in. × 17-in. | | | 31/6 " |
| | " | 19-in. × 19-in. × 19-in. | | | 36/- " |
| | " | 21-in. × 21-in. × 21-in. | | | 39/- " |

SPECIAL LINE.—Oak Tubs similar to "A," but less finished and not quite so stout.


| Top Dia. | Height | Price | Top Dia. | Height | Price. |
|----------|--------|-------|----------|--------|--------|
| 12-in. | 10-in. | 7/3 | 15-in. | 13-in. | 10/3 |
| 13-in. | 11-in. | 8/3 | 16-in. | 14-in. | 11/9 |
| 14-in. | 12-in. | 9/3 | | | |

All above Carriage Paid Station, England and Wales.


SPECIAL OFFER**HIGH CLASS STOUT ELM TUBS.**

Unique Designs.


Well and Strongly Made.

Beautifully Grained 1-in. **Elm** Planed. Natural finish.


No. 4. Height 22-in.
Size at Top, 12-in. by 12-in.
Price 8/6



No. 8. Height 22-in.
Size at Top, 12-in. by 12-in.
Price 8/6



No. 14. **Square Tub.**
Constructed same as above.
Height 17-in. overall.
Tub 15-in. square by 11-in. deep.
Price 10/9.



No. 20. Built of sections of Elm,
which prevents warping or splitting.
Height. 17½-in. Diameter 18½-in.
Price 17/6.

All above Carriage Paid **Station**, England and Wales

Tubs for Garden and Home.

FOR OUTDOOR USE. OAK BARREL TUBS.



Painted Green with Black Hoops or supplied
Varnished Light or Dark Oak.

| Dia. | Height. | Price. Plain. | Price. Painted or Varnished. |
|--------------------|---------|------------------|------------------------------------|
| 12-in. | 14-in. | 12/6 each | 15/- each |
| 15-in. | 17-in. | 17/6 „ | 21/- „ |
| 19-in. | 21-in. | 22/- „ | 26/6 „ |
| Handles 1/- extra. | | | |

Shallow Tubs.



Very Strong Construction.

Painted Green.

Fitted with Black Painted Iron Hoops.

| Top Dia. | Height. | Price. |
|----------|---------|----------|
| 12-in. | 9-in. | 5/3 each |
| 15-in. | 10-in. | 6/- „ |
| 18-in. | 12-in. | 6/9 „ |

Handles fitted, 1/- extra.



Barrel Chair.

An attractive addition for the Porch.
Constructed from barrels. Painted Green
with iron hoops (painted black).


Height overall 26-in. Seat diameter 18-in.
Price 11/6

All above Carriage Paid Station, England and Wales.

SUPERIOR QUALITY.

Tubs for Indoor and Outdoor Use.


The following designs are very substantially constructed from thorough seasoned Oak by skilled workmen, and are excellent value at the price offered. As these designs are turned out in large quantities, they are only listed in one shape and finish, namely, antique brown. All are fitted with polished bronze hoops.



The Victory.

Top diameter 10 in.
Total height 36 in.


19/6



The Wessex.

Top diameter 12 in.
Total height 27 in.

24/-



The Marlborough.

Top diameter 10 in.
Total height 36 in.

24/-


Drainage Saucers are included.

All above Carriage Paid nearest Station.


RUSTIC DOVE COTE.




With two compartments and Roost on 10-ft. pole. Stained and varnished, 45/-. Feeding Table if required, 10/- extra.



BIRD FEEDING TABLES and SHELTERS.



Made from solid **Teak**. Height 6-ft. Size of roof 16-in. by 14-in. by 7½-in. high. Size of table 18-in. by 10-in., 29/6



Height overall 11-ft. 6-in. which allows 30-in. in ground. Well **Thatched Roof** 30-in. diameter. Complete as illustrated 30/- or **with base** and shorter pole to stand on ground 4/6 extra.

NURSERY SWING AND STAND.

Made from Selected Timber. Folds flat when not in use. **Rigid and safe.** For indoors or outdoors.


No. 1. Size 5½-ft. high, 3½-ft. wide, 5-ft. spread, 29/6.

No. 2. Size 6-ft. high, 4½-ft. wide, 5½-ft. spread, 39/6.

DOUBLE SEAT SWING.

Will take weight of two adults. 7-ft. high, 4ft. wide, 7-ft. spread, 84/-.

All above Carriage Paid Station, England and Wales.

GARDEN ORNAMENTS.**MADE IN BEST CAST STONE.****Guaranteed to Stand All Weather Conditions.**


The Kew
Bird Bath

28-in. high.
Bowl 16-in. dia.
23/6

The Trent
Sundial Pedestal

36-in. high
13-in. Top
15-in. Base
38/6

Sundial
10/6 extra.



Gibbon's
Bird Bath

40-in. high
Base 13-in. dia.
62/6

Twin Boys
Bird Bath

41-in. high
Base 13-in. dia.
64/6

All above carr.
paid and packing
free England
and Wales.




SUNDIAL
Height 31
Base 1
Price, incl.
Sundial, 29
Pa

DOLPHIN
Height 30
Price, w
Height
Price Comp
Carr


SEND FOR COMPLETE CATALOGUE OF MANY OTHER DESIGNS

HAND-MADE GARDEN ORNAMENTS




SUNDIAL No. 2.
Height 31½-in. Top 8½-in.
Base 11½-in. square.
Price, including 6-in. Brass
Sundial, 29/6. Carriage and
Packing 2/6


SOFT TONED
IMPERISHABLE
STONE COMPOSITION
ARTISTIC DESIGN



VASE No. 5.
Height 12-in.
Diameter 10-in.
Price 9/6.
Carriage and Packing 1/6.




VASE No. 2. Height 19½-in.
Top 15-in. square.
PEDESTAL No. 2. Height 18½-in.
base 14½-in. square.
Price complete 37/-.
Carriage and Packing 3/-.
(Vase 19/6. Pedestal 17/6).



DOLPHIN BIRD BATH No. 11.
Height 30-in. Across 23-in.
Price, without Figure, 47/6.
Height with Figure 43-in.
Price Complete as illustration, 62/-.
Carriage and Packing 4/-.
Birds 2/3, or with Closed Wings 2/- each (postage 6d. if sent separately).




BIRD BATH No. 14.
Height 25-in. Across 19-in.
Price without Figure, 31/6.
Height with Figure 48-in.
Price Complete
as illustration 55/6.
Carriage and Packing 4/-.
Birds 2/3, or with Closed Wings 2/- each (postage 6d. if sent separately).



BIRD BATH No. 7.
Height 40-in. Across 24-in.
Price, without Figure, 54/-.
Height with Figure 52-in.
Price Complete
as illustration 68/-.
Carriage and Packing 4/6
Birds 2/3, or with Closed Wings 2/- each (postage 6d. if sent separately).

HAND MADE GARDEN ORNAMENTS.

Continued from previous page.

**PIGEON COTE No. 3.**

Height 5-ft. 8-in.

60/-

**BIRD BATH No. 21**

26-in by 20-in

with Bridge 10½-in wide

19/3

**FISHERMAN No. A15.**

Height 17-in.

14/6

**FIGURE BIRD BATH No. 19**

Height 45-in. Price complete on Base 54/6.

Figure only, without Base, 33-in. high 43/-

All above Packed Free and Carriage Paid Station, England and Wales.

HAND-MADE GARDEN ORNAMENTS (*continued*).

FIGURE A7.

Height 13-in.
Price 10/6.
(Carriage 1/6.)




FIGURE A8.


Height 8-in.
Length 8½-in.
Price 10/6.
(Carriage 1/6.)

BIRD BATH

No. 12.

Height 8-in.
Bowl across 16-in.
Price 10/6.

BIRDS 2/3 each.
(Carriage 2/-.)



SHRUB BOX

No. 7.

Height 11-in.
Across 12-in.
Price 7/6.

(Carriage 1/6.)

SHELL

BIRD BATH No. 4.

Height 10½-in.
Across 18-in.
Shell 12/-.
Base 4/6. Bird 2/3.
(Carriage 2/-.)




ROCKERY

BIRD BATH No. 5.

Size 19-in. by 18-in.
Bath 14/-. Bird 2/3
(Carriage 1/6.)

RABBIT No. 1.

Height 17-in.
Base 5-in.
Price 9/-.
(Carriage 1/3.)



RABBIT No. 2.


Height 7-in.
Length 14-in.
Price 9/-.
(Carriage 1/3.)

SQUIRREL. Height 10½-in.
Price 7/-. (Carriage 1/3.)

HAND-MADE BRASS SUNDIALS.

Round, Square or Octagonal.
6-in. 7/6; 7-in. 8/9; 8-in. 9/9;
9-in. 13/6; Carriage Paid.

DOG KENNELS.



Constructed of Selected $\frac{3}{4}$ -in. T. & G. Boards with stout framing. Roof covered Bitumen Felt and outside Woodwork is treated Brown Wood Preservative. Floor is kept clear of ground.

With Door and Outside Platform

Entrance and outside Platform can be had at end instead of side as illustrated, if required.

No. 1. Suitable for Terriers, 24-in. by 30-in. by 30-in. high, **29/-**

No. 2. Suitable for Collies, 42-in. by 30-in. by 42 in. high, **40/-**



No. 3. Suitable for Large Dogs, 54-in. by 30-in. by 54-in. high, **68/-**.

A New Pattern Dog House. Novel and Attractive.

Well made and constructed with Floor and Body of T. & G. boards. Weatherboard Roof. Side, hinged to open for cleaning or to form open shade.

Body Green, Varnished, Roof Dark Red and lined to represent tiles.

| No. | Length ins. | Width ins. | Height ins. | Price |
|-----|----------------|------------------|----------------|-------|
| 4 | 24 | 16 $\frac{1}{2}$ | 24 | 31/6 |
| 5 | 32 | 20 $\frac{1}{2}$ | 30 | 40/- |
| 6 | 38 | 24 | 36 | 59/6 |
| 7 | 42 | 29 | 39 | 66/- |



The VERANDAH Type Dog House.

Affords open air and shade.

Construction and finish same as the new pattern above.


| Size | Length ins. | Width ins. | Height ins. | Price |
|------|----------------|---------------|----------------|-------|
| 8 | 63 | 27 | 30 | 9/6 |
| 9 | 74 | 31 | 36 | 10/- |

All above Carriage Paid nearest Station, England and Wales.

AVIARIES.

Every bird lover should study this page. Your favourite birds comfortably housed for a small outlay.

Joiner made from best materials, $\frac{3}{4}$ -in. T. & G. boards for Walls and Floor and **Black Japanned** $\frac{1}{2}$ -in. mesh Wire Netting for Flight. In sections for easy erection.




COMPLETELY OPEN FLIGHT.

| Length. | Width | Height. | Price |
|---------|-------|---------|-------|
| 6-ft. | 3-ft. | 5½-ft. | 92/6 |
| 7-ft. | 4-ft. | 6½-ft. | 125/- |
| 8-ft. | 4-ft. | 6½-ft. | 140/- |
| 10-ft. | 4-ft. | 6½-ft. | 170/- |


Length of Flight 3½-ft, 4-ft., 5-ft. and 7-ft. respectively.
House portion lined to eaves, 21/-, 31/6, 35/- and 37/6 respectively.

FLIGHT ROOF COVERED.

Sizes and Prices
same as above
in all respects.




Floors to House portion included in all. Nesting places **not** provided, user providing same according to requirements.



Chicken Coop.

Constructed of $\frac{3}{4}$ -in. T.&G. boards, 1½-in. framing weather board roof, shutter and 3-ft. movable wire run. Coop size 23-in. long by 21-in. wide and 22-in. high. Creosoted outside. Price Complete 19/6

All above Carriage Paid Station, England and Wales.


Collapsible**Chicken Runs**

These Runs are made of $\frac{3}{4}$ -in. mesh Strong Galvanized Wire Netting, with Stakes for fixing, complete.

They are vermin and sparrow proof, and can be put up or taken down in few minutes. They fold up quite flat, and occupy very little space when not in use.

| | | | | |
|--------|--|----------|------------|--------|
| No. 1. | 3-ft. long, 2-ft. wide, 1-ft. high ... | 9/- each | Extra ends | 1.8 ea |
| No. 2. | 6-ft. long, 2-ft. wide, 2-ft. high ... | 22/6 | „ | 3/6 |
| No. 3. | 6-ft. long, 3-ft. wide, 2-ft. high ... | 26/3 | „ | 5/- |

No. 1 supplied with one end only. No. 2 and 3 ditto, but with door in same

GALVANIZED WIRE RAT TRAPS.

Easily set and catches rats in numbers. The trap is baited at both ends.

Price 5/6 each.

Carriage Paid.


Nomorats

Nomorats is a specific rat killer, inasmuch as, while being fatal to rodents, it is quite harmless to human beings, domestic animals and livestock.

One dose is sufficient; the rats eat **Nomorats** in preference to anything else, then rush out into the open and die. A trial will convince.

| | | | |
|-----|-----|-----|------------------|
| 1/6 | 2/6 | 4/6 | and 8/- |
| -/4 | -/5 | -/6 | and -/9 postage. |

Harmless to other animals.

GALVANISED SPARROW AND RAT TRAP

| | |
|-----|----------------------|
| No. | |
| 1A | 3-ft. long ... |
| 2 | 3-ft. 6-in. long ... |
| 3 | 4-ft. 4-in. long ... |
| 4 | 5-ft. long ... |


Nos. 3 and 4 give results for rats.

All above Carriage Paid Station England and Wales.

CREOSOTE.

Supplied from Stock in 1-gallon free cans, 1/6 per gallon.

Can also be supplied in returnable drums of 5-gallons upwards.



EXTERIOR SOLIGNUM for Garden Fences, Summer Houses, Trellis and Rustic Work, Dog Kennels, Poultry Houses, Stables, Garages and anything and everything made of Wood.

| | Quart. | ½-Gall. | 1-Gall. | 5-Gall. |
|--------------------------|--------|---------|---------|---------|
| Brown (Three Shades) ... | 2/6 | 4/3 | 7/- | 22/6 |
| Green (Five Shades) ... | 3/3 | 5/3 | 9/6 | 39/- |
| Red (Four Shades) ... | | | | |
| Blue and Ebony ... | | | | |

INTERIOR SOLIGNUM for Floors, Staircases, Cupboards, Furniture and all Interior Woodwork, except cases of Dry Rot, when Exterior Brown Solignum should be used.

| | Quart. | ½-Gall. | 1-Gall. | 5-Gall. |
|---------------------------|--------|---------|---------|---------|
| Brown (Three Shades) ... | 3/- | 4/9 | 8/- | 28/- |
| Green (Five Shades) ... | 3/6 | 5/6 | 10/- | 42/- |
| Red (Four Shades) ... | | | | |
| Yellow (Three Shades) ... | | | | |
| Blue and Ebony ... | | | | |

Carriage Paid on 5-gallons.

BITUMEN ROOFING FELTS.

We specialise in Felts, and those quoted are satisfactory in every way. By making very large purchases we are able to offer you the same at exceedingly low prices.

We guarantee our Bitumen Felts to be Acid, Weather and Rot Proof. They are the product of scientific research and have been put to every practical test.

| No. | Bitumen | in Rolls | 36-ft. by 3-ft. | ... | ... | 4/- per Roll |
|-----|---------|----------|-----------------|-------|-----|--------------|
| 3 | Pure | | 36-ft. by 3-ft. | ... | ... | 4/7 |
| 4 | " | " | 36-ft. by 3-ft. | ... | ... | 5/4 |
| 5 | " | " | 45-ft. by 3-ft. | ... | ... | 7/3 |
| 6 | " | " | 45-ft. by 3-ft. | ... | ... | 9/2 |
| 7 | " | " | 45-ft. by 3-ft. | ... | ... | 13/6 |
| 8 | " | " | 72-ft. by 3-ft. | 1-ply | ... | 8/8 |
| 8A | " | " | 45-ft. by 3-ft. | 1-ply | ... | 17/3 |
| 9 | " | " | 72-ft. by 3-ft. | 2-ply | ... | 10/9 |
| 9A | " | " | 45-ft. by 3-ft. | 2-ply | ... | 22/6 |
| 10 | " | " | 72-ft. by 3-ft. | 3-ply | ... | 14/- |
| 10A | " | " | 45-ft. by 3-ft. | 3-ply | ... | |

Nos. 3, 4 and 5 are special lines of light weight, but exceedingly satisfactory. Nos. 8, 9 and 10 are very excellent Felts for general use, and the length is 72-ft. We will gladly send sample pieces of all or any numbers on application.

Improved Hot Air Hygienic Greenhouse Heaters.



Oil Burning without Smoke or Smell by special arrangement of Flues

These Stoves are soundly constructed of Galvanized Steel throughout and are Portable and Complete. Being fitted with Metal Chimneys there is nothing to break. Simplicity and economical maintenance is the great feature

No. 44. One 1-in. Luminous Burner. Tank holds $2\frac{1}{2}$ pints and burns 48 hours. Height $22\frac{1}{4}$ -in. by 23-in. wide. For 8-ft. by 5-ft. House. **18/-**.

No. 45. One **Blue Flame** Burner. Tank holds $4\frac{1}{4}$ pints and burns 36 hours. Height $32\frac{1}{4}$ -in. by 29-in. wide. For 12-ft. by 7-ft. house. **45/-**.

No. 46. Two **Blue Flame** Burners. Tank holds $8\frac{1}{2}$ pints and burns 36 hours. Height $31\frac{1}{2}$ -in. by 33-in. wide. For 20-ft. by 10-ft. house. **64/6**.



Hot Water and Hot Air Heater.

Copper throughout with iron supports and flue. **Blue Flame** Burner. Tank holds $3\frac{1}{2}$ pints and burns 30 hours. For house 12-ft. by 8-ft. **75/-**.

Steam Radiator for Greenhouses, Etc.


Burns 24 hours at one filling. Container holds 4 to 5 pints oil.

Height 23-in., Length 27-in., Width 15-in. For Greenhouse 16 ft. by 10 ft. From a relatively small and economical burner, a large and hot radiating surface is obtained. The shallowness of the tank permits water being rapidly boiled. Steam passes up the connecting tubes into large radiating cylinder. This cylinder quickly warms, repels and circulates the air throughout the house in a marvellous degree. Losing its heat by radiation, the steam is condensed and passes back, drop by drop, through the small central straw pipe into the water boiler below. Theoretically no water is lost—in practice, the water in the tank should be renewed once a week.


All parts with which steam and water come in contact are of **Copper**—the apparatus is therefore rust-proof. Supporting stand is of Wrought Iron Japanned Black, and can be readily dismantled for stowing away.

66/- each. Extra Wicks, **-/7** each.


All above Packing Free and Carriage Paid nearest Station.



CIRCULATING HOT WATER HEATERS.



No. 1.




No. 2.

A great aid to healthy
plant life.

Many satisfied users.

All fumes purified
and condensed.


Galvanized Pipes, entirely
Rustproof.



Nos. 3, 4, 5

| No. | Pipes | Length | For Greenhouse | Container holds | Oil used per 12 hours | Price |
|-----|-------|--------|-------------------|--------------------|--------------------------|-------|
| 1 | 2 | 30 in. | 8 ft. by 5 ft. | 2½ pints | ¾ pints | 13/6 |
| 2 | 2 | 48 in. | 9 ft. by 6 ft. | 3½ „ | 1¾ „ | 30/3 |
| 3 | 2 | 45 in. | 10 ft. by 6 ft. | 4 „ | 2 „ | 38/9 |
| 4 | 3 | 45 in. | 12 ft. by 8 ft. | 5 „ | 2½ „ | 48/- |
| 5 | 4 | 52 in. | 16 ft. by 10 ft. | 6 „ | 3 „ | 60/- |

The Heaters described below, are fitted with the Patent Blue Flame Atmospheric Burners. These Burners are most simple in construction, are very easily cleaned and are most economical in oil consumption.




| No. | Length | Height | For Greenhouse | Container holds | Oil used per 12 hours | Price |
|-----|--------|--------|-------------------|--------------------|--------------------------|-------|
| 173 | 47 in. | 27 in. | 20 ft. by 10 ft. | 6 pints | 2 pints | 70/- |
| 174 | 82 in. | 27 in. | 25 ft. by 10 ft. | 6 „ | 2½ „ | 92/6 |
| 175 | 70 in. | 33 in. | 30 ft. by 12 ft. | 11 „ | 4½ „ | 155/- |

All above Packed Free and Carriage Paid nearest Station.

GREENHOUSES.

Selected $\frac{3}{4}$ -in. T. and G. boards with stout framings and sash bars. Complete with Staging and Fittings; 21 oz. glass cut to size, ready for use. Ventilators according to size. Painted one coat Priming.




SPAN ROOF.


| Size. | Price. |
|----------------------------------|------------|
| 7-ft. X 5-ft. X 6-ft. 8-in. high | £8 14 6 |
| 8 ft. X 5-ft. X 7-ft. | „ £9 10 0 |
| 9-ft. X 6-ft. X 7-ft. 4-in. | „ £12 18 6 |
| 10-ft. X 7-ft. X 7-ft. 8-in. | „ £14 5 0 |
| 12-ft. X 8-ft. X 8-ft. | „ £17 0 0 |

LEAN-TO.

| Size. | Price. |
|----------------------------------|------------|
| 7-ft. X 5-ft. X 7-ft. 9-in. high | £7 7 6 |
| 8-ft. X 5-ft. X 7-ft. 9-in. | „ £7 19 6 |
| 9-ft. X 6-ft. X 8-ft. | „ £10 8 6 |
| 10-ft. X 7-ft. X 8-ft. | „ £11 15 6 |
| 12-ft. X 8-ft. X 8-ft. 6-in. | „ £14 0 0 |
| 15-ft. X 10-ft. X 9-ft. | „ £19 5 0 |
| 20-ft. X 10-ft. X 9-ft. | „ £23 15 0 |



GREENHOUSES for BRICK BASES can be quoted for.



SPAN ROOF.

A competitive building with planed framing and heavy sash bars. Base of planed and rebated boarding. Plant staging both sides.

| Size. | Price. |
|--------------------------------|----------|
| 8-ft. X 5-ft. X 7-ft. high ... | £7 2 6 |
| 10-ft. X 7-ft. X 7½-ft. „ ... | £11 10 0 |
| 12-ft. X 8-ft. X 8-ft. „ ... | £13 10 0 |

All above Carriage Paid to Stations, England and Wales. Scottish Stations Irish and Channel Ports 10 per cent. extra.



BOX FRAME LIGHTS.

Well Constructed of 1-in. T. & G. Boards on Stout Framing. Morticed and Tenoned. Primed ready for painting. Glass cut to size, included.

| | | | | | |
|---------------|----------------|--------|----------------|-----------------|---------|
| One Light ... | 3-ft. by 2-ft. | £1 2 0 | Two Light... | 6-ft. by 4-ft. | £2 16 0 |
| One Light ... | 4-ft. by 3-ft. | 1 10 0 | Two Light... | 8-ft. by 6-ft. | 3 17 6 |
| One Light ... | 6-ft. by 4-ft. | 2 5 0 | Three Light... | 12-ft. by 6-ft. | 4 7 6 |

LIGHTS ONLY without BOX FRAME.


Substantial framing and 3-in. bottom rail. Primed one Coat.

| Size. | Price without Glass. | Price with Glass loose. |
|----------------|----------------------|-------------------------|
| 3-ft. by 2-ft. | 4/- | 7/- |
| 4-ft. by 3-ft. | 6/- | 10/- |
| 6-ft. by 4-ft. | 8/9 | 14/3 |

GALVANISED STEEL GARDEN FRAMES.

Slug Proof and Rot Proof

Has many advantages over the wood frame. The glass simply slides in each light. It is easily ventilated.




The prices do not include glass.

- No. 884. 2-ft. long, 1-ft. 6-in. wide, 7-in. high back, 5-in. front, 6/3
 Ditto, with "Sunralite," 8/3 (see next page)
 No. 845. 3-ft. long, 1-ft. 6-in. wide, 9-in. high back, 7-in. front, 10/3
 Ditto, with "Sunralite," 13/3 (see next page)

BOX GARDEN FRAMES.

3-ft. high at Ridge. 21 oz. Glass. Double Sided and Lights hinged. Lights Painted White and Frame Green.



| | | |
|----------------|----------|----------|
| 4-ft. X 4-ft. | 2 lights | £2 12 6 |
| 6-ft. X 4-ft. | 2 " | £4 5 0 |
| 8-ft. X 6-ft. | 4 " | £6 7 6 |
| 12-ft. X 6-ft. | 6 " | £8 12 6 |
| 16-ft. X 6-ft. | 8 " | £11 0 0 |
| 20-ft. X 6-ft. | 10 " | £13 15 0 |

"SUNRALITE" GLASS SUBSTITUTE.


Supersedes glass for all garden uses. Light, unbreakable, and can be cut to shape with a pair of scissors. Passes the powerful health-giving **ultra-violet rays** which glass shuts out. The ideal material for forcing frames, etc., easily fixed in wood or metal frames and requires no skilled labour.

Any length supplied in 36-in. wide material at **4/6** per yard.

Can also be supplied coloured **Blue** or **Amber** at **6/-** per yard.

Carriage and packing **-/6** extra, any quantity.

SUNRALITE TUNNEL CLOCHE.



AT LAST! THE IDEAL CLOCHE.

Affords the passage of unrestricted light, and, being made with **Sunralite**, the unbreakable British glass substitute, the cloche also passes the **ultra-violet rays**, that important part of light which glass shuts out; this has a most beneficial effect on all plants. Each cloche can be used singly if desired, the end pieces providing complete protection and retaining heat to the full. The cloches need not be lifted to water the plants under them, for any rain falling runs down the sides, soaks into the ground and goes to the roots of the plants—where it is wanted.

| Five Sizes. | | Length. | Height. | Width. | Price. |
|---|-----|---------|---------|--------|--------|
| "Blackwall" Model | ... | 18-in. | 4½-in. | 6-in. | 5/- |
| "Penge" Model | ... | 18-in. | 7-in. | 8-in. | 5/9 |
| "Severn" Model | ... | 24-in. | 7-in. | 8-in. | 6/6 |
| "Simplon" Model (As illustrated above) | ... | 36-in. | 7-in. | 8-in. | 7/6 |
| "St. Gothard" Model | ... | 36-in. | 13½-in. | 18-in. | 10/6 |

Tunnel Cloches Carriage Paid.


SUNRALITE PLANT FORCERS.

The finest device made for raising all kinds of Seedlings.

LIGHT—UNBREAKABLE—HANDY.

Can be used either singly or continuously.

These wonderful new protectors are not merely wire frames, but are made with **Sunralite** the unbreakable British glass substitute. This material is weatherproof and passes the stimulating, health-giving ultra-violet rays which are so valuable to all living things. Ordinary glass shuts out these rays. The **Sunralite Plant Forcer** is more than a shield against the ravages of birds; it provides complete protection against frost, rain, hail and wind, it advances the growth of plants and strengthens them at all stages.



Carriage and Packing on 1 to 5 Forcers **9d.**, 6 or more Carriage Paid.


Type "C." Price **1/-**
24-in. long, 2½-in. high, 5-in. wide.

Type "D." Price **1/9**
24-in. long, 5-in. high, 8-in. wide.

Type "E." Price **2/6**
24-in. long, 7 ins. high, 9-ins wide.


Type "F." Price **3/6**
24-in. long, 9-in. high, 14-in. wide.

End Pieces made with Sunralite to cover the open end of each forcer or chain of forcers are also supplied. They can be adjusted as shown to provide the necessary ventilation.



Prices: To match type "C"—**6d.** per pair; to match type "D"—**9d.** per pair; to match type "E"—**1/-** per pair. Type "F"—**1/6** per pair.

UNBREAKABLE GARDEN LIGHTS.



Consisting of **Sunralite** framed with heavy galvanised steel. Light yet strong. A number easily fitted to wood frames to make **Large Size** lights or frame tops.

Size 12-in. by 24-in., **1/9**; 18-in. by 30-in., **3/6**; 24-in. by 36-in., **5/-** each.

Carriage and Packing: On 1 to 3 lights **1/-**, 4 lights and over Carriage Paid.

Price.
5/-
5/9
6/6
7/6

10/6


PORTABLE BUILDINGS.

Best Joiner Made.


Storage, Tool or Potting Shed.

Soundly constructed of best timber, with stout framing. Match lined roof and sufficient Bitumen Felt supplied to cover same and Strips for holding. Windows made to open over 8-ft. size, others with fixed Window in one side.

In sections for easy erection.



| Length. | Width. | Height to | | Prices. | Floor & Joist |
|---------|--------|-----------|--------|---------|---------------|
| | | Eaves. | Ridge. | | |
| 6-ft. | 3-ft. | 5-ft. | 6-ft. | £2 7 6 | 9/- |
| 6-ft. | 4-ft. | 5-ft. | 6½-ft. | 2 15 0 | 11/6 |
| 6-ft. | 5-ft. | 5-ft. | 6½-ft. | 3 1 0 | 14/- |
| 6-ft. | 6-ft. | 6-ft. | 7½-ft. | 3 11 6 | 16/6 |
| 7-ft. | 5-ft. | 5-ft. | 6½-ft. | 3 6 6 | 16/- |
| 8-ft. | 5-ft. | 5-ft. | 6½-ft. | 3 12 6 | 18/6 |
| 8-ft. | 6-ft. | 5-ft. | 6½-ft. | 3 17 6 | 22/6 |
| 9-ft. | 6-ft. | 6-ft. | 7½-ft. | 4 19 6 | 25/- |
| 10-ft. | 6-ft. | 6-ft. | 7½-ft. | 5 5 0 | 27/6 |
| 12-ft. | 6-ft. | 6-ft. | 7½-ft. | 6 2 6 | 33/- |



Lean-To Style

Storage or Tool Shed

Description of Manufacture, etc.
as above.

| Length. | Width. | Height at | | Prices. | Floor & Joist |
|---------|--------|-----------|-------|---------|---------------|
| | | Front. | Back. | | |
| 6-ft. | 3-ft. | 6-ft. | 5-ft. | £2 6 0 | 9/- |
| 6-ft. | 4-ft. | 6-ft. | 5-ft. | 2 11 6 | 11/6 |
| 6-ft. | 5-ft. | 6-ft. | 5-ft. | 2 15 6 | 14/- |
| 6-ft. | 6-ft. | 6-ft. | 5-ft. | 3 1 0 | 16/- |
| 7-ft. | 5-ft. | 6-ft. | 5-ft. | 3 1 0 | 16/- |
| 8-ft. | 5-ft. | 6-ft. | 5-ft. | 3 5 0 | 18/6 |
| 8-ft. | 6-ft. | 6-ft. | 5-ft. | 3 11 6 | 22/6 |

All above are in sections and all bolts and nuts are supplied.


Any size can be quoted for.

All above prices Carriage Paid to Stations in England and Wales. To Scottish Stations, Irish and Channel Ports 10 per cent. extra.

SUMMER HOUSES, SHELTERS, Etc.


Soundly constructed of Best Timber with **Stout** Framings. All Rustic work with Bark on.


In sections for easy erecting.

 No. 26.

Rustic Work with Bark on.

8-ft. 6-in. high and 6-ft. across,
Angle to Angle. Floor and Seat
included. £13 2 6





 No. 18.

Rustic Work with Bark on.

6-ft. by 4-ft. by 6-ft. high £4 5 0
7-ft. by 5-ft. by 6-ft. high £5 10 0
8-ft. by 6-ft. by 7-ft. high £7 7 6

Floor included, seats extra.




No. 17. 


Rustic Work with Bark on.

6-ft. by 6-ft. by 6½-ft. high £5 13 6
7-ft. by 6-ft. by 7½-ft. high £7 0 0
8-ft. by 6-ft. by 7½-ft. high £7 15 0

(3-ft. doorways.)

Floor included, seats extra.



No. 13. 


Rustic Work with Bark on.

6-ft. by 4-ft. by 6-ft. high £4 7 6
6-ft. by 5-ft. by 7-ft. high £5 8 6
7-ft. by 5-ft. by 7-ft. high £5 15 6
7-ft. by 6-ft. by 7-ft. high £7 2 6

(3-ft. doorways.)

Floor included, seats extra.

All above Carriage Paid to Stations in England and Wales. Scottish
Stations, Irish and Channel Ports 10 per cent. extra.



SEMI-ROTARY WING PUMPS.

Double Acting.

All inside parts made of Brass

Wing Pumps can be used for a large variety of purposes, and are much more satisfactory than single acting pumps, being **very compact, adaptable** and reliable. They are always supplied with counter flanges, screwed for iron gas pipe thread. When the suction lift exceeds 5 feet a foot valve should be used.

| No. | For Screwed Tube | Gallons per Minute | Price Cast Iron with Brass Valves | |
|-------|------------------------|--------------------------|---|------------------|
| 0 ... | $\frac{1}{2}$ -in. | 4 $\frac{1}{2}$ | 22/6 each | Carriage Paid |
| 1 ... | $\frac{3}{4}$ " | 6 $\frac{1}{2}$ | 25/6 " | |
| 2 ... | 1 " | 9 | 30/- " | |
| 3 ... | 1 $\frac{1}{4}$ " | 11 | 36/6 " | |
| 4 ... | 1 $\frac{1}{2}$ " | 15 $\frac{1}{2}$ | 45/- " | |
| 5 ... | 1 $\frac{3}{4}$ " | 18 $\frac{3}{4}$ | 49/6 " | |
| 6 ... | 2 " | 22 | 60/- " | |



1.



3A.

Fittings for Semi-Rotary Pumps.



8.




9.

| Fig. No. | Pump No. | Size | 0 | 1 | 2 | 3 | 4 | 5 | 6 |
|----------|---|---------------|---------------|---------------|------|-----------------|-----------------|-----------------|------|
| 1. | Cast Iron Air Vessel, side outlet | $\frac{1}{2}$ | $\frac{1}{2}$ | $\frac{3}{4}$ | 1 | 1 $\frac{1}{4}$ | 1 $\frac{1}{2}$ | 1 $\frac{3}{4}$ | 2 |
| 1. | Cast Iron Air Vessel, side outlet | | 8/9 | 9/6 | 10/9 | 14/6 | 14/6 | 17/6 | 17/6 |
| 3A. | Cast Iron Foot Valve and Strainer combined... | | 6/9 | 8/9 | 9/6 | 11/6 | 11/6 | 13/6 | 13/6 |
| 5A. | Galvanized Cast Iron Strainer for Hose | | 3/9 | 4/3 | 4/9 | 5/- | 5/- | 5/6 | 5/6 |
| 6G. | Galvanized Cast Iron Strainer for Iron Pipe | | 2/9 | 2/9 | 3/9 | 5/3 | 5/3 | 6/9 | 6/9 |
| 8. | Straight Gun Metal Unions for Iron or Hose | | 3/3 | 4/3 | 5/9 | 8/- | 8/- | 9/9 | 9/9 |
| 9. | Bent Gun Metal Unions for Iron or Hose | | 4/- | 5/- | 6/6 | 9/6 | 9/6 | 13/6 | 13/6 |
| 7C. | Male Half Unions for Hose | | 1/6 | 1/11 | 2/3 | 3/6 | 3/6 | 4/3 | 4/3 |

Our **Non-Kink Hose** is recommended for use with above.

Galvanized Wrought Iron Barrel for Pumps.




| | $\frac{1}{2}$ -in. | $\frac{3}{4}$ -in. | 1-in. | $1\frac{1}{4}$ -in. | $1\frac{1}{2}$ -in. |
|---|--------------------|--------------------|-------------------|---------------------|------------------------------|
| Tubes 2-ft. long and over... | -/3 $\frac{3}{4}$ | -/4 $\frac{1}{2}$ | -/6 | -/8 $\frac{1}{2}$ | -/11 $\frac{1}{2}$ per foot. |
| Pieces 4-in. to 11 $\frac{1}{2}$ -in. ... | -/6 | -/8 | -/10 | 1/1 $\frac{1}{2}$ | 1/5 $\frac{1}{2}$ each. |
| „ 12-in. to 23 $\frac{1}{2}$ -in. ... | -/8 $\frac{1}{2}$ | -/11 $\frac{1}{2}$ | 1/3 $\frac{1}{2}$ | 1/9 | 2/2 „ |
| Bends | -/8 | -/9 $\frac{1}{2}$ | 1/1 | 1/9 | 2/1 „ |
| Tees | -/10 | 1/0 $\frac{1}{2}$ | 1/2 $\frac{1}{2}$ | 1/8 | 2/0 $\frac{1}{2}$ „ |
| Elbows (Round) | -/9 $\frac{1}{2}$ | -/11 | 1/1 $\frac{1}{2}$ | 1/6 | 1/11 „ |

All above F.O.R.

Drain Cleaning and Chimney Sweeping Machines.

NOTE.—Best quality.




Malacca Cane 3-ft. rods fitted with brass connecting screws. Complete with wood roller, rubber plunger, double worm screw and spring cup. Complete with straps.

Prices 30-ft. 21/-, 40-ft. 27/-, 50-ft. 31/9, 60-ft. 38/9 Carriage paid.

Additional Brush for Chimney Sweeping, 3/6 extra.

Canes only in 2 $\frac{1}{2}$ or 3-ft. lengths, 1/8 each.

Mansion and Estate Set.




With this complete outfit all chimneys can be swept and all drains kept clean. The set comprises best Malacca or Rattan Canes in 3-ft. lengths, with the following implements: Double Worm Screw, Rubber Plunger, Drop Scraper, Hand Plunger, Sweep's Shovel, 4-in. Drain Brush, 16-in. Sweep's Brush, 16-in. Sweep's Spiral Brush, Hand Brush and Straps.

Prices, 30-ft. 75/-, 40-ft. 81/-, 50-ft. 90/-, 60-ft. 96/6, Carriage paid.

Canes only in 2 $\frac{1}{2}$ -ft. or 3-ft. lengths, 2/2 each.

Guaranteed Corrugated Non-Kink Hose.



**The original Non-kink Reinforced Double Fabric Hose.
England's Finest I.R. Product.**

A **Red Corrugated Hose** far **Superior** to any Imported **Corrugated Hose**. combination of **strength** and **durability**. Is the most **economical** you can buy.

Any length can be cut thus **saving** the cost of brass fittings needed to join an ordinary garden hose. Only **your exact** requirements need be ordered.

For Garden, Garage and Pumping it cannot be surpassed.

However twisted it does not kink and you are sure of a full pressure of water. It can be tied in knots without injury, and it is impossible for this Hose to "unwrap." Made to withstand **enormous pressure**. Every foot is guaranteed.

Best Quality Red.

| | | | |
|--------------------|-----|--------------------|-----------|
| $\frac{1}{2}$ -in. | ... | 5 $\frac{1}{2}$ d. | per foot. |
| $\frac{3}{4}$ -in. | ... | 6d. | " |
| $\frac{1}{2}$ -in. | ... | 7d. | " |
| 1-in. | ... | 11d. | " |

Second Quality Black.

| | | | |
|--------------------|-----|--------------------|-----------|
| $\frac{1}{2}$ -in. | ... | 4 $\frac{3}{4}$ d. | per foot. |
| $\frac{3}{4}$ -in. | ... | 5 $\frac{1}{2}$ d. | " |
| $\frac{1}{2}$ -in. | ... | 6d. | " |
| 1-in. | ... | 10d. | " |

Carriage paid on 80-ft. and over.

STOUT SOLID RUBBER HOSE.



A Corrugated Hose, not Canvas reinforced
Suitable for general Garden use.



60-ft. Solid Hose, fitted with Royles Union for Tap and Adjustable Water director.

| | | |
|-------------------------|--------------------------------------|-------------------|
| $\frac{1}{2}$ -in. size | Price 14/3, or complete on Reel 18/- | Carriage forward. |
| $\frac{3}{4}$ -in. " " | 17/6 " " 21/3 " " | " " |

Superior Quality Green Solid Hose 2/9 per Coil extra.

SPECIAL LINES IN LIGHT PLY HOSE.




60-ft. $\frac{1}{2}$ -in. **Two Ply**, fitted with Royles Union for Tap and Water Director. Price 22/6, or Complete on Reel 26/-.
60-ft. $\frac{3}{4}$ -in. **Three Ply**, as above. Price 31/3, or Complete on Reel 36/3. Carriage 1/3 extra.

The **Solid Rubber and Light Ply** hose is in complete Coils of 60-ft. Odd lengths of these cannot be cut but half Coils (30-ft.) supplied at 10 per cent. extra.

Brass Hose Fittings.

Perfect Clinching Hose Coupling.




Hammer only needed to securely attach this type. $\frac{1}{2}$ -in., $\frac{5}{8}$ -in. or $\frac{3}{4}$ -in. All interchangeable. 1/9 each.

Perfect Clinching Hose Mender.

Same as above, but fixed joint, not screwed to separate. $\frac{1}{2}$ -in., $\frac{5}{8}$ -in. or $\frac{3}{4}$ -in. -/6 each.

Boston Pattern Nozzle.

Interchangeable with Couplings below




Can be adjusted to give a fine, medium or coarse spray, and can be completely shut off. A splendid jet for car washing. For $\frac{1}{2}$ -in., $\frac{5}{8}$ -in. or $\frac{3}{4}$ -in. Hose, 2/3 each

Adjustable Director.




Fine, medium or coarse spray. $\frac{1}{2}$ -in., 1/9; $\frac{5}{8}$ -in., 1/11.



Griptite Hose Clips.

Easily attached. Easily removed. The swivel worm drive screw gives an immense tightness.


$\frac{3}{4}$ -in. to $1\frac{1}{4}$ -in. dia. or $1\frac{1}{4}$ -in. to $1\frac{3}{4}$ -in. dia.; 9d. each.



Tap Union

No Ooming Adrift.
No Leaking.
Easily Fitted.
Easily Detached.
Held Immovable what ever the water pressure.
 $\frac{1}{2}$ -in., 1/6; $\frac{5}{8}$ -in., 1/8
 $\frac{3}{4}$ -in., 2/-.

Tap Union




Royle's Pattern

$\frac{1}{2}$ -in., -/11; $\frac{5}{8}$ -in., 1/3; $\frac{3}{4}$ -in., 1/9
1-in., 3/6.


Hose and Tap Couplings.

All interchangeable with same threads to all sizes.

HOSE COUPLING



TAP COUPLING.



$\frac{1}{2}$ -in. 1/- each
 $\frac{5}{8}$ -in. 1/3 "
 $\frac{3}{4}$ -in. 1/6 "


Brass Hose Clips.

$\frac{1}{2}$ 2d. $\frac{5}{8}$ 3d. $\frac{3}{4}$ 3d. 1 inch. 4d. each.


Postage extra on all above.

HOSE REELS.

Girder Pattern.



Wheel Pattern.



Girder Pattern. Made of best steel, very strong, rigid and light. Extra quality.

| No. | 49 | 50 | 51 | 52 |
|----------|--------|--------|---------|-------------------------------|
| Capacity | 60-ft. | 80-ft. | 120-ft. | 180-ft. of $\frac{1}{2}$ -in. |
| Capacity | — | 60-ft. | 90-ft. | 135-ft. of $\frac{3}{8}$ -in. |
| Painted | 2/9 | 3/3 | 4/6 | 5/6 each. |

(Carriage 1/- extra, see page 1.)

Wheel Pattern. A Strong Hose Reel on Frame and Centre Wheels at moderate price. Wrought Iron throughout. Painted Green.

| No. | 5 | 6 | 7 | 8 |
|----------|-------------|---------|---------|------------------------------------|
| Capacity | ... 100-ft. | 150-ft. | 200-ft. | 250-ft. of $\frac{1}{2}$ -in. Hose |
| Capacity | ... 75-ft. | 110-ft. | 150-ft. | 190-ft. of $\frac{3}{8}$ -in. Hose |
| Price | ... 18/9 | 21/- | 26/- | 32/- each. |


Carriage Paid.

ROLLA HOSE REEL.

The advantages can be seen from illustration. Wind on hose, reverse holder and wheel away.

| | | | |
|---------|----------|------------------------------------|------|
| No. 347 | Capacity | 100-ft. $\frac{1}{2}$ -in. hose... | 11/6 |
| „ 348 | „ | 150-ft. „ ... | 13/- |
| „ 349 | „ | 220-ft. „ ... | 14/6 |

Carriage 1/- extra.




Hose Holder for Garages and Walls.

For short lengths this Holder is Ideal and can easily be attached to wall ready for Hose.


Price ... 2/11 each.

Carriage Paid.



MODERN LAWN SPRINKLERS.

GIANT RAIN KING SPRINKLER.



In revolving position will water thoroughly and evenly a circular area up to 90 ft. in diameter.

Each of the four nozzles is adjustable for any spray, direction, and volume of water. Set instantly for revolving or for stationary sprinkling.

Price 52/- Carriage Paid.

FOR HARD COURTS.

This model is supplied with extra upright tube and drip tray

Price 72/6 Carriage Paid

STANDARD RAIN KING.



Adjustable as above pattern.

A gentle mist, a light shower, or soaking downpour at will.

In revolving position will water a circular area 70 ft. in diameter.

Price 13/6 Carriage Paid.


Ditto with Two 6-inch Standards 15/6 Carriage Paid.

SPRINKLER ON WHEELS.

Ball-bearing Head.


Adjustable Spray.

Roller Base.



A powerful Sprinkler, covering an area of over 50-ft. Fitted with three Adjustable Spray Nozzles, each of which can be shut off independently. Complete with Tapered Union for $\frac{1}{2}$ -in., $\frac{3}{8}$ -in., or $\frac{1}{4}$ -in. Hose 32/- Carriage Paid.

THE PRIZE SPRINKLER.



Although low priced this Sprinkler will cover an area about 60 ft. diameter. Nozzles are adjustable from a fine mist to a heavy soaking. 11/6 Carriage Paid.



POWDER BLOWER.

For applying **Dry
Dusts and Powders.**

Price $2/3$
(Postage 6d.)

HAND PNEUMATIC SPRAYER.

Acid resisting metal throughout. After filling, a few strokes of the Pump only required and the outlet of sprayer is controlled by small release valve. Useful to the motorist for lubricating as well as to the gardener. Complete with two nozzles, $5/-$.
Packing and Carriage $1/-$ extra.

**Continuous Spray Atomizer, No. 16.**

No. 16. Capacity $1\frac{1}{2}$ pints.

Continuous spraying from both forward and backward movement. Separate cap provided for filling purposes, also cap for taking out Ball Valve for cleaning purposes.


Two spray nozzles are provided. One for straight spraying, and the other for angle spraying to get underneath the leaves, &c.

All Brass Pump and Container $10/3$ each

Carriage and Packing $-/9$ extra.

ATOMIZER, No. 9. A first-class Sprayer at a popular price. ?

Approx. Capacity 2 pints.



Galvanized ... $3/3$ each


Polished Brass $8/6$

Carriage and Packing
 $-/9$ extra.

Small Size (1 pint) Galvanized ... $2/3$ each.


GARDEN SYRINGES.

All fitted with the economical Fine Mist Spraying Nozzles.



No. 19.


Ball Valve Filler Angle Sprayer. Wonderful Value.
 $\frac{7}{8}$ -in. by 16-in., 5/3.



No. 115.


Fine Spraying Syringe, with drip sleeve which prevents users getting wet. Complete with bend and adjustable nozzle. Size $\frac{7}{8}$ -in. by 16-in., 7/-.

No. 15A.




Complete with Bend and Ball Valve Sprayer for easy filling.
 1-in. by 14-in., 8/6; 1-in. by 20-in., 9/6 each.
 Or supplied with drip sleeve, 9d. extra.

No. 17.




Fitted with Special Drip Preventor, Ball Valve Rose, Jet and Sprayer, complete with Bend and extra medium-sized Sprayer Nozzle.
 Size—1-in by 14-in., 12/6; 1-in. by 20-in., 15/- and 1½-in. by 20-in. 21/- each.

SELF-SUPPLYING SPRAYING SYRINGE.



Efficient and easy to use, with nothing to get out of order. Strainer, which is at the end of 6-ft. of Rubber Hose, is placed in bucket containing the spraying mixture and after a few strokes with the Syringe, suction commences. Supplied complete and with Rose, Jet and Swivel Spray Nozzle. Can be used with or without the 15-in. Extension Branch Lance. 12/6.

(Carriage and Packing on any above 9d. extra, see page 1.)



THE LADYWOOD SPRAYING OUTFIT.

No. 40.

The Ladywood Spraying Outfit will throw a solid stream of water 30 to 40-ft. high, and, if necessary, draw same through a Suction Hose over 200-ft. long, with a lift of 25-ft.


It is therefore most useful for cleaning high windows, spraying tall fruit trees, and washing motor cars, all of which necessitate a good pressure. It can also be used for limewashing and creosoting, disinfecting and general spraying purposes.

Outfit Comprises :—

All brass double-action Spray Pump, polished and lacquered, giving continuous spray.


10-ft. of Hose, and Strainer, connected to pump by cap and lining. One unclogable needle Limewashing Nozzle and one spraying Nozzle, also Plain Jet; 2-ft. polished and lacquered Brass Lance, swivel connection angle bend. All metal strainer. 30/- complete as illustrated. Carriage 1/6

Ladywood Spray Pump, No. 38.



This double action Pump is self-supplying and gives continuous spray. Will throw a solid stream of water 30 to 40-ft. It is the ideal, all-purpose Hand

Sprayer, its field of utility being practically unlimited. Most useful for spraying trees, vines, etc. The Pump is made of brass, with solid brass ball valves, complete with 3½-ft. of suction hose, and heavy iron strainer, that keeps the hose from jumping out of bucket or container. Three nozzles supplied with which the operator is able to get any variety of spray necessary. Price 25/-. Carriage and Packing 1/-.



The "Essanee" Sprayer

Embodies all that is desirable in a Self-feeding Spray Syringe. Simple, strong, beautifully finished with ebonite grip barrel. Complete with 6-ft. substantial rubber tubing, detachable bend, 2-brass lance, 2 spray jets as illustrated.


Single Action Pump ... 19/6 Carriage
Double Action Pump ... 25/- Paid
Special Limewash Nozzle, 3/- extra

Pneumatic Garden Sprayers.

No Pumping required whilst Spraying.

Force of Spray can be regulated.

A high pressure Compressed Air Sprayer of small capacity. Useful alike for garden and household use. Sprays all types of solution, but the brass tank is recommended for corrosives. Automatic shut-off nozzle. Each equipped with 40-in. of hose and a 6-in. lance as shown.



Knapsack Sprayer.

| No. | Capacity. | Galvanized Tank. | Brass Tank. |
|-----|------------|------------------|-------------|
| 1 | 1 gallon | 31/6 | 38/6 each. |
| 2 | 1½ gallons | 35/- | 44/6 „ |
| 3 | 3 gallons | — | 50/- „ |

Hand Pump Sprayer.




All the latest improvements embodied. Nothing to get out of order. A powerful spray is obtained by working side handle. Best leather shoulder straps. Brass strainer and movable double spraying nozzle, 39-in. rubber hose and brass lance. Capacity 2½ gallons.

No. 1. Polished Copper Container for use with all liquids not corrosive, 79/6.

No. 2. Tinned Copper Container for use with liver of sulphur, etc., as well, 85/-.


All above Carriage Paid.



For use in ordinary bucket. Double acting pump, giving **continuous** spray for all garden purposes and also for **Lime Washing**. Galvanized support and footholder, 3-ft. rubber hose, 2-ft. brass lance with bend, fine and coarse spray nozzles and plain jet. Special **lime wash** nozzle as illustrated included, 21/-.

Haw's Pattern Water Cans.

For Greenhouse, Garden or Nursery Use.



Red Japanned. Fitted with Tubular Handles.

| | | | | | | |
|---|-----|-----|-----|-----|-----|------|
| 2 qt. Can, 1 Round Rose only | ... | ... | ... | ... | ... | 5/3 |
| 3 qt. Can, 2 Roses and Extra Joint | ... | ... | ... | ... | ... | 7/6 |
| 4 qt. Can, 2 Roses, Long Spout and with Iron Rim Foot | ... | ... | ... | ... | ... | 9/- |
| 6 qt. Can, 2 Roses and Iron Rim Foot | ... | ... | ... | ... | ... | 10/- |
| 8 qt. Can, 2 Roses and Iron Rim Foot | ... | ... | ... | ... | ... | 11/6 |
| 10 qt. Can, 1 Rose and Spreader and Iron Rim Foot | ... | ... | ... | ... | ... | 14/- |


Galvanised. Fitted with Tubular Handles.

Each complete with Round Rose, Oval Rose and Extension Piece.

2 qt., 11/-; 3 qt., 11/6; 4 qt., 12/-; 6 qt., 13/-; 8 qt., 13/6

Haw's Pattern Can with twisted wire handles. **Galvanised.**

Each Can complete with Round and Oval Roses.



| Capacity. | Price. |
|-----------|----------|
| 2 qt. | 7/- each |
| 3 " | 7/6 " |
| 4 " | 8/- " |
| 6 " | 8/6 " |
| 8 " | 9/- " |

Carriage and Packing any above, 1/- extra, see page 1.

WATER CANS.


**Heavy Gauge
Extra Strong Galvanized Cans.**

With large All-Copper Roses.

The Ideal Water Pot for rough usage.

| | | | | | |
|------------|-----|-----|-----|-----|-----------|
| Capacity | 1 | 1½ | 2 | 2½ | 3 gallons |
| Prices ... | 4/6 | 4/9 | 5/3 | 5/9 | 6/3 each |

(Carriage and Packing 1/- extra.)



**Galvanized after made
New All-Steel**

RAINWATER BUTTS.


These new Steel Butts make an attractive feature, the pleasing design makes it possible to utilise the roof supply of rain-water in places where a corrugated cistern would not be tolerated.

Owing to the difficulty of protecting from scrapes and scratches in transit, these are supplied unpainted. Can easily be painted the desired colour when in position.

No. 149. 60 galls., 26-in. dia.,
41-in. high, **46/9.**
Cover, **6/6.**

No. 149A. 130 galls., 33-in. dia.,
51-in. high, **63/3.**
Cover, **8/3.**

Brass Taps extra, ½-in., **4/6**; ¾-in.,
5/6; 1-in., **8/9**, including socket.



Water Butts.

Strong and well Hooped. Seasoned Wood. Painted Green.



| | | | |
|--------------------|------------------|----------|------|
| 36-gallon capacity | Approx. 32" high | 25" dia. | 16/6 |
| 54 | " | 37" " | 21/6 |
| 100 | " | 57" " | 26/6 |

Fitting Wood Tap ... **1/9 extra.**

Wood Covers ... **2/6** "

Water Butts Carriage Paid to Nearest Station, England and Wales.


5/3
7/6
9/-
10/-
11/6
14/-

iece.
3/6

Price.
7/- each
7/6 "
8/- "
8/6 "
9/- "

Round Corrugated Steel, Galvanized after made.

RAIN WATER CISTERNS.



| No. | Galls. | Diam. High Inches. | £ s. d. | | | Covers. £ s. d. | | |
|------|--------|-----------------------|---------|----|----|--------------------|----|----|
| | | | £ | s. | d. | £ | s. | d. |
| 131 | 40 | 23 by 28 | 1 | 2 | 0 | 7 | 3 | |
| 132 | 50 | 25 by 30 | 1 | 6 | 6 | 7 | 9 | |
| 133 | 65 | 27 by 32 | 1 | 7 | 6 | 8 | 3 | |
| 134 | 80 | 29 by 34 | 1 | 13 | 0 | 10 | 0 | |
| 135 | 100 | 31 by 38 | 1 | 18 | 6 | 11 | 0 | |
| 137 | 130 | 33 by 42 | 2 | 8 | 6 | 11 | 6 | |
| 138 | 150 | 35 by 46 | 2 | 15 | 0 | 13 | 3 | |
| 138X | 175 | 37 by 46 | 2 | 17 | 3 | 13 | 9 | |
| 138A | 200 | 38 by 50 | 3 | 6 | 0 | 16 | 6 | |
| 139 | 230 | 41 by 50 | 3 | 11 | 6 | 17 | 6 | |
| 140 | 260 | 43 by 50 | 4 | 0 | 0 | 19 | 3 | |
| 140A | 300 | 45 by 52 | 4 | 15 | 9 | 1 | 0 | 3 |
| 141 | 365 | 47 by 56 | 5 | 15 | 6 | 1 | 2 | 0 |
| 142 | 400 | 49 by 58 | 5 | 17 | 9 | 1 | 6 | 0 |
| 143 | 500 | 49 by 74 | 6 | 18 | 6 | 1 | 6 | 0 |
| 144 | 600 | 51 by 81 | 9 | 7 | 0 | 1 | 9 | 3 |
| 145 | 700 | 54 by 87 | 10 | 5 | 9 | 1 | 10 | 9 |
| 146 | 800 | 57 by 87 | 11 | 3 | 3 | 1 | 13 | 0 |
| 147 | 900 | 60 by 87 | 11 | 15 | 6 | 2 | 1 | 9 |
| 148 | 1000 | 60 by 98 | 13 | 4 | 0 | 2 | 1 | 9 |

| Brass Taps | $\frac{1}{2}$ -in. | $\frac{3}{4}$ -in. | 1-in. |
|-------------------------------|--------------------|--------------------|-------|
| (including Socket in Cistern) | 4/6 | 5/6 | 8/9 |

A Low Priced Water Cistern.

For all purposes.

These all have diameter greater than depth.

Galvanized after made.

A Stronger Tub than the 129S Series on next page.



| No. | Gallons. | | Diam. Depth. | | £ s. d. | | |
|-----|----------|-----|--------------|------------------|---------|----|------|
| 770 | ... | 30 | ... | 23-in. by 19-in. | ... | 19 | 6 |
| 771 | ... | 36 | ... | 26-in. by 19-in. | ... | 1 | 3 0 |
| 772 | ... | 50 | ... | 30-in. by 19-in. | ... | 1 | 5 9 |
| 773 | ... | 60 | ... | 34-in. by 19-in. | ... | 1 | 9 9 |
| 774 | ... | 75 | ... | 34-in. by 24-in. | ... | 1 | 13 0 |
| 775 | ... | 95 | ... | 38-in. by 24-in. | ... | 1 | 15 9 |
| 776 | ... | 110 | ... | 41-in. by 24-in. | ... | 2 | 2 0 |

All above Carriage Paid England and Wales.

GALVANIZED WATER TUBS.



For Garden, Cottage, and General Use at the Country House.

2-in. corrugations, wired round the top and bottom, and galvanized after made.

With these you can always have a supply of water ready for the Garden. They are the delight of all Garden enthusiasts.

For storing Seeds, Grain, Meal, or even Potatoes, Empty Sacks, Chaff, etc., and especially where rats abound.


| No. | | Diam. | High | £ | s. | d. |
|----------|----------------|--------|-----------|-----|----|------|
| 129S ... | 20 gallons ... | 20-in. | by 19-in. | ... | 15 | 0 |
| 130S ... | 30 .. | 22-in. | by 21-in. | ... | 17 | 3 |
| 131S ... | 40 .. | 25-in. | by 23-in. | ... | 1 | 0 0 |
| 132S ... | 50 .. | 28-in. | by 26-in. | ... | 1 | 3 0 |
| 133S ... | 60 .. | 30-in. | by 28-in. | ... | 1 | 5 3 |
| 134S ... | 80 .. | 33-in. | by 28-in. | ... | 1 | 8 0 |
| 135S ... | 100 .. | 35-in. | by 30-in. | ... | 1 | 10 0 |
| 136S ... | 120 .. | 38-in. | by 30-in. | ... | 1 | 13 0 |



Rectangular Open Galvanized CISTERNS.

| No. | | ft. in. | ft. in. | Deep ft. in. | £ | s. | d. |
|----------|----------------|---------|---------|-----------------|-----|----|------|
| 0599 ... | 20 gallons ... | 1 8 | by 1 3 | by 1 8 | ... | 17 | 6 |
| 599 ... | 30 .. | 2 0 | by 1 6 | by 1 7 | ... | 1 | 0 6 |
| 599A ... | 40 .. | 2 3 | by 1 8 | by 1 8 | ... | 1 | 3 0 |
| 600 ... | 50 .. | 2 0 | by 2 0 | by 2 0 | ... | 1 | 5 9 |
| 601 ... | 60 .. | 3 0 | by 2 0 | by 1 8 | ... | 1 | 9 0 |
| 601A ... | 70 .. | 3 0 | by 2 0 | by 1 11 | ... | 1 | 13 3 |
| 602 ... | 80 .. | 3 0 | by 2 2 | by 2 0 | ... | 2 | 0 6 |
| 603 ... | 100 .. | 3 3 | by 2 3 | by 2 3 | ... | 2 | 4 6 |
| 604 ... | 150 .. | 3 7 | by 3 10 | by 2 5 | ... | 3 | 8 0 |
| 605 ... | 200 .. | 4 0 | by 3 0 | by 2 8 | ... | 4 | 4 0 |
| 606 ... | 250 .. | 5 0 | by 3 0 | by 2 8 | ... | 5 | 3 6 |
| 607 ... | 300 .. | 6 0 | by 3 0 | by 2 8 | ... | 6 | 14 6 |
| 608 ... | 400 .. | 6 0 | by 3 6 | by 3 2 | ... | 7 | 15 3 |

All above Carriage Paid Station, England and Wales.



Swing Water Barrow

With Galvanized Oval Steel Cistern.


Flat Wrought Iron Frame painted.

Double Spoke Wheels.

| Size | Wheels | Width | Price Complete | Cisterns only | Covers |
|-----------|--------|-------------|----------------|---------------|----------|
| 16-galls. | 14-in. | 2-ft. 2-in. | 55/- | 24/3 | 7/6 each |
| 20 " | 16-in. | 2-ft. 5-in. | 63/- | 27/6 | 8/6 " |
| 30 " | 18-in. | 2-ft. 9-in. | 71/- | 32/- | 10/- " |

The 20-gallon and 30-gallon sizes also supplied with 16-in. Dunlop Pneumatic Wheels at an extra cost of 45/-.

Swing Water Barrow—Heavy Pattern.




Wrought Channel Iron Frame and **Unbreakable** Steel Wheels. Steel Cistern, Galvanized all over after manufacture, with **Extra Stout** bottom to withstand hard and constant wear. Frame and wheels painted in two colours. This is an exceptionally well-made article.

| Size | Wheels | Width Overall | Price | Covers | Cisterns only |
|------------|-------------|---------------|-------|--------|---------------|
| 24-gallons | 21-in. dia. | 2-ft. 5-in. | 81/- | 9/- | 35/6 |
| 30 " | 24-in. " | 2-ft. 9-in. | 92/6 | 10/- | 38/- |
| 40 " | 24-in. " | 2-ft. 10-in. | 115/- | 12/3 | 57/9 |

All above Carriage Paid Station, England and Wales.

Dust Bins



With Outside Rims to Covers.

Round Galvanized Steel.

Plain or Corrugated.

| Diam. | Deep | 26 G. | 24 G. |
|------------------|------|-------|-------|
| 15-in. by 18-in. | ... | 5/11 | 7/- |
| 16-in. by 20-in. | ... | 6/6 | 8/- |
| 17-in. by 22-in. | ... | 7/3 | 9/- |
| 18-in. by 24-in. | ... | 8/6 | 9/9 |

Carriage Paid.

Cinder Sifter and Dust Bin




This new Cinder Sifter will be found more effective than any other; it is a great preventive to dust flying about. The cinders are easily tipped into any large or small receptacle. It is made of Steel, Galvanized afterwards, and is very strong.

| No. | Diam. | Depth. | |
|------|------------------|--------|------|
| 661. | 13-in. by 14-in. | ... | 17/6 |
| 662. | 15-in. by 18-in. | ... | 19/- |
| 663. | 17-in. by 22-in. | ... | 23/- |
| 664. | 18-in. by 24-in. | ... | 27/6 |

(Carriage paid.)

Slow Combustion Heating Stove



Will burn Small Coal, Coke or Wood.

A Quick Heating Stove.

Cast Iron Top, Bottom and Door.
Steel Body lined throughout with Firebrick.

| No. | Size. | Price. |
|-----|----------------------|--------|
| 1 | 9-in. by 20-in. ... | 29/6 |
| 2 | 9-in. by 23-in. ... | 32/6 |
| 3 | 10-in. by 25-in. ... | 35/6 |
| 4 | 12-in. by 30-in. ... | 46/6 |

Carriage Paid.

Portable Coppers




Sheet Iron.

For Fuel, with Galvanized Wrought Pan, Elbow and 2-ft. Pipe.

| 24G. | 6 | 8 | 10 | 12 galls. |
|------|------|------|------|-----------|
| | 40/- | 47/6 | 52/6 | 58/6 each |

Carriage Paid.




Bath Room Cork Top Stool Cabinet.

Size 16½ ins. by 13 ins. by 17½ ins. high.

White Enamelled.

The top which is Cork covered lifts up with Stays to hold in position when open. When closed it forms a Bath Room Stool. Price 19/6 Carriage Paid.

Lighter Pattern of same dimensions 14/9



FOLDING DRAINING BOARD.

Size 24-in. by 14-in.

A most useful article, will fit any size sink, has beaded edge on three sides.

10/-. Carriage Paid.


Lighter Pattern, 20-in. by 14-in.
5/3. Carriage Paid.

GALVANIZED COAL BUNKERS.

Made of stout Galvanized Steel.

Suitable for standing outdoors.



Each complete with baffle plate behind front door.



| | | | Wide | Deep | Front | Back | Price |
|--------|--------|--------|--------|----------|----------|----------|-------|
| No. 1. | 2 cwt. | Size : | 20 in. | × 20 in. | × 27 in. | × 30 in. | 21/- |
| No. 2. | 4 " | " | 24 in. | × 24 in. | × 33 in. | × 36 in. | 24/- |
| No. 3. | 5 " | " | 30 in. | × 24 in. | × 33 in. | × 36 in. | 27/- |
| No. 4. | 6 " | " | 36 in. | × 24 in. | × 33 in. | × 36 in. | 30/- |
| No. 5. | 7 " | " | 42 in. | × 24 in. | × 33 in. | × 36 in. | 35/- |
| No. 6. | 8 " | " | 48 in. | × 24 in. | × 33 in. | × 36 in. | 42/- |
| No. 7. | 10 " | " | 48 in. | × 30 in. | × 33 in. | × 36 in. | 47/6 |

All above Carriage Paid Station, England and Wales.

Folding Ironing Board and Sleeve Board.



Ironing Board, folds perfectly flat when not in use.

Made of selected materials. Top padded and covered White Flannel.

| | | | | |
|--|-----|-----|-----|-----------------------|
| No. 1. Size 48-in. long by 10-in. wide | ... | ... | 6/- | } Carriage 1/3 extra. |
| No. 2. Size 48-in. long by 13-in. wide | ... | ... | 8/- | |

Sleeve Board Padded and covered White Material Heavy quality 1/9 (Postage -/6)



Galvanized Clothes Lines.

Best Quality.

50-ft. length -/9, 100-ft. length 1/6 each
(Carriage -/6 extra.)

Ceiling Clothes Airer.

No. 523.

Indispensable as a permanent yet not unsightly Airer for fixing indoors. Comprising 2 galvanized **Wrought Iron** brackets 16-in. wide, 4 wood laths, 1 double pulley, 2 single pulleys, 1 holdfast, and 12 yards of cord complete.

6-ft. long, 5/9 each.
8-ft. long, 6/- each.
10-ft. long, 6/11 each.

Carriage Paid.

PLATE RACKS


Strongly constructed of selected Deal.
30-in. high.

| | | |
|--------------|---------------------|------|
| 22-in. long. | 12 plates, 3 dishes | 7/11 |
| 28-in. " | 18 " 3 " | 9/3 |
| 34½-in. " | 24 " 3 " | 11/3 |
| 42-in. " | 30 " 4 " | 13/- |

Above in Selected Hardwood.


10/6, 11/9, 13/3, 15/-

Carriage Paid.



Price
21/-
24/-
27/-
30/-
35/-
42/-
47/6

Larder Meat Safe.




Well Constructed of Seasoned Wood and small mesh Zinc Panels. All three sizes are 18-in. high and fitted with shelves. No. 1. 21-in. wide by 16-in. deep, Single Door, **21/6**

No. 2. 26-in. wide by 16-in. deep, Single Door, **28/6**

No. 3. 30-in. wide by 16-in. deep, Double Door, **33/9**

Outdoor Meat Safe.




Soundly constructed of Red Cedar with Galvanized roof. This timber requires no preservative although left outdoors. Sides and door of small mesh Zinc Panels. Fitted with 3 shelves and hanging hook, lock and keys. Overall size 58-in. high by 24-in wide by 18-in. deep.

Price 42/-

All above Carriage Paid Station, England and Wales.

Vegetable Racks.




Extra strong and well made—Galvanized—to stand or hang. Very serviceable for storing vegetables. They are clean and sanitary, and the stock of each vegetable can be seen at a glance, besides being kept fresh.

No. 1. Size 30 by 18 by 9-in., **10/6**

No. 2. Size 33 by 20 by 10-in., **12/6**

No. 3. Size 36 by 24 by 12-in., **14/6**

WINE BINS.




Holding ordinary Quart Bottles.
(6 to gallon.)

These Bins are made of iron frames and wood blocks, and are very durable. The bottles rest entirely upon the wood, thus greatly reducing the risk of breakage. The necks of the bottles should be placed outwards for easy handling, and so that the seals on corks are easily seen.

Will also take Champagne bottles.

| To hold | Height | Width | Prices |
|---------|----------------|-------|--------|
| 4 doz. | 32-in., 24-in. | ... | 18/3 |
| 6 " | 36-in., 32-in. | ... | 25/9 |
| 8 " | 47-in., 32-in. | ... | 32/6 |
| 10 " | 47-in., 39-in. | ... | 40/- |
| 12 " | 47-in., 47-in. | ... | 47/9 |
| 14 " | 54-in., 47-in. | ... | 55/- |
| 16 " | 62-in., 47-in. | ... | 61/6 |
| 18 " | 69-in., 47-in. | ... | 70/- |
| 20 " | 77-in., 47-in. | ... | 76/6 |

Special Sizes made to order.



Cabinets or Cellarets.

For general Home use or for Offices,
etc.

Stained and varnished Cabinet with
lock and key. Similar to above
Wine Bins inside.

Depth about 17-in. deep from back to
front.

Holding Ordinary Quarts (6 to gallon)
or Champagne Bottles.

| To hold | Height. | Width. | Price |
|---------|------------|--------|-------|
| 4 doz. | ... 35-in. | 28-in. | 72/- |
| 6 " | ... 35-in. | 35-in. | 97/6 |
| 8 " | ... 51-in. | 35-in. | 123/6 |
| 12 " | ... 51-in. | 50-in. | 157/6 |

The 12-doz. size has two doors.

All above Carriage Paid nearest Station.

COUCH HAMMOCKS.

Entirely **English** made.

Although so beautiful they are eminently practical. They fold into a small space for storage, and can easily be moved from place to place when erected.


All steel tubular frames, beautifully enamelled. Spring steel under mattress.

Reclining Backs and Adjustable Canopies. **Seat length, 6-ft.**

Below will be found the **less expensive** models and the prices represent

Wonderful Value.

Other models are shown on the following pages.



Special Model, No. 8, with reversible Seat Cushion and fully padded back rest which can be removed instantly. Very restful comfort. In several designs fine colourings of fast dye canvas, waterproofed and shrunk. (Send for Pattern)

Price **126/-**

With Spring and Chain Suspension.


Special Model No. 7. Same size and Canvas as above, but back rest not fully padded. Price **105/-**. With Spring and Chain Suspension.

Special Model No. 6. A competitive line with springs and chains. Price **90/-**

Model No. 9.

Same seat length and same superior fast colour Canvases. Fully upholstered back and reversible seat cushion. Complete with large suspension springs and chains.


Price **£6 10 0**



18-in. Square Cushions to match, **4/6** each, for any above.

SPECIAL WATERPROOF COVER for above, same shape as No. 1, shown on Page 117. Price **52/6**

COUCH HAMMOCKS IN GUARANTEED FADELESS FABRICS. WATERPROOFED.



Fitted with head rest.


Model No. 15. **Seat Length 6-ft.** With three cushion effect back and three large **reversible Pullman sprung** seat cushions. Beautiful **guaranteed fadeless** coverings. Tubular steel frame, steel Suspension Chains and Springs, reclining back and **adjustable** Canopy. Seat and back rest **instantly removable**.

Price £12 12 0. 18-in. square Cushions, 9/- each.

Model 12. The maximum comfort is obtained from this model by its unique construction. Both back rest and seat Cushions are sprung upholstering. The seat rests on resilient Galvanized Steel Strip, thus avoiding the solid front bar.

In Superior Canvas **£10 0 0.**


In Best Quality Canvas **£11 2 6.**



Model No. 11. **Seat Length 6 ft.** Adjustable upholstered back rest and reversible seat cushion in a variety of beautiful fadeless fabrics. Steel work as above without head rest. **Price £8 10 0.** 18-in. Square Cushions, 9/- each. Fabric Specimens sent on application. For Waterproof Covers, see page 117.

All above carriage paid to station.


COUCH HAMMOCKS IN GUARANTEED Fadeless Fabrics Waterproofed.



Model No. 16. Specially constructed with very luxurious upholstery. Seat is on a base of chain and spring mesh. Seat cushion contains 200 pocketed springs. The large **adjustable** back is well sprung and arm rests heavily padded. Heavy spring and chain suspension and adjustable canopy. Can be had in a wide range of **guaranteed fadeless** fabrics. Samples on application.

Price £14.

COUCH HAMMOCK EXTENSIONS.



Size 6-ft. 6-in. wide by 6-ft. Complete with two steel posts, green enamelled, guy ropes and pegs, etc. Canvas to match Hammock.

Price for Model No. 6.

7, 8 and 9.

11, 14, 15 and 16.


25/-

32/6

42/6

Above Carriage Paid, nearest Station.

COUCH HAMMOCK EXTENSIONS.



EXTENSION 70/-

This Extension Canopy is supplied with four steel legs and can be used away from Hammock if desired. Spacious area, 7 ft. by 7 ft. 6 in.

In Guaranteed Fadeless Fabrics

to match Hammocks shown on previous pages.



WATERPROOF COVERS.

An essential for Hammocks in variable climates. Gives complete and absolute protection. This pattern also very useful as a Wind Shield as the sides and ends are made so that front curtain only need be lifted if required.

No. 1.

With double texture top, one layer being Waterproof Sheeting

57/6



No. 3. WATERPROOF COVER.

When using this pattern cover all that is necessary is to release arms of Canopy before putting on cover.

No. 3 Cover, 47/6.


All above Carriage Paid Station.

Garden and Beach Umbrellas.

WITH VALANCE.

Fitted with 2-piece poles and **Strong Tilting Device**. Top half of pole $1\frac{1}{4}$ -in. Hardwood. Bottom pole of $1\frac{1}{4}$ -in. **Steel Tube**. Brass runner and notch

Solid Steel Ribs. Easily collapsible.



GUARANTEED FADELESS FABRICS.

Orange, Green and Orange, Red and Orange, Blue and Orange, Plain Red
Green and Red, Plain Blue.

Also in **Fadeless Stripes** to match Couch Hammocks.

Prices including Valance and Tilting Device—

| | | | |
|--------|-------|-------|-------|
| Spread | 6-ft. | 7-ft. | 8-ft. |
| Price | 47/6 | 70/- | 92/6 |

TABLES EXTRA. See page 145.

All above Carriage Paid nearest Station.

Garden and Beach Umbrellas.

Guaranteed Fadeless Cloth in Orange, Green and Orange, Red and Orange, Blue and Orange, Plain Red, Green and Red, Plain Blue.



No. 18. Spread 4-ft. 4-in. with 3-piece $\frac{3}{4}$ -in. seamless **Steel** Poles. Price **18/6**

No. 19. Spread 6-ft. with 2-piece $\frac{3}{4}$ -in. Seamless **Steel** Pole. **Steel** Ribs. Price **26/6**

No. 19A. Spread 6-ft. with 2-piece Pole as No. 2, but with **Tilting Device**. Price **31/6**

No. 20. Extra Strong 2-piece Pole. Top half $1\frac{1}{4}$ -in. **Hardwood** and bottom half of $1\frac{1}{4}$ -in. **Steel Tube**. Solid Steel Ribs.

No. 20. 6-ft. Spread. **Straight Joint**, 27/6. With **Tilting Device**, 33/-
 „ 7-ft. „ „ 36/- „ „ 41/6

No. 20 Umbrella can also be supplied in a range of Fancy Vat Dyed Striped Canvases at 3/- extra on the 6 ft. size and 4/6 extra on the 7 ft. size.

Carriage Paid station.

Umbrella Bathing Tents.

The Umbrella is the No. 20 described above. Surround Curtains are detachable and fitted with loading pockets at bottom.

6-ft. Spread **55/-**

7-ft. „ **70/-**

Also supplied with a lighter material at **45/-** and **60/-** respectively.

Carriage Paid station.



COMPLETE SUITE.

Umbrella, Table and Chairs.



In various Colour Combinations of Green and Orange, Red and Orange, Blue and Orange. All to match.

Umbrella with Tilt, 6-ft. spread. Chairs with Tubular Steel Frames. All Folding.

Price complete, as illustrated, **100/-**.

Carriage Paid Station. England and Wales.

Any of the Chairs can be supplied with the Folding Side Table as illustrated on page 131 for **4/3** each extra.

SUPERIOR WOVEN HAMMOCKS.

In Attractive Striped Colourings.

Full Size.



No. 1. Size 68-in. by 32-in. With Pillow and deep Valance and Fringe 21/-

No. 2. Heavier quality. Size 72-in. by 33-in. With Pillow and deep Valance and Fringe 27/6


These are of very superior close texture material of attractive colourings, and are very strongly recommended.

FULL SIZE TWINE HAMMOCKS.

Complete with Stretchers and Lashing Lines. 10-ft. 6-in. overall.

| | | | | | | |
|----------|-----------------------------|-----|-----|-----|-----|------|
| No. 740. | Stout Single Hemp Twine | ... | ... | ... | ... | 9/3 |
| " 741. | Stout Double Hemp Twine | ... | ... | ... | ... | 11/6 |
| " 742. | Extra Stout Polished Cotton | ... | ... | ... | ... | 14/6 |

HAMMOCK STANDS.




Tubular Steel Frame, Green enamelled. Adjustable up to 10-ft. Stands firmly. Folds flat when not in use. Price 39/- (Stand only). Canopy in Fadeless Striped Canvases 28/6. (Hammocks see above.)

GONDOLA PATTERN STAND.


Stands quite rigid and is adjustable to almost any size Hammock. Well made of Hardwood. Folds flat for storing.

Price 22/6 (Stand only).



All above Carriage Paid England and Wales.

STEEL FRAMED FOLDING GARDEN SHELTERS.



The Framework, being Green Enamelled Steel, is unaffected by the weather and can be left in the open. It is only necessary to remove canvas, which is in one piece. Rigid and strong and folding into small space

Size 6 ft. by 3 ft. by 6 ft. high.

Striped Canvas, 26/-

Heavy Green Rot-proof Do. 42/-

Fadeless fancy striped, water-proofed 42/-

Samples of **Fadeless** Patterns sent Post Free.


STEEL FRAMED SHELTER.

With front extension of 2 ft. which affords greater shade. Size as above.

Striped Canvas, 30/6

Heavy Green Rot-proof Do., 49/6

Fadeless fancy striped water-proofed 49/6



STEEL FRAMED SHELTER.


6 ft. Extension.

Shelter is same size as above and a spacious shaded area is provided by the Extension, which extends 6 ft. As illustrated the Extension is supported by Angle Iron Post with large base plates. All the steelwork is green enamelled.

Fancy Striped Heavy Twill 60/-


Heavy Green Rot-proof Do., 75/-

Fadeless fancy striped 75/-



All above Carriage Paid Station, England and Wales.

FOLDING GARDEN SHELTERS AND TENTS.



Full Size Shelter.

Size, 6-ft. wide by 3-ft. 4-in. deep by 6-ft. high in front.

The frame is made of selected materials of light construction, and it can be moved from place to place without folding. The cover is of best quality Canvas, and in one piece. The whole Shelter can be fixed up or taken down in an instant:

"X" Unvarnished Wood Frames. Second Quality Canvas. Striped, 19/-
Green Rot Proof, 27/-

Also with divided front Curtain to form **Bathing Shelter**. Striped 25/-. Green Rot Proof, 36/-.

Corner Post Polished Pine Frames. Best Canvas. Striped, 27/-. Green Rot Proof, 39/6.


Also with divided front Curtain to form **Bathing Shelter**. Striped, 35/-. Green. Rot Proof, 50/-.

Full Size Shelter with 2-ft. Extension.

Size, 6-ft. wide by 3-ft. 4-in. deep by 6-ft. high in front.

This Shelter is similarly constructed to above, but has the addition of a front Extension, which projects 2 ft. and affords greater shade.

Cover is all in one piece.



"X" Unvarnished Wood Frames. Second Quality Canvas. Extension projecting 2 ft. Striped, 25/-. Green Rot Proof, 34/6.

Corner Post Polished Pine Frames. Best Canvas. Extension projecting 2 ft. Striped, 31/-. Green Rot Proof, 45/-.

SHELTER WITH 5½-ft. EXTENSION.

The Extension on this model is supported at extreme end by 2 upright Poles, which stand on ground and same are kept in position by guy ropes. Whole Shelter Cover is in one piece.

Prices are complete with frame, poles, guys, etc. Size of shelter 6-ft. by 3-ft. deep. "X" frame with awning extending 5-ft. 6-in. In Striped Canvas, 30/-.

All above Carriage Paid Station, England and Wales.

PINOLEUM SUN BLINDS.

Pinoleum is the most practical and economical of all blinds. Its uses are manifold, and although particularly suitable for **Windows** is eminently adaptable to **Balconies, Verandahs, Summer Houses, Greenhouses**, etc. The ease with which it can be fitted anywhere is one of its chief features.

Made from thin rods of wood woven together and painted green. Thus the material is rigid across the blind and flexible in the drop or length, which explains its practicability. Wood, which is not a conductor of heat, forms the basis of the composition of **Pinoleum**. The narrow spaces between the rods of wood allow the air to pass freely whilst the strong light and direct heat rays are broken. **Pinoleum** ensures a soft light and freshness.

Pinoleum being practically transparent, enables one to see outside without being seen. Sheltered behind a **Pinoleum Blind** an agreeable sensation of comfort and well-being is experienced during the hot weather.

Another advantage of **Pinoleum** is that it breaks the effect of the strong wind and keeps out the rain.


Pinoleum is practical because of its adaptability. The fitting and working of the blind is so simple. It can be fixed at a moment's notice to any window door or opening.

Stock sizes as under. All Blinds are complete with top rail, bottom roller pulleys and cord.

| | | |
|-------------------------|------|------|
| 24-in. wide 66-in. long | 6/- | each |
| 30-in. wide 66-in. long | 7/3 | " |
| 36-in. wide 66-in. long | 8/6 | " |
| 36-in. wide 72-in. long | 9/- | " |
| 42-in. wide 72-in. long | 10/6 | " |
| 42-in. wide 84-in. long | 11/9 | " |
| 48-in. wide 84-in. long | 13/3 | " |
| 54-in. wide 96-in. long | 18/- | " |
| 60-in. wide 96-in. long | 20/3 | " |
| 66-in. wide 96-in. long | 21/9 | " |
| 72-in. wide 96-in. long | 24/6 | " |
| 78-in. wide 96-in. long | 27/- | " |


Carriage & Packing free on Orders of 20/- . Otherwise please add 1/- extra.

Any length can be made, but in width not beyond 78-in. Special sizes made to order in 3 or 4 days at 5/3 per square yard, with a minimum of 9/6 for small sizes under two square yards.



SPRING ROLLERS where required for above complete with Bracket Box, Sockets, etc., quoted on application.

PINOLEUM SUNBLINDS.




PROJECTION IRONS AND SOCKETS are supplied where required to throw out Blind at bottom.

| | | | | | | |
|----------|-----|-----|-----|-----|-----|-----|
| Length | 12 | 15 | 18 | 21 | 24 | in. |
| Per Pair | 1/9 | 2/- | 2/3 | 2/6 | 2/9 | |


| | | | | | | |
|----------|-----|-----|------|-----|------|-----|
| Length | 27 | 30 | 36 | 42 | 48 | in. |
| Per Pair | 3/- | 3/3 | 3/11 | 4/6 | 5/11 | |

including sockets.




AWNINGS of all sizes can be erected easily. Sitting beneath **PINOLEUM AWNING**, which allows the sunlight and air to filter gently through, it the nearest approach to sitting beneath a shady tree giving perfect shade without closeness.

PINOLEUM AWNINGS are quite inexpensive, and our **advice** with estimate of cost will be sent upon receipt of **size required**.



PINOLEUM is in great demand for **Greenhouse Shading**. Can be used inside or outside as convenient. Economical and lasting. Gives perfect shade, but does **not exclude the air**. We shall be pleased to quote for your requirements upon receipt of details.



Sun Awnings.

Supplied complete with Wall Bracket, Hooks, Front Stretcher, Poles, Bracing Lines, &c., as illustrated. All 6-ft. deep (from Wall outwards).

| | Length | 6-ft. | 9-ft. |
|-------------------------|--------|-------|-------|
| Medium Striped Canvas | | 18/6 | 25/- |
| Best Striped Canvas ... | | 22/6 | 31/6 |
| Green Rotproof Canvas | | 27/- | 35/- |

Other sizes can be made.

Carriage Paid England and Wales.

Awnings also supplied on
Spring Rollers.

Door Blinds or Shades.

Length 7-ft. 3-in.


Supplied complete with strong metal rings strongly attached. All edges well finished. In various Fancy Striped Canvases of good heavy quality.

No. 12. Heavy grade **Cotton**.

No. 14. Best **All Linen**.


| No. | 36-in. | 42-in. | 48-in. | 54-in. | wide |
|-----|--------|--------|--------|--------|------|
| 12 | 4/9 | 5/9 | 6/6 | 7/3 | |
| 14 | 6/3 | 7/3 | 8/3 | 9/3 | |

Carriage Paid.



Deck Chair Canvases.


Correct Lengths for Renovation and Renewal.



Modern fancy Colourings of many designs. Complete with large headed nails.

No. 1 Quality 1/-, No. 2 1/6, No. 3 2/-, No. 4 2/6. Green Rotproof do. 2/

Postage extra, according to number sent.



IMPROVED LOUNGE CHAIR. REAL COMFORT

Seat 11-in. from Ground.
Splendidly Constructed
from Superior Hardwood.
Full size Seat, giving
extreme comfort. **Head
Pillow** and **Seat padded**
at front. **Adjustable to
any position.** **Folds**
quite flat. Weight 11-lbs.
only.

Invaluable to Motorists.
Supplied with or without
arms.

De Luxe Model. Highly polished. Best
fancy design Canvas or Heavy Green
Rotproof

Universal Model. Polished. In Fancy
Striped Canvas

Popular Model. Plain frames. In good
Striped Canvas


Chair, with
Wide Arms. Canopy.

16/- 9/-
(fringed)

14/- 7/6
(not fringed)

10/-


FIRM SEAT LOUNGE CHAIR.



Adjustable to five positions. A great advance on the old type Deck Chair,
being provided with a square, firm seat and supporting band for the back.
Best Polished Hardwood. Superior make and finish. In Best Striped
or Green Rotproof Canvas. **Chair** only with wide Arms and Pillow, 24/6.
Leg rest, 5/-. Canopy, 6/- extra.

All above Carriage Paid Station, England and Wales.

DECK CHAIRS.



See page 126 for Deck Chair Canopies and Lengths.



These Chairs are constructed with specially designed safety slats, and are made from Best Selected **Finest Quality Knotless Steamed Beech**, with all metal parts coppered. They **must not** be confused with the light fragile frames sometimes offered.

| | Chair only | Canopy | Leg Rests | Wide Arms |
|--------------------------------|------------|--------|-----------|-----------|
| Striped Jute Canvas ... | 3/11 | 3/- | 2/3 | 1/6 |
| Best Striped Union ... | 4/6 | 3/3 | 2/9 | 1/6 |
| Best Green Rotproof ... | 4/11 | 3/9 | 3/- | 1/6 |
| Highly Polished Natural Colour | 1/3 | -6 | -9 | -9 extra |

Carriage, Single Chairs, 1/3 extra; Two Chairs, 1/9 extra.
1 dozen lots, Carriage Paid Station, England and Wales.

A RESTFUL FOLDING CHAIR.

Offers the utmost comfort. Fitted with self-adjusting back. Folds easily into small space. High polished hardwood frame and good quality canvas. Fancy striped or green rotproof. Price 10/6. Carriage Paid.




GROUND CHAIR.

A very low seat, but quite clear of the ground. **Adjustable** back rest and fold into very small space, making an **ideal Picnic Chair**. Although only 4 lbs. in weight, it is very strong and will stand up to considerable use.

Polished Frame, Striped Canvas, 6/9.
Unpolished Frame, Striped Canvas, 5/3
Carriage Paid.

THE NEW SAFETY DECK CHAIR

THAT CANNOT LET YOU DOWN. IT CUTS OUT ALL ACCIDENTS.



The Best and Safest Chair for Public or Private Use.

Solidly constructed of best Hardwood and well finished. Readily adjusted to any position, and the holding device simply cannot move. The greater the weight on the chair, the more securely it is held in position. A **definite advance** on the old method.

| | Chair only | Canopy | Leg Rest | Arms |
|-------------------------------|------------|--------|----------|------|
| Best Striped Union Canvas ... | 6/6 | 3/9 | 2/9 | 1/6 |
| Green Rotproof Canvas ... | 8/3 | 4/9 | 3/6 | 1/6 |
| Best Fancy Striped Canvas ... | 7/6 | 4/- | 3/6 | 1/6 |
| Extra for Varnishing ... | 1/- | -/3 | -/6 | -/3 |

Carriage, Single Chairs, 1/3 extra. Two Chairs, 1/9 extra.

One dozen lots, Carriage Paid Station, England and Wales.

LIGHT CAR AND PICNIC CHAIR.

Folds into small space, and weighs 3½ lbs. only. Constructed so that when in use it cannot possibly collapse. Strong Hardwood Frame and good Striped Canvas.

Size folded 19" x 38" only.

Price 4/-. Carriage Paid.



FOLDING STOOLS.

For Picnic, Car, etc. Occupy small space.

Striped Canvas Seat, Strong Wood Frame and Back Rest, 3/9. Carriage Paid.
Green Rotproof Seat, Frame and Back Rest Polished, 6/9. Carriage Paid.



FOLDING ARMCHAIR.

A most comfortable Folding Chair in Hardwood with Canvas Seat and Back.

Folds very compactly Side to Side in one action.

Wide and deep Seat.

Can be supplied with or without the Side Table, which folds flat when not required.




Polished Hardwood Frames. In Fancy Striped Canvas, 8/9 each.
Ditto, in Green Rotproof Canvas, 8/9 each.

Best quality model with extra wide Arms and Superior Finish, in Best Striped or Heavy Green Rotproof Canvas, 10/6.

Folding Side Tables fitted to above, 3/9 extra.

SPECIAL LINE. Unpolished Hardwood Frames, Striped Canvas, 4/11 each.

EXTRA ROOMY FOLDING LOUNGE CHAIR.




A really restful Chair, with a **Deep Seat**, providing extreme comfort. Seat (14 in. from ground) 21 in. wide, 22 in. deep. Made from selected materials with a splendid finish. Heavy Striped Canvas or Best Green Rotproof Canvas, 22/6.

Lighter Pattern, without centre strut, otherwise same dimensions, in Striped Canvas or Green Rotproof Canvas, 8/9.

Also supplied complete with Folding Side Table, if required, 3/9 extra.

All above Carriage 1/3 extra for 1; 1/9 extra for 2.

1 doz. lots, Carriage Paid England and Wales.



FOLDING ARMCHAIRS

Perfect Comfort.


Extra Strong **Tubular Steel** frames, Stout Canvas, easily detachable. Steelwork beautifully enamelled in Green, Blue or Orange with Canvas to match or contrast as preferred, **12/9** each.

FOLDING ARMCHAIRS


Tubular Steel Frames.

Same Chairs as above, with Side Table attached, which folds flat as chair closes.

17/- each.




FOLDING CHAIRS & STOOLS.



Folding Chair. Ideal for the Car and Picnic. Folds flat. Strong flat steel frames, painted stout striped canvas. **6/-** each.

Tubular Steel-framed Folding Chair, light yet strong. Enamelled frames, good quality. Striped canvas. **8/6** each.

All above Carriage extra, **1/3** on 1, or **1/9** on 2. One dozen lots Carriage Paid Station England and Wales.



THE "SUN-BATHING" LOUNGE-BED

Size open 78-in.
by 26-in. Size
closed 39-in. by
26-in.

Specially designed for **Sun-Bathing** purposes. Affords perfect rest, adjustable combined back and head rest. Ideal for invalids or persons requiring rest out of doors. Can also be used as an emergency camp bed. Folds in one movement only. Frame of selected Hardwood. Highly Polished, and covered Best Striped Canvas. Price **29/6**. Canopy (not illustrated), **11/6**.

As above, but with Ordinary Striped Canvas. Price **24/-**. Canopy **10/6**. Roll up Mattresses for above, filled Kapok, **24/9** and **20/-** respectively. Cheaper Model with Plain Canvas and Unpolished Frame. Price **16/6**.

SUN BATHING LOUNGE.

Can also be used as **Camp Bed**.



Tubular **Steel Frame**. Canvas readily detachable. Folds into small space. Size open 72-in. by 22-in. Size folded 24-in. by 22-in. Price **27/6**.




BEACH MATTRESS

Size 6 ft. by 3 ft.
Weight 5 lbs. Best
Striped Waterproofed
Cloth. Price **1/-**

Ideal for use on
above **Sun Lounge**
or on **Camp Bed**

All above Carriage Paid Station, England and Wales

PORTABLE SUN LOUNGE.



Ideal for invalid's use as the whole can be easily wheeled into different positions without disturbing the occupant. Extra strong Seamless Steel Tube Frame, enamelled to suit canvas. Rubber tyred Chromium Plated Wheels, 12-in. diam. Wide Polished Arm Rests. Superior quality detachable Canvas, 6-ft. long, and Detachable Canopy.

Price Complete, 95/-.

RIGID TYPE HAMMOCK SEAT.





Non-swinging, well upholstered Seat for two persons. Length 4-ft. Seat Cushions are Pullman sprung and reversible. Mounted on steel base, which is fitted with a Spring Mattress giving extra comfort. Base tube framing is Chromium Plated. Canopy is detachable, and the model is supplied with or without Canopy.

Price Complete, as illustrated, 145/-, or Without Canopy, 110/-.

All above Carriage Paid nearest Station, England and Wales.

FOLDING RECLINING HAMMOCK CHAIR.

The latest design in Comfort and Safety.



Adjustable to any position from horizontal to upright and **Folds Flat** for storage by a simple single action. **Extra wide, 22-in.** for extreme comfort. **Firm Seat** for the upright position which does not sag downwards. **Canvas** is the finest extra stout Green Waddington Rot-proof with Pillow of same material. **Automatically stops at horizontal position.** Selected substantial **Hardwood** frame, with **wide arms.** All beautifully polished.

EXTREME COMFORT. WONDERFUL VALUE.

Price 30/- Carriage and Packing Free

Adjustable Canopy of ample size, 6/9 extra.

THE "APOLLO" RECLINING HAMMOCK CHAIR



English made throughout

The framework is of heavy section **seasoned hardwood** splendidly varnished and the whole is strengthened at all joints and corners to withstand the **heaviest strain**. The canvas is a specially selected Green Willesden Rotproof which is **guaranteed**.

You really **rest in any position** from upright to horizontal.

No mechanism. The distributed weight as you recline **maintains the position** you wish. You **cannot go** beyond the horizontal.

Folds flat by a simple action when not in use.


It is very roomy and **provides all the comfort** of a swinging hammock.

Sent carriage paid and packing free, **42/-**

Detachable Canopy with Deep Fringe **10/6**

Also supplied with **Wider Arms** which are fitted with Ash and Glass recesses **4/- extra**.

IMPROVED "PRIZE MEDAL" GARDEN SEAT.




No. 130.

The ironwork is heavy and the splines are extra thick. Selected Pitch Pine Battens, well varnished, and Ironwork painted Green, well stayed, the whole fitted together with strong galvanized bolts, the armrests being double bolted. The illustration shows a 6-ft. seat—shorter seats do not have the centre strap, as shown.

| | Prices. |
|---|---------|
| 4-ft., with 2 standards, but without middle back rail ... | 22/6 |
| 5-ft., with 2 standards | 31/- |
| 6-ft., with 2 standards | 33/6 |
| 6-ft., with 3 standards (extra heavy) | 44/9 |
| 8-ft., with 3 standards (extra heavy) | 61/6 |


A "WONDERFUL VALUE" GARDEN SEAT.



No. 105.


Wrought Ironwork and
Pine Splines. Painted Green.
In one Size only.
4-ft. 6-in. long, 23/9

All above Carriage Paid, England and Wales.

WROUGHT IRON GARDEN SEATS.

Wrought Iron Standards, painted Green, with heavy Pitch Pine Splines, Varnished. Extra quality.


| With arms as illustrated. | | | | Without arms. | | | |
|-----------------------------|------|------|--|-----------------------------|------|------|--|
| 5-ft. long, 2 Standards ... | 41/6 | each | | 5-ft. long, 2 Standards ... | 38/6 | each | |
| 6-ft. „ 3 „ ... | 48/3 | „ | | 6-ft. „ 3 „ ... | 45/9 | „ | |
| 7-ft. „ 3 „ ... | 64/6 | „ | | 8-ft. „ 3 „ ... | 61/6 | „ | |

IMPROVED LAWN LOUNGE CHAIRS.No. 22. 

This is a strong and comfortable Chair, with curved back, and is well made and finished. Pitch Pine Splines Varnished, Ironwork painted Green.

Price without arms, 15/3


Price with arms, 19/-

No. 144. 

An extremely comfortable Chair. Ironwork painted and woodwork of best Pitch Pine. Varnished.

Price without arms ... 19/6

Price with arms... 24/9




All above Carriage Paid and Packing Free, England and Wales.

"Brightelm" Garden Seats and Tables.

Joiner made from beautifully grained Elm, stained Nut Brown.

CAN BE LEFT OUTDOORS ALWAYS.


WONDERFUL VALUE.




Seat No. 21.

Morticed Back Rails.


| | |
|--------------|------------|
| Length 4-ft. | Price 16/3 |
| " 5-ft. | " 17/- |
| " 6-ft. | " 19/6 |



Seat No. 18. Round Back. Length 4-ft.
Price 28/9.



Armchair No. 17, to match.
Round Back. Price 16/3.



Seat No. 16. Length 5-ft. Price 27/9.




Armchair No. 11, to match.
Price 14/3.

All above Carriage Paid Station, England and Wales.

"Brightelm" Garden Seats and Tables.

Joiner made from beautifully grained Elm, stained Nut Brown.
CAN BE LEFT OUTDOORS ALWAYS. WONDERFUL VALUE.
SOLIDLY CONSTRUCTED.




| | | | | | | | |
|---------|-------------------------|-----------------------|-----|-----|-----|-----|------|
| No. 25. | Square Table. | Size 24-in. by 24-in. | ... | ... | ... | ... | 17/3 |
| „ 22. | Round Table. | Size 29-in. diameter. | ... | ... | ... | ... | 23/6 |
| „ 10. | Chair, to match. | Seat 18-in. | ... | ... | ... | ... | 9/3 |

Special Value Elm Seat.

In two sizes only, enabling the prices to be reduced to the minimum.

Treated with a pleasing **Nut Brown** Preservative.

Attractive Appearance. Roomy and Comfortable.




No. 3. Seat made from beautiful **English Elm**. Heavy 3-in. by 1½-in. framing.
Wide Shaped Seat, sloping back, **Shaped Arms**. All joints **mortised**.
 4-ft. size, **23/6**. 5-ft. size, **27/9**.

All above Carriage Paid Station, England and Wales

A GARDEN SEAT OF DISTINCTION.

Made specially to our **OWN SPECIFICATION**, embodying all essential **LUXURY FEATURES** at a reasonable cost. Every constructional detail has been considered to give strength and durability. Workmanship and finish is of the highest class.



These Seats are **4-ft. 6-in. long** overall and fitted with **4½-in. arms**, which are thus wide enough for **glasses, plates**, etc. All joints morticed and pegged. 19-in. seat is **shaped for comfort** and 19-in. high back is set at **correct slope**. Framing and legs, which are **well braced**, are of substantial size.

CHOICE OF THREE WOODS.

Selected and seasoned first grade timber, **oiled finish**, all suitable for outdoors.

PRIME RED CEDAR. Light in weight, making the seat easily portable single handed. Price **36/6**.

BEST ENGLISH OAK. Makes a heavier seat, which two can lift. Price **41/9**.

GENUINE BURMA TEAK. Imperishable under any conditions. Price **48/-**.


Carriage Paid Station, England and Wales.

TEAK GARDEN SEATS.

Please ask for Complete List of all Designs.

**Burma Teak—Impervious to Sun, Rain or Snow. Practically indestructible.
Needs no Reconditioning.**

Standard Quality and Finish, which cannot be had in "cheap" Teak Seats.




Pattern B.

| | |
|------------------|-------------|
| Height overall, | 2-ft. 9-in. |
| Width of seat, | 17½-in. |
| Height of back, | 14½-in. |
| Length 4-ft. ... | 36/- |
| Length 5-ft. ... | 45/- |
| Length 6-ft. ... | 55/- |

These Seats are made for really hard wear and are strongly and sturdily constructed. All joints are morticed and tenoned besides being glued. The seat slats are brass screwed. The back is set at a restful angle and the seat is curved to give the greatest comfort.

Built by craftsmen to last a lifetime. **Your first expenditure on Burma Teakwood Seats is your last.** Being Burma Teak it is rotproof and will stand years of exposure. Supplied in its natural colour, the strength and beauty is retained indefinitely. Unlike so many low priced Teak Seats, these are carefully sanded and smoothly finished.



Pattern M.

The 4-ft. 6-in. "Malvern" seats Three Adults comfortably.


| | |
|--------------------|---------|
| Height overall, | 35½-in. |
| Height of back, | 17½-in. |
| Width ... | 18-in. |
| Length 4-ft. 6-in. | 49/6 |
| Length 6-ft. ... | 63/- |

Coronation, 1937.

Top back rail of these Seats can be attractively carved with the wording "G.R." and Crown, with "Coronation, 1937" added for 3/- extra on above prices.

All above Carriage Paid Station, England and Wales.


The
 "FAN"
 Design
 Teak
 Seat.



A new and attractive pattern Seat, splendidly made and well finished natural colour. Very distinctive. Made from **Best Selected Teak**.
 4-ft. long, 68/-. 5-ft. long, 73/6. 6-ft. long, 84/-.

THE "GARDEN" SUITE.

Genuine High Class Burma Teak Wood.




Constructed throughout of Selected Teak. Of the finest workmanship built to give unfailing dignified service for many years.
 Suite consisting of **Table** (size of top 36-in. square with undershelf 20-in. by 20-in.) and **Four Chairs** which fit under table when not in use and then occupy a space 36-in. square only.

Price complete as shown, 4 Chairs and Table, **£9 15 0**.
 All above Carriage Paid Station, England and Wales.

OLD ENGLISH GARDEN FURNITURE.

NO NAILS or SCREWS USED ANYWHERE.




Round End Seats.

2-in. Ends.

1½-in. Seat.

1¼-in. Back.

| Seat Long. | Elm. | Oak. |
|-------------|------|------|
| 3-ft. 6-in. | 39/- | 54/6 |
| 4-ft. | 41/- | 56/6 |
| 4-ft. 6-in. | 43/- | 58/6 |



Old English Bench or Seat.

Seat and Ends 2-in. thick.

| Long. | Elm. | Oak. |
|-------------|------|------|
| 3 ft. 6-in. | 33/6 | 42/8 |
| 4-ft. | 36/- | 44/6 |
| 4 ft. 6-in. | 38/6 | 46/6 |




Table to match above.

Heavy Construction and well made.

Table 36-in. by 24-in.

| | |
|----------------|------|
| In Natural Elm | 35/- |
| Do. Oak | 46/6 |

Corners now rounded.

All above Carriage Paid, England and Wales.

Folding Wood Tables.



For Garden, Tea Room, Dance Hall, Schoolrooms or Card Playing. These Tables occupy but little room when not wanted, are light, yet as rigid and strong as an ordinary table. Flat folding.

| | | | | |
|--------|---------------------------------------|-----|-----|------|
| No. 3. | Solid Top, Polished, 22-in. by 22-in. | ... | ... | 12/6 |
| No. 4. | Ditto, 22-in. by 30-in. | ... | ... | 14/6 |
| No. 5. | Slat Top, Polished 22-in. by 22-in. | ... | ... | 9/- |
| No. 6. | Ditto, 22-in. by 30-in. | ... | ... | 10/- |


Carriage on single tables, 1/3 extra ; on two tables, 1/9 extra ; one dozen lots

Carriage Paid, England and Wales.

CHESHAM GARDEN TABLES.

Tea in the Garden just needs the "Chesham" Garden Table to make it as enjoyable as can be. It is a handy little table with a sharp-pointed end which you stick into the grass. The detachable top of Model A holds Tea Cups and Saucers, Plates, etc. Model B is specially designed for Glasses. Motorist should note particularly that these two "Chesham" Tables are ideal for "picnic" use, being easily packed and very light to carry.

Uprights finished in Art Black and top trays enamelled Cream colour




Model A.
2/6 each.

(Carriage and Packing, 1, 2 or 3, -/6 ;
over this quantity, -/9 extra.)

Model B.
3/- each.

STEEL FOLDING TABLES.

FOR OUTDOOR USE AND FOR USE WITH UMBRELLAS (See Umbrella Section).



Model No. 31.

Green Enamelled Steel Folding Table.

23-in. diameter, 11/6

29-in. diameter, 14/6

1/- extra for hole and socket for Umbrella.

Other Colours 1/6 extra.





Model No. 33.

Also Green Enamelled and flat folding.

Size 34-in. by 22-in., 16/-

1/- extra for hole and socket for Umbrella.

Other Colours 2/- extra.



Model No. 30b.

Rolled edge top, heavy gauge Steel. Very strong. Can be supplied with top enamelled in either Red, Blue, Brown, Green, Orange or Grey.

23-in. diameter, 14/-

29-in. diameter, 16/6

1/- extra for hole and socket for Umbrella.

Carriage and Packing on above, 1 Table 1/3; 2 Tables, 1/9.

The "Essanee" Popular Card Table.



Special Line.

We have sold thousands of these tables which are extremely fine value in every way. Green Tops,

Size 22-in. by 22-in., Price $3/6$ each

Size 18-in. by 18-in., Price $3/3$ each

Superior Quality.

Framework is stained Mahogany and Polished. Top covered Green Felt Cloth of best quality. Edges nicely beaded. Highly Finished.

No. 63B. 22-in. by 22-in. 9/

No. 63F. 24-in. by 24-in. 11/

No. 63K. 18-in. by 18-in. 7/

No. 63Z. 24-in. by 24-in. Solid Oak 12/


Carriage on single tables, $1/3$ extra; on two tables, $1/9$ extra; one dozen lots Carriage Paid England and Wales.

Bridge Tables.

Tops covered in Best Quality Felt. Green, Blue, Mauve or Brown.

Fold Perfectly Flat, can be opened or closed instantly. Height, 27-in.

The Special Feature of this Table is the Solid Copper Glass Holders and Ash Trays at each corner, which fold under the Table when not in use.



No. 64C. In selected Hardwood, Stained and Polished Mahogany, 30-in. by 30-in. No Cup Fittings 33/

No. 64D. In selected Hardwood, Stained and Polished Mahogany, 30-in. by 30-in. With Cup Fittings 43/

No. 64E. In Solid Oak, 30-in. by 30-in. With Cup Fittings... .. 49/

No. 64F. In Solid Oak, 30-in. by 30-in. No Cup Fittings 39/

No. 64H. Stained and Polished Oak or Mahogany, 3-ply Tops in Blue, Plum or Green, 30-in. by 30-in. No Cup Fittings... .. 17/

No. 64L. A light popular-priced Table, 30-in. by 30-in., finished Oak colour. No Cup Fittings 13/

Bridge Tables Sent Carriage Paid.

FOLDING GARDEN CHAIRS.



No. 780.

No. 780. This Chair is most useful where storage space is valuable. Folds flat.
Plain, 4/6, Polished, 5/3 each.



No. 710.

No. 710. Perforated Seat. Extra Stout. Strongly made.
Plain, 7/6 ; Varnished, 8/3 ; Stained and Polished Walnut, 8/9 each.

Park Pattern Folding Iron and Wood Chairs.




No. 512. Strong Iron-framed Chair with shaped seat and three-slat back. Woodwork varnished and ironwork painted green. 9/6

No. 506. Two-slat back with flat seat. Woodwork varnished and ironwork painted green. 7/6


No. 47. A lighter pattern similar to No. 506. 5/6, or if painted green all over, 5/-

Carriage on single chairs, 1/3 extra ; on two chairs, 1/9 extra ; one dozen lots, Carriage Paid England and Wales.



- No. 71.—Set comprises 3½-in. figures enamelled white, and galvanised Cup, etc. 5/9 per Set
- No. 72.—Set comprises larger figures, flag and galvanised Cup, complete in box with one ball, Score Cards, etc. ... 18/6 "
- Full sized Putters, 5/3 each. Dandy Gutta Balls, 9/6 doz.

GOLF PRACTICE NETS.




Net with Two Side Wings, as above. Extra Strong, small mesh Tanned String Netting.

| | Net only. | Net and 4 Poles, Guy Lines, etc., Complete. |
|--|-----------|---|
| 10-ft. wide, 6-ft. high, 5-ft. wings ... | 47/6 | 66/6 |
| 10-ft. „ 7-ft. „ 5-ft. „ ... | 54/- | 75/- |
| 10-ft. „ 8-ft. „ 5-ft. „ ... | 61/- | 88/- |
| 10-ft. „ 9-ft. „ 5-ft. „ ... | 67/6 | 95/- |
| 10-ft. „ 10-ft. „ 5-ft. „ ... | 75/- | 107/6 |

BACK NETS ONLY (without Wings).

| | Net only. | Net and 2 Poles, Guy Lines, etc., Complete. |
|-----------------------------|-----------|---|
| 10-ft. wide, 6-ft. high ... | 24/- | 34/6 |
| 10-ft. „ 7-ft. „ ... | 27/6 | 38/6 |
| 10-ft. „ 8-ft. „ ... | 31/- | 45/- |
| 10-ft. „ 9-ft. „ ... | 34/- | 49/- |
| 10-ft. „ 10-ft. „ ... | 37/6 | 55/- |

All above Carriage Paid.

TABLE TENNIS EQUIPMENT.**"Gate-Leg" Model Table**

With new design folding trestles. Stout 9 m.m. Plywood, well made and securely battened. In two halves for dowelling together. Green Tops with White Borders.

| Size. | Tops only. | Complete with Trestles. |
|----------------|------------|-------------------------|
| 9-ft. by 5-ft. | 47/6 | 63/- |
| 8-ft. by 4-ft. | 42/6 | 57/6 |
| 7-ft. by 4-ft. | 37/6 | 50/- |


PLYWOOD TABLES.

With ordinary Trestles, fixed together with wing nuts and green webbing. Green top tables with white borders.

| | 6 m.m. Plywood. | | 4 m.m. Plywood. | |
|-----------------|-----------------|----------|-----------------|-----------|
| Size. | Top only. | Complete | Tops only | Complete. |
| 9-ft. by 5-ft. | 41/6 | 58/6 | 32/9 | 49/9 |
| 8-ft. by 4-ft. | 34/6 | 51/6 | 27/6 | 44/6 |
| 7-ft. by 3½-ft. | 29/- | 46/- | 25/- | 42/- |

IPSO FACTO TABLE.

Has solved the vexed problem of separate Tops and Trestles. Illustration shows the easily folded legs fixed to top giving absolute rigidity when in use. In 9-ft. by 5-ft. size only, 83/6

**NETS AND POSTS.**

No. 12. 4½-ft. Green Leno Net, regulation height, bound top and corded base. 7d. each.

5-ft. ditto, 8d.; 5½-ft., 10d.; 6-ft., 1/2

No. 18. Well stiffened Net, regulation height, bound top and corded bottom, eyeletted sides, 6-ft., 1/6

No. 86. Brass Posts, with cleats, 1/9, or with 6-in. extending arm, 2/3

No. 93. Nickel plated Posts and Clamp combined, 2/3, or with 6-in. extending arm, 3/3

TABLE TENNIS BATS.

Best Quality, Well Balanced.

The "Terna." Hardwood, Rubber Covered both sides, 2/9

The "Bull." Double Rubber Covered, Cork Handle, 3/9

The "International." Rigid Ply Blade, Double Rubber Covered, 2/9

SPECIAL LINE of similar balance and weight to above.

Sandpaper and Plain or Cork and Plain, 10d. each.


Double Cork or Cork and Sandpaper, 1/- each.

Rubber and Plain, Rubber and Cork or Rubber and Sandpaper, 1/3 each.

BALLS in tubes of 1 dozen, 3/3.

All above Carriage Paid nearest Station, England and Wales.

PERMANENT TENNIS ENCLOSURES.



The use of **Steel Standards** and **Terminals** of suitable substance is the most satisfactory method of erecting a **Permanent** enclosure. These Standards together with Chain Link Fencing, will give many years of good service with freedom from trouble. The Standards and Terminals have special earth plates insuring rigidity and the line wires are stretched taut by the strainers supplied.

Specification of Ironwork as follows:—

| | 9-ft. | 10-ft. | |
|--|-------|--------|------|
| L Section Standards, 1½-in. by 1½-in. by ⅜-in., with Earth Plates | 4/6 | 5/- | each |
| L Section Corner Straining Pillars, 2½-in. by 2½-in. by ¼-in., with 2 staybars ... | 35/- | 37/6 | " |
| L Section Gate Terminals, 2½-in. by 2½-in. by ¼-in., with 1 staybar | 25/- | 27/- | " |

Gate, well braced and wired, complete with fittings, 32/6 each.

All the ironwork in above is painted two coats and finished green. Stouter Chain Link and Smaller Mesh can be supplied at slight extra cost. See page 37.

COST OF COMPLETE ENCLOSURES.

The cost of an enclosure 40 yds. by 20 yds. by 9-ft. high, 5 line wires and gate hung at corner, is as follows:—


| | | | |
|--|-----|----|---|
| Galvanised Chain Link, 2-in. Mesh, 14G, including Galvanised Line Wire and Binding Wire | £12 | 10 | 0 |
| 32 Standards as above | £7 | 4 | 0 |
| 3 Corner Pillars and Strainers as above | £5 | 5 | 0 |
| 2 Gate Terminals and Strainers, do. | £2 | 10 | 0 |
| 1 Gate and Fittings Complete, do. | £1 | 12 | 6 |
| | £29 | 1 | 6 |

For Enclosure 10-ft. high and 5 lines Wires £31 14 0

If Gate is **not fixed in one Corner**, the enclosure requires an additional Corner Straining Pillar, at an extra cost of 35/- or 37/6.

All complete surrounds sent Carriage Paid to nearest Station.

PERMANENT TENNIS ENCLOSURES



The following is a specification of somewhat lighter section ironwork, and, consequently lower in cost. This type is now largely used with the 14G Chain Link and also for Wire Netting. Ironwork is finished Green.

| | 9-ft. | 10-ft. | |
|---|-------|--------|------|
| L Section Standards, 1½-in. by 1½-in., with Earth Plates | 4/6 | 5/- | each |
| L Section Corner Straining Pillars, 2-in. by 2-in. by ½-in., with 2 staybars ... | 26/- | 30/- | " |
| L Section Gate Terminals, 2-in. by 2-in. by ½-in., with 1 staybar | 18/- | 20/- | " |

Gate well braced and wired complete with fittings, 32/6

See page 37 for other meshes in Galvanised Chain Link.

The cost of complete enclosures (**details** as on previous page), is as follows :—

| | 9-ft. | 10-ft. |
|---|----------|----------|
| With 14G 2-in. Mesh Chain Link ... | £27 0 6 | £29 13 0 |
| With 18G 2-in. Mesh Wire Netting ... | £20 15 6 | £22 14 0 |
| With 19G 1½-in. Mesh Wire Netting [...] | £22 1 6 | £24 1 0 |


If Gate is **not fixed in one Corner**, the Enclosure requires an additional Corner Straining Pillar at an extra cost of 26/- or 30/-.

All complete Surrounds sent Carriage Paid to nearest Station.

Tennis Surrounds and Stop-Net Supports.

By placing the Standards 9 feet apart and connecting same with a Top Rod which is simply placed on the spiked top of the standard, an extremely rigid and upright support is erected. The earth plate on the standard at ground level completes its effectiveness. For plan of enclosure see page 160.

Boundary Netting, see next page.



Illustrates simple method of placing top rods on uprights.

STEEL UPRIGHTS. Painted.

| | 6-ft. | 7-ft. | 8-ft. | 9-ft. | 10-ft. | out of ground each. |
|--------------------------------------|-------|-------|-------|-------|--------|---------------------|
| Ex. Strong Tubular Welded ... | 2/2 | 2/4 | 2/6 | 2/9 | 3/3 | |
| Patent "T" Section 1" ... | — | — | — | 3/2 | 3/4 | " |
| " " " 1½ ... | — | — | 5/1 | 5/6 | 6/- | " |

Corner Braces. For supporting the Corner uprights. 17/6 per set of 4 pairs.

TUBULAR STEEL TOP RODS. Painted Green.

(As illustrated on page 30)

9-ft. long, complete with Hooks, Ex. Strong Quality, 1/4 each.

Stout Ground Pegs


(As illustrated on page 30)

Galvanised Iron, for fixing netting to ground, 1/3 per doz.

Above Carriage Paid on orders of £5 or over.

Square Mesh Boundary Netting. Steam Tarred.

Fitted with Best Hemp Lines Top and Bottom.



The undermentioned are the best value procurable and thoroughly reliable in all respects. **Any length** can be cut and supplied immediately without any delay. All lengths are complete with top and bottom lines.

| | 6-ft. | 7-ft. | 8-ft. | 9-ft. | 10-ft. | 11-ft. | 12-ft. | high |
|----------------------------------|-------|-------|-------|-------|--------|--------|--------|-----------|
| No. 2.—Stout 2-Thread Hemp | 1/1 | 1/2 | 1/3 | 1/5 | 1/7 | 1/9 | 1/11 | yard run |
| No. 3.—Stout 3-Thread Hemp | 1/6 | 1/7 | 1/9 | 1/11 | 2/1 | 2/3 | 2/5 | „ |
| No. 4.—Extra Heavy 3-Thread Hemp | ... | ... | 1/11 | 2/2 | 2/7 | 2/9 | 3/- | 3/4 3/8 „ |

We advise Netting to be ordered **1-ft. wider** than actually required, which allows for shrinking and also needs less pegging to ground.

String Netting Carriage Paid on orders of £5 value and over.



WIRE NETTING for surround. See page 34.

CHAIN LINK FENCING „ „ „ page 37.

Retarring and Repairing.

Hemp **Boundary Netting** is preserved almost indefinitely by periodical retarring and attention. This can be done at Works (conveniently out of season) at a **Nominal Cost** and **Repairs** are effected at the same time. **Centre Nets** can be dealt with in the same way and **Top Bands, Etc.** renewed.

PLEASE COMMUNICATE WITH US.

Lawn Tennis Nets.**Net Adjuster.**

All Centre Nets are Steam Tarred and made from reliable Hemp.

| No. | Net Material | Head Line | 42-ft. \times 3½-ft. | 36-ft. \times 3½-ft. |
|-----|----------------------------|-----------|------------------------|------------------------|
| 3 | Stout 3-Thread | Hemp | 17/- | 16/- each |
| 4 | Do. | Steel | 21/- | 18/6 " |
| 5 | Extra Stout 3-Thread | Steel | 26/- | — |
| 6 | Do. | Copper | 31/6 | — |
| 7 | Best Italian Hemp | Copper | 43/6 | — |
| 8 | Extra Heavy Hemp Laid Cord | Copper | 47/6 | — " |

Double Tops supplied to above Nos. 3 and 4, 3/9 extra, No. 5, 4/6 and No. 6 5/6 extra.

No. 7 is especially recommended for Heavy Club use, and No. 8 for Hard Courts. The prices for these two include **Double Tops**.

Net Adjuster.

Best Web Band with Iron Foot and Adjustable Slide. Price 4/9 each.

Hard Court Net Adjuster, with weighted Base. ... " 4/9 "

Do. do. superior quality ... " 7/6 "

Tennis Net Top Lines.

| | | | |
|--------|---|--------|----------|
| No. 1. | Extra Stout Copper Line, fitted Hemp end and Pin | ... | 8/9 each |
| No. 2. | Stout Galvanized Steel Line (Loop one end and other end soldered) | | 4/9 " |
| No. 4. | Extra Stout Hemp Line | | 2/3 " |

Tennis Net Top Bands.

| | | |
|--------|--|----------|
| No. 1. | Super Quality Web Band, with reinforced centre, 4-in. wide | 6/9 each |
| No. 3. | Strong Flax, double selvages, 4-in. wide | 3/6 " |

All above Carriage paid Station, England and Wales.

TENNIS COURT MARKERS.

Improved Marker. No. 8.


Strong well made Marker, specially constructed with rounded bottom to ensure no waste in fluid. Wrought-iron frame and tank, with cast-iron wheels, no rubber band required. Cannot get out of order. Marks with a distinct clear $1\frac{1}{2}$ -in. line.

Capacity, 6 pints ... **25/9** each
Specially recommended.

No. 9. Similar to No. 8, but cast square bottom tank.

Capacity, 8 pints ($1\frac{1}{2}$ -in. line),
26/9 each.

Capacity, $3\frac{1}{2}$ galls (2-in. line),
52/9 each.



Popular Marker.


Supplied complete with lift-off cover as illustrated. Avoids spilling. A reliable machine giving a clear line. Capacity, 5 pints ($1\frac{1}{2}$ -in. marking line), **21/-** each.

Capacity, 12 pints (2-in. marking line), **36/9** each.

All above Carriage Paid Station, England and Wales.

Court Marking Pins.

Cast Iron Set of 8 L's and 2 T's White Enamelled.
Price 3/6 the Set. Carriage Paid.
Wrought Iron, Galvanized, 4/- the set, Carriage Paid.




ALL STEEL TENNIS POSTS.

Impervious to Weather Conditions.

Green Enamelled Finish.

Extra Heavy Pattern.




Round 4-in. diameter solid drawn Steel Tube with gunmetal worm winder protected from weather by polished aluminium cap to post. Other fittings plated and posts are green enamelled.

For **Grasscourts**, with screws and spanner.

For **Hardcourts**, with deep socket bases and caps.

Either Set, **115/6** complete.

Lighter Pattern.



Round 2½-in. diameter Post, made in one piece from cold drawn steel, green enamelled and fitted with worm winder.


For **Grasscourts**, with 4 "T" stakes, **70/-**.

or

With screws and spanner, **72/6**.

For **Hardcourts**, with socket bases and caps, **77/-**.

All above Carriage Paid England and Wales.



The "Britain" Set.

2½-in. Round Poles.

Although the price of this Set is so low, the same quality is maintained as all through our series, careful designing, selected timber, and full guarantee against defects.

Fitted with Ratchet Winder, which is covered and weather-proof. Also the well-known spade sockets, which leave no projection above ground. Poles are locked in the base and are fixed and removed instantly.

Set complete with Driving Plug, 43/6.

All above Carriage Paid Station, England and Wales.

TENNIS POSTS.

Best Ash Poles, 3-in. square, fitted with inside worm winder.

For Grasscourts.

No. 6. With 4 "T" stakes, 72/6.

No. 6A. With ground screws and spanner, 75/6.

HEAVIER PATTERN.

Best Ash Poles, 3¾-in. square, fitted with inside worm winder.

For Grasscourts.

No. 5. With 6 "T" stakes, 98/6.

No. 5A. With ground screws and spanner, 95/6.

For Hardcourts.


No. 5B. As No. 5, but with deep socket bases and caps, 101/6.


Round 3-in. diameter Poles with outside worm winder.

For Grasscourts.

No. 4. With 4 "T" stakes, 55/-.

No. 4A. With ground screws and spanner, 57/6.





Posts stand 3-ft. outside the Side Lines, i.e., 42-ft. apart. Allow as much space as possible behind Base Lines. Size of enclosure recommended is 117-ft. by 54-ft., and this enclosure would take 38 Uprights, 38 Top Rods, and 114 yards of Netting. String Netting should be ordered 1-ft. wider than height of Standards. Also see details of Permanent Surrounds.

Tennis Balls.

L.T.A. Official, 13/6 per dozen.

Club Ball. Made strictly to L.T.A. requirements in size, weight and bound, **8/-** per dozen.

Ball Nets to hold Six Balls, **3d.** each.



Hard Court Tape Lines.

Lead Tape 1-in. side lines, 1 1/2-in. back lines and 2-in. centre line. Complete set for Double Court with Galvanised nails **£6 5 0**
Ex. Heavy Lead Tapes as above ... **£7 17 6**
 Carriage Paid.

Lawn Tennis Tape Measures.

| | | |
|----------------------------------|------------|------------------|
| Ass skin Case, 3/4-in. tape. ... | 5/3 each. | } Carriage Paid. |
| Brass Case, 1/2-in. tape ... | 7/9 each. | |
| Solid Leather Case, 3/4-in. tape | 10/6 each. | |

INDEX—(Continued from inside front Cover.)


| | PAGE | | PAGE | | PAGE |
|-----------------------------|----------------|-------------------------------|------------------|---------------------------|----------------|
| Lawn Sand ... | Back of Cover | Reclining Chairs ... | 114 to 135 | Sweet Pea Trainers ... | 28, 29 |
| Lights ... | 89 to 91 | Refuse Destructors ... | 68, 69 | Swings ... | 77 |
| Lime Washing Machines | 102, 103 | Repairing Plates ... | 27 | Swing Water Barrows ... | 108 |
| Lime, Carbonate | Back of | Rockery Weeder ... | 52 | Syringes ... | 101 |
| do. Hydrated | Cover | Rollers ... | 64, 65 | | |
| | | Roofing Felt ... | 85 | Tables ... | 138 to 146 |
| Mallet ... | 25 | Rose and Dahlia Stakes | 18, 19 | Table Tennis ... | 151 |
| Mattocks ... | 55 | Rose Labels ... | 24 | Tarred Twine ... | 24 |
| Measuring Tapes ... | 160 | Rose Manure ... | Back of Cover | Teak Furniture ... | 140 to 142 |
| Meat Safes ... | 112 | Rosery ... | 12, 13, 14 | Teak Stakes ... | 19 |
| Mending Plates ... | 27 | Rose Trainers ... | 2 to 23 | Tennis Equipment of Every | |
| Metal Tables ... | 144, 145 | Rustic Arches ... | 22 | Kind ... | 152 to 160 |
| Mole Traps ... | 25 | Rustic Fencing ... | 20, 21 | Tents ... | 119 to 123 |
| Motor Mower ... | 63 | Rustic Houses ... | 93 | Tool Shed ... | 92 |
| | | Rustic Timber ... | 20 | Tree Pruners ... | 56 to 58 |
| Nails ... | 18, 27 | | | Trellis ... | 2 to 23 |
| Netting ... | 31, 34, 37 | Saws ... | 55, 58 | Trellis Laths and Capping | 18, 19 |
| Netting Stakes ... | 18, 19, 35 | Scissors ... | 57 | Trowels ... | 51 |
| Nitrate of Soda | Back of Cover | Scraper Mats ... | 26 | Trug Baskets ... | 25 |
| | | Screw Hooks and Eyes ... | 27 | Tubs ... | 73 to 76 |
| Oak Bordering ... | 18 | Scythes and Snaithes ... | 59 | Turf Beater ... | 19 |
| Oak Posts ... | 18 | Secateurs ... | 57 | Turf Edgers and Irons | 59, 60 |
| Oak Screening ... | 2 to 13 | Seed Protectors | 28, 29, 90, 91 | Tying Material ... | 24 |
| Ornaments ... | 78 to 81 | Shears ... | 56, 58 | | |
| Padlocks ... | 27 | Sheep Netting ... | 33 to 43 | Umbrellas ... | 112 to 120 |
| Pea and Bean Supports | | Shelf Brackets ... | 27 | Umbrella Trainer ... | 26 |
| | 24, 28, 29, 31 | Shovels ... | 50 | | |
| Pea Guards ... | 28, 29, 90, 91 | Sieves ... | 25 | Vegetable Racks ... | 112 |
| Peat Mould ... | Back of Cover | Slow Combustion Stove | 109 | Vine Eyes ... | 27 |
| Pergolas and Pergola Chain | | Solignum ... | 85 | Vine Scissors ... | 57 |
| | 5, 14, 20 | Spades ... | 50 | | |
| Permanent Tennis Enclosure | | Sparrow Trap ... | 84 | Wall Nails ... | 27 |
| | 152, 153 | Sprayers ... | 97 to 103 | Wall Trellis ... | 6, 7 |
| Picks ... | 55 | Sprinklers ... | 97 to 103 | Water Ballast Rollers | 64 |
| Pig Fencing ... | 33 to 38 | Square Mesh Trellis ... | 2 to 13 | Water Barrows ... | 108 |
| Pinoleum Blinds ... | 124, 125 | Stakes ... | 18 to 20, 35, 38 | Watering Pots ... | 104, 105 |
| Plan of Tennis Court ... | 160 | Staples ... | 27 | Water Tubs ... | 105 to 108 |
| Plant Trainers and Supports | 28, 29 | Steps and Ladders ... | 66, 67 | Wattle Hurdles ... | 42 |
| Plate Racks ... | 111 | Stone Ornaments ... | 78 to 81 | Weed Eradicators ... | 52 to 54 |
| Pneumatic Sprayers ... | 100, 103 | Strainers and Straining Posts | | Weed Killer ... | Back of Cover |
| Portable Buildings ... | 92, 93 | | 27, 38, 43 | Wheelbarrows ... | 70 to 72 |
| Portable Coppers ... | 109 | Strawberry Guards ... | 29 | Wind Screening | 16, 17, 41, 42 |
| Potting Shed ... | 92 | String Netting ... | 31 | Wine Bins and Cabinets | 113 |
| Pruners ... | 55 to 58 | Summer Houses ... | 93 | Wire Arches ... | 22 |
| Pulleys ... | 27 | Sun Blinds and Awnings | 124 to 126 | Wire Netting ... | 34 |
| Pumps ... | 94 | Sundials ... | 78 to 81 | Wire Stretchers ... | 43 |
| | | Sunralite ... | 90, 91 | Wood Preservative ... | 85 |
| Radisseurs ... | 27 | Superphosphate | Back of Cover | Worm Killer ... | Back of Cover |
| Rakes ... | 53 | Sulphate of Ammonia | do. | Window Boxes | Back of Cover |
| Rat Killer ... | 84 | Sulphate of Potash | do. | | |
| Rat Traps ... | 84 | | | | |

Composts, Manures, Fertilisers, Etc.

- Adco.** For converting Garden Refuse into valuable Manure. "Standard," for tough and resistant refuse, etc. 28-lbs., 6/9; 56-lbs., 12/6; 112-lbs., 23/-.
- "Accelerator,"** for softer refuse, grass cuttings, etc. 28-lbs., 5/-; 56-lbs., 8/6; 112-lbs., 16/-.
- Basic Slag.** 28-lbs., 3/-; 56-lbs., 5/3; 112-lbs., 9/6.
- Bone Meal.** Finely ground. 28-lbs., 4/6; 56-lbs., 8/-; 112-lbs., 15/-.
- Fertiliser.** For General Use. A good analysis. 28-lbs., 6/9; 56-lbs., 12/-; 112-lbs., 21/-.
- Hop Manure.** An excellent Stable Manure Substitute. 1x28-lb. bag, 6/-; 5x28-lb. bags, 28/6; 10x28-lb. bags, 55/-.
- Humull.** Natural organic material for adding Humus. 56-lbs., 8/-; 112-lbs., 14/6.
- Lawn Dressing.** An Ideal Grass Food. 28-lb. bag, 6/9; 56-lb. bag, 12/6.
- Lawn Sand.** 28-lbs., 6/-; 56-lbs., 11/-; 112-lbs., 20/-.
- Lime, Carbonate.** Fine powdered. 28-lbs., 2/9; 56-lbs., 4/6; 112-lbs., 8/3.
- Lime, Hydrated.** 28-lbs., 3/3; 56-lbs., 5/9; 112-lbs., 9/9.
- Nitrate of Soda.** 28-lbs., 4/9; 56-lbs., 8/9; 112-lbs., 16/6.
- Peat Moss.** Fine. 56-lbs., 5/6; 112-lbs., 9/6.
- Peat Moss.** Granulated. 56-lbs., 5/3; 112-lbs., 9/-.
- Peat Mould.** 56-lbs., 5/-; 112-lbs., 8/6.
- Rose Manure** (Tonks formula). 28-lbs., 8/-; 56-lbs., 15/-.
- Superphosphate.** 28-lbs., 3/-; 56-lbs., 5/3; 112-lbs., 9/6.
- Sulphate of Ammonia.** 28-lbs., 4/6; 56-lbs., 8/6; 112-lbs., 15/-.
- Sulphate of Potash.** 28-lbs., 5/9; 56-lbs., 10/9; 112-lbs., 19/9.
- Weed Killer.** Non Arsenical, safe and effective. No. 2 to make 25 gallons 3/9; No. 3, 50 gallons, 6/6; No. 4, 100 gallons, 11/6.
- Worm Killer.** 28-lbs., 4/6; 56-lbs., 8/-; 112-lbs., 15/-.

All above sent Carriage Paid nearest Station England and Wales.

FLOWER and WINDOW BOXES BURMA TEAK THROUGHOUT ALMOST EVERLASTING



No. 1.

No. 2.

Pattern No. 1. Dovetailed Corners.

Overall Size 30-in. x 8½-in. x 7½-in. high., 14/6.

Overall Size 36-in. x 8½-in. x 7½-in. high., 16/-.

Pattern No. 2. Corners bound. Galvanised Angle Pieces.

Overall Size 30-in. x 9-in. x 8-in. high., 16/6.

Overall Size 36-in. x 9-in. x 8-in. high., 18/-.

Carriage Paid
Station
England
and Wales.